

Kept at *Dartmoor*
in the County of *Devon*

1754
DARTMOOR CONVALESCENT HOME

1931—33

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
Ground Sea Level

790308

31.
Miss Chappard
day 25 instead of 20
Sept 25/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.03	-	.45									1
2	.47	.03	-	.57									2
3	~~.52~~	.6	1.06	-									3
4	-	.6	.26	.02	.12								4
5	-	.3	.15	.23		.675	.18						5
6	-	.1	-	.01									6
7	-	.01	-	-		.275	.24						7
8	-	.06	-	-	.28	.04	.36						8
9	.015	.46	-			.35							9
10	-	.23	-			.13							10
11	.32	1.09	-	.01									11
12	.08		.03			.24							12
13	-	.385					.645						13
14	.05	.20	-	-	.35		.38						14
15	.17	.23	-	.03			.74						15
16			-	.01		.6							16
17	.02	.24											17
18	.05			.09			.58						18
19	.09	.07	.44	.07			.29						19
20	.6	.20				.2							20
21	.21	.6	-	-									21
22	1.02	.07	.035	.08									22
23	.63	.02	.005	.7									23
24	.4	.6	1.15	1.15	1.29								24
25		.08		.42									25
26	.02	.2		.36			.74						26
27	.01	.26					.52						27
28	.21	.22	.23		.78		.24						28
29	.18		.06										29
30	.11	X					.01						30
31	1.6	X	.25	X	.32	X			X		X		31
TOTAL	6.46	4.89	2.81	4.18	3.24	2.57	4.95						YEAR'S TOTAL
*Days with ".01 in. or more.													40.05
*Days with ".04 in. or more.													(54.89)

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at Dartmouth Convalescent Home, Tor House, Chafford
in the County of Devon

Diameter of Funnel of Gauge. 5 in.
Height of top of Gauge above Ground. 1 ft. 4 in.
Ground Sea Level 750 ft.

906 sent 23/2/32 suggesting 25" instead of 20"
for 4 1/2 months shown below
Observer agrees our estimate
Jan. 25/2/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.03	-	.45									1
2	.47	.03	-	.57									2
3	~~.55~~	<u>6</u>	1.06	-									3
4	-	<u>6</u>	.26	.02	.12								4
5	-	.3	.15	.23		.675	.18						5
6	-	.1	-	.01									6
7	-	.01	-	-		.275	.24						7
8	-	.06	-	-	.28	.04	.36						8
9	.015	.46	-			.35							9
10	-	.23	-			.13							10
11	.32	1.09	-	.01									11
12	.08		.03			.24							12
13	-	.385					.645						13
14	.05	.20	-	-	.35		.38						14
15	.19	.23	-	.03			.74						15
16			-	.01		.6							16
17	.02	.24											17
18	.05			.09			.58						18
19	.09	.07	.44	.07			.29						19
20	<u>6</u>	.20				.2							20
21	.21	<u>6</u>	-	-									21
22	1.02	.07	.035	.08									22
23	.63	.02	.005	.7									23
24	.4	<u>6</u>	1.15	1.15	1.29								24
25		.08		.42									25
26	.02	.2		.36			.74						26
27	.01	.26					.52						27
28	.21	.22	.23		.78		.24						28
29	.18		.06										29
30	.11	X					.01						30
31	1.6	X	.25	X	.32	X			X		X		31
TOTAL	6.41	4.89	2.81	4.18	3.24	2.57	4.95						YEAR'S TOTAL
*Days with or in. or more.													44.085
*Days with or in. or more.													(54.89)

Section

A

for the entry of Daily Observations.

Station No.

1754

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Dartmoor Convalescent Home*
in the County of *Devon*Diameter of Funnel of Gauge *5 1/4* in.Height of top of Gauge above Ground *16* ft. in.,, Ground ,, Sea Level *750* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	—	—	.33	—	—	—	.15	—	—	.02	.10	1
2	.19	.11	—	.04	—	—	.02	.025	.72	—	—	.55	2
3	.04	.035	—	—	—	.45	<i>Trace</i>	—	.45	.10	.01	.05	3
4	.07	.105	—	—	—	.02	.06	—	—	—	.34	—	4
5	1.36	.04	—	—	—	—	—	—	.16	.02	—	—	5
6	1.40	—	—	.48	—	—	.02	—	.20	—	—	—	6
7	.26	—	—	.08	.01	—	.30	—	1.13	1.81	—	—	7
8	—	.73	—	.06	.14	—	—	—	.13	.13	—	—	8
9	2.75	—	—	.59	.23	—	—	—	.32	.01	—	—	9
10	.55	—	.026	.55	.005	—	—	—	.10	.67	—	—	10
11	.20	—	—	.09	.43	—	—	.7	.05	.12	—	—	11
12	1.18	—	—	—	.58	—	—	—	—	.57	—	.37	12
13	.30	—	—	.42	—	—	.19	.12	—	1.31	.01	.12	13
14	.51	—	—	.09	.29	<i>Trace</i>	—	—	—	.17	.05	.23	14
15	.08	—	—	.09	.02	<i>Trace</i>	—	—	—	.01	—	—	15
16	1.00	—	—	.10	—	—	.11	—	—	.01	—	—	16
17	—	—	—	.02	.03	—	—	—	—	.16	—	—	17
18	—	—	—	—	.29	—	—	—	.19	—	.29	.04	18
19	—	—	—	.01	.53	—	—	—	.07	.52	<i>Trace</i>	—	19
20	—	—	—	.03	.74	—	—	.03	—	1.02	.18	.29	20
21	—	.04	—	.09	—	—	—	1.03	—	1.38	.10	.35	21
22	—	—	—	.12	.03	—	.08	—	.57	.32	.54	.14	22
23	—	—	—	—	—	—	.09	.25	—	.78	.41	.21	23
24	—	—	.01	—	.05	—	.54	—	.06	.29	.06	—	24
25	—	.42	—	—	.02	—	.26	—	.14	.67	.20	—	25
26	—	.05	—	.05	—	—	—	—	—	.25	.03	.01	26
27	—	.61	—	.15	.15	—	.36	—	.03	.56	.19	.03	27
28	—	.15	—	.08	.08	—	.22	—	—	1.12	—	.05	28
29	—	1.19	—	.29	.17	.49	—	.55	1.09	.18	.38	.78	29
30	—	.14	—	.22	—	1.91	.54	—	.76	<i>Trace</i>	1.10	.90	30
31	—	X	—	X	.13	X	.03	—	X	—	X	—	31
TOTAL	10.14	3.62	.035	3.98	3.625	2.87	2.822	1.556	1.47	12.18	3.914	2.255	3155.73
*Days with .01 in. or more.	16	12	2	22	19	4	14	7	17	24	16	16	169
*Days with .04 in. or more.	16	11	2	19	13	3	11	5	16	20	12	14	140

40-9999

*See Instruction 2 (f) on other side.

(Signed)

B. B. Berry

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

1754

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Dartmoor Convalescent Home*
in the County of *Devon*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *3* in.
Ground Sea Level *750* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.56	.80	.29	—	.10	.04	—	—	—	.01	.33	1.33		1
2	1.53	.01	1.01	—	1.26	.63	—	—	—	—	.03	.17		2
3	.21	.07	.42	—	.04	—	—	—	—	—	—	—		3
4	.50	.08	.04	—	.20	—	—	—	—	—	—	—		4
5	.09	.08	1.12	—	.35	—	—	—	—	.05	—	—		5
6	.005	.76	.21	—	.32	—	.59	—	—	.15	—	—		6
7	.02	.08	.03	—	.19	—	.05	—	.005	.07	—	—		7
8	.03	.02	—	—	.05	—	.45	—	—	—	—	—		8
9	—	.12	—	—	.45	—	.70	.01	—	1.02	.09	—		9
10	.10	.13	—	—	—	—	.07	.06	—	2.17	.13	—		10
11	—	—	—	—	—	Trace	.14	3.98	—	.06	—	.05		11
12	.02	.03	—	.11	—	.24	.19	.05	.54	—	—	—		12
13	—	—	—	—	.14	.21	.32	.06	.005	.31	.18	—		13
14	.28	—	—	—	—	—	.22	.04	—	.02	.21	—		14
15	.41	—	.38	—	—	—	.10	.05	—	.06	.12	.03		15
16	—	.04	1.10	—	—	Trace	.005	—	—	.16	—	—		16
17	.11	.17	.43	—	—	.19	—	.03	.17	—	—	—		17
18	.15	—	.63	—	—	.22	.016	—	—	—	—	—		18
19	.37	—	.32	—	—	.13	—	.005	.13	—	.69	—		19
20	.01	.16	—	—	.01	—	—	.02	.16	—	—	.02		20
21	—	.10	—	—	Trace	.37	—	.14	—	.17	.01	—		21
22	—	—	—	.13	—	—	—	.60	.38	.03	.02	—		22
23	—	.96	—	.05	—	.04	—	—	.08	.69	—	—		23
24	—	.16	—	.28	.04	.01	—	—	.09	.15	—	—		24
25	—	.81	—	.14	.06	.05	—	—	.04	—	—	.11		25
26	—	.21	—	.07	.07	—	—	—	—	.18	—	—		26
27	—	.20	—	.08	—	—	—	—	.01	.70	—	.60		27
28	—	.59	—	.18	.11	—	.20	—	.015	.29	—	.24		28
29	—	X	.04	.01	—	—	.04	—	.03	—	—	.02		29
30	.09	X	.13	.37	—	—	.09	—	.12	.05	—	.15		30
31	.73	X	.10	X	.02	X	—	—	X	.15	X	.01		31
TOTAL	5.215	5.54	6.25	1.42	3.41	2.30	3.18	4.945	1.775	6.49	1.71	2.73	44.995	
*Days with .01 in. or more.	18	21	15	10	17	13	15	12	14	20	10	11	175	
*Days with .04 in. or more.	13	18	14	9	15	12	13	8	9	17	7	7	142	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

C. H. Berry

[P.T.O.]

Section **A** for the entry
AIR MINIS
FORM 1090

Station No. **1754/5**
INFALL ORGANIZATION
1939

Kept at **DENSHAMS**
in the County of **DEVO**
Diameter of Funnel of Gauge...
Height of top of Gauge above
Ground

1754/5
CHAGFORD DENSHAMS
1939-40

780308

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.38	-	.31	.03	.01	-	.02	.03	-	-	.89	.20		1
2	.17	-	-	.19	-	-	-	.19	.15	-	.31	.15		2
3	.30	-	.11	.53	-	-	-	.04	.07	-	.45	.89		3
4	.07	-	.60	.25	.41	-	.32	.09	-	1.11	.30	.41		4
5	-	-	.04	.15	-	-	.52	-	-	.57	1.20	.03		5
6	.31	.01	.05	.29	-	-	1.39	.03	-	.15	.69	-		6
7	.09	.21	-	-	-	-	.07	.02	-	-	.35	.34		7
8	.08	.79	.11	-	.03	.08	.17	.01	-	.95	.98	.19		8
9	.03	.03	.12	-	-	-	-	.05	-	.10	.08	.21		9
10	.44	-	.02	-	-	.03	-	.08	.11	.16	.07	.75		10
11	.11	.07	.04	-	-	-	-	-	-	.10	.01	.04		11
12	.13	.03	-	.07	-	-	-	-	.05	.04	.06	-		12
13	.01	-	-	.36	-	.03	.46	-	.04	.52	.07	-		13
14	1.46	-	-	.11	.06	.05	.67	-	-	.05	.48	.04		14
15	.88	-	-	.06	.11	.45	.30	-	-	.01	.41	.03		15
16	.36	-	.01	.07	.04	-	.52	-	-	-	.36	-		16
17	1.41	.08	-	.01	.03	.28	.38	-	-	-	.04	-		17
18	.03	.05	.03	-	-	.02	.88	-	-	-	1.03	.18		18
19	.34	-	-	-	-	-	.33	.62	-	-	.02	.10		19
20	.58	-	-	-	.03	.59	.52	1.04	-	-	-	.03		20
21	.25	.64	.20	-	.03	.37	.08	.09	-	-	-	-		21
22	1.37	.66	.23	.05	-	.66	.04	-	.03	-	.43	.02		22
23	.03	.03	.08	.38	-	.03	.19	.02	-	.03	1.58	-		23
24	1.13	.02	.33	.09	-	.64	.67	-	-	.09	.01	-		24
25	.64	.22	-	.02	-	.08	.05	.28	-	.18	1.04	-		25
26	.03	.02	-	.16	-	-	-	.17	-	.22	.97	.03		26
27	-	.46	-	.01	-	.17	-	-	-	-	.20	-		27
28	-	.13	-	.18	-	.09	.08	-	-	-	.37	.03		28
29	.03	X	.01	.08	-	.04	.30	-	-	.31	.14	-		29
30	-	X	.08	.43	-	-	.08	.08	-	.52	.06	-		30
31	-	X	-	X	-	X	.03	.16	X	1.34	X	-		31
TOTAL	10.66	3.45	2.37	3.62	.75	3.61	8.09	3.00	.45	6.45	12.60	3.86	58.81	Year's Total
* Days with .01 in. or more.	26	16	17	21	9	16	23	17	6	18	28	18	215	
* Days with .04 in. or more.	20	10	13	17	4	12	21	12	5	16	25	12	167	

* See Instruction 3 (f) on other side.

Secure column, no entries required.

(Signed)

John V. Somers

[P.T.O.]

Section



for the entry

Station No.

1754/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at DENSHAM, CHAGFORD

in the County of DEVON

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....6 1/2.....ft.

„ Ground „ Sea Level 650.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.38	-	.31	.03	.01	-	.02	.03	-	-	.89	.20		1
2	.17	-	-	.19	-	-	-	.19	.15	-	.31	.15		2
3	.30	-	.11	.53	-	-	-	.04	.07	-	.45	.89		3
4	.07	-	.60	.25	.41	-	.32	.09	-	1.11	.30	.41		4
5	-	-	.04	.15	-	-	.52	-	-	.57	1.20	.03		5
6	.31	.01	.05	.29	-	-	1.39	.03	-	.15	.69	-		6
7	.09	.21	-	-	-	-	.07	.02	-	-	.35	.54		7
8	.08	.79	.11	-	.03	.08	.17	.01	-	.95	.91	.19		8
9	.03	.03	.12	-	-	-	-	.05	-	.10	.04	.21		9
10	.44	-	.02	-	-	.03	-	.08	.11	.16	.07	.75		10
11	.11	.07	.04	-	-	-	-	-	-	.10	.01	.04		11
12	.13	.03	-	.07	-	-	-	-	.05	.04	.06	-		12
13	.01	-	-	.36	-	.03	.46	-	.04	.52	.07	-		13
14	1.46	-	-	.11	.06	.05	.67	-	-	.05	.68	.04		14
15	.88	-	-	.06	.11	.45	.30	-	-	.01	.41	.03		15
16	.36	-	.01	.07	.04	-	.53	-	-	-	.36	-		16
17	1.41	.08	-	.01	.03	.28	.38	-	-	-	.04	-		17
18	.03	.05	.03	-	-	.02	.88	-	-	-	1.03	.18		18
19	.34	-	-	-	-	-	.33	.62	-	-	.02	.10		19
20	.58	-	-	-	.03	.59	.53	1.04	-	-	-	.03		20
21	.25	.64	.20	-	.03	.37	.08	.09	-	-	-	-		21
22	1.37	.66	.23	.05	-	.66	.04	-	.03	-	.43	.02		22
23	.03	.03	.08	.38	-	.03	.19	.02	-	.03	1.58	-		23
24	1.13	.02	.33	.09	-	.64	.67	-	-	.09	.01	-		24
25	.66	.22	-	.02	-	.08	.05	.28	-	.18	1.04	-		25
26	.03	.02	-	.16	-	-	-	.17	-	.22	.97	.02		26
27	-	.46	-	.01	-	.17	-	-	-	-	.20	-		27
28	-	.13	-	.18	-	.09	.08	-	-	-	.37	.02		28
29	.03	X	.01	.08	-	.04	.30	-	-	.31	.14	-		29
30	-	X	.08	.43	-	-	.08	.08	-	.52	.06	-		30
31	-	X	-	X	-	X	.03	.16	X	1.34	X	-		31
TOTAL	10.66	3.45	2.37	3.52	.75	3.61	8.09	3.00	.45	6.45	12.60	3.86	58.81	
* Days with .01 in. or more.	26	16	17	21	9	16	23	17	6	18	28	18	215	
* Days with .04 in. or more.	20	10	13	17	4	12	21	12	5	16	25	12	167	

Year's Total

* Days with .01 in. or more.
* Days with .04 in. or more.

* See Instruction 3 (f) on other side.

Source column, no entries required.

(Signed)

John V. Somers

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1754/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at (BENSHAMS) (CHAGFORD)
in the County of DEVONDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1.1.....in.,, Ground ,, Sea Level 6.50.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.09	—	.08	.33	—	—	—	—	—	.28	—		1
2	—	.20	—	.21	—	—	—	—	—	—	1.54	.01		2
3	.05	.91	—	.03	—	—	—	—	—	.25	2.03	.12		3
4	.03	.18	—	.23	—	—	.08	—	—	.16	.25	.07		4
5	.02	.01	—	—	—	—	.01	—	—	.17	.77	.30		5
6	.24	.65	—	—	—	—	—	—	—	.47	.16	.28		6
7	.04	.04	—	—	—	—	.20	—	.04	.10	—	.04		7
8	.01	.09	—	—	—	—	—	—	.01	.37	.34	.50		8
9	—	—	—	—	—	—	.53	.03	—	.15	.66	.30		9
10	—	—	—	—	—	—	.41	—	.08	.18	.23	.41		10
11	—	.01	.07	.03	—	—	.63	—	—	—	1.66	.07		11
12	—	—	.29	.03	—	—	1.04	—	.68	—	.46	—		12
13	—	—	.38	—	—	—	—	—	—	.59	1.02	.33		13
14	.03	.03	.06	.11	.01	—	.06	.03	.27	.57	.18	.63		14
15	—	.02	—	.12	—	—	.03	—	.09	.03	.71	.05		15
16	.10	1.26	.63	.12	—	—	.17	—	.22	.09	.07	.04		16
17	—	.18	.80	.02	—	—	.10	—	.02	—	.04	.02		17
18	.51	.54	.54	.93	—	—	—	.07	.15	.18	.08	.15		18
19	—	.04	.33	.19	—	—	.11	—	.47	.04	.34	—		19
20	—	—	.03	.07	—	—	—	.08	.02	.17	.12	—		20
21	—	.01	.01	—	.23	—	—	—	—	—	.83	—		21
22	—	.02	.08	.13	—	.63	—	—	.19	.07	.02	—		22
23	—	.13	.25	.06	.20	—	—	—	—	.28	.05	—		23
24	.04	—	.04	—	—	—	.18	—	—	—	.01	—		24
25	.15	—	.25	.01	.27	.11	—	—	—	—	—	—		25
26	.61	.72	—	.14	.29	.03	.13	—	—	—	.04	—		26
27	.48	.31	.13	.69	.33	—	—	—	—	—	.02	—		27
28	.44	.19	—	.03	.06	—	—	.02	—	—	—	.01		28
29	.33	.07	.21	.98	—	—	—	—	—	.08	—	.24		29
30	.10	X	.01	.05	—	—	—	—	—	.85	—	.11		30
31	.05	X	.09	X	—	X	—	—	X	1.01	X	.86		31
TOTAL	3.23	5.70	4.25	4.26	1.72	.77	3.68	.23	2.17	5.81	11.91	4.54	48.27	Year's Total
* Days with .01 in. or more.	17	22	18	21	8	3	14	5	12	20	25	20	18.5	
* Days with .04 in. or more.	13	16	15	15	7	2	12	2	8	19	22	17	14.8	

† Spare column, no entries required.

* See Instruction 3 (f) on other side

C. V. SOMERS COCKS Esq.

(Signed)

Chas. V. Somers Esq.

[P.T.O.]

Kept at *Chagford*
in the County of *Devon*
Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
,, Ground ,, Sea

1755
CHAGFORD (H VISH)
1931—40

780308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.01	-	.49		.07	-	-	.40	-	-	.02	1
2	.40	.05	-	-		-	-	-	.41	.04	.64	.64	2
3	.30	-	1.12	.50		-	-	.01	.21	4	3.90	.22	3
4	.06	-	.26	.04	.04	.11	.01	.58	.19	.01	.05	.09	4
5	-	.24	.28	.15		.41	.15	.59	.03	-	.18	.48	5
6	-	.14	-	.02		.16	.47	-	.04	.47	.19	.60	6
7	-	.02	-	-	.22	.11	.44	.13	-	.05	1.02	.05	7
8	.03	.05	-	.03		.35	.03	.15	-	-	.48	.05	8
9	.02	.40	-	-	.02	.41	.10	.07	-	-	.49	.02	9
10	.01	.28	-	-		.04	.08	-	-	-	.99	.03	10
11	.28	.90	.03	-		.18	.06	4	.32	-	.58	-	11
12	.08	.19	.02	-		-	.36	4	.02	.29	-	-	12
13	-	.10	-	-	.20	.02	.35	.15	.06	.05	.02	-	13
14	.04	.17	-	-	.15	.12	.59	.07	.02	-	.57	-	14
15	.03	.22	-	.04		.03	.02	.96	.05	-	-	.05	15
16	.10	.32	-	.11	.30	.50	.03	.56	.03	-	-	.03	16
17	.04	.04	-	.02		.04	.53	-	.01	-	-	-	17
18	.03	-	.02	.12		.15	.05	.92	-	-	.30	-	18
19	.02	.08	.13	.06		.14	.25	.04	.02	-	.50	.01	19
20	.01	.15	.28	-		-	-	.84	-	-	.25	-	20
21	.19	.02	.03	-	.20	.01	-	-	-	.03	.05	-	21
22	.92	.08	-	.05	.26		-	.01	-	-	.01	-	22
23	.47	.02	-	.72	.62		.01	.04	-	-	.90	-	23
24	.15	-	1.14	.07	.02	.68	.75	-	-	-	.07	-	24
25	.29	.15	.03	.35	.03		.08	-	-	-	.19	.01	25
26	-	.09	-	.36	-		.46	-	-	-	.80	.05	26
27	.11	.28	-	.02	.54		.22	-	-	.03	.09	.02	27
28	.18	.31	-	.06	.02		-	.10	-	.08	.01	-	28
29	.09	X	-	-	.16		.08	.20	-	.09	.08	.27	29
30	.10	X	-	-	.25	.01	.08	.02	.05	.02	-	.12	30
31	1.27	X	.36	X	.15	X	-	-	X	-	X	.24	31
TOTAL	5.24	4.31	2.56	4.28	3.23	2.88	5.13	6.19	1.86	1.76	12.36	2.40	51.60
*Days with or in. or more.	26	24	11	18	16	20	23	19	15	11	24	19	226
*Days with .04 in. or more.	18	20	6	14	13	15	18	16	9	7	21	12	169

Phototype

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Chagford
in the County of Devon

Station No. 1755

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 595 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.01	-	.49		.87	-	-	.40	-	-	.02	1
2	.40	.05	-	-		-	-	-	.41	.04	.64	.64	2
3	.30	-	1.12	.50		-	-	.01	.21	4	3.90	.22	3
4	.06	-	.26	.04	.04	.11	.01	.58	.19	.01	.05	.09	4
5	-	.24	.28	.15		.41	.15	.59	.03	-	.18	.48	5
6	-	.14	-	.02		.16	.47	-	.04	.47	.19	.60	6
7	-	.02	-	-	.22	.11	.44	.13	-	.05	1.02	.05	7
8	.03	.05	-	.03		.35	.03	.15	-	-	.48	.05	8
9	.02	.40	-	-	.02	.41	.10	.07	-	-	.49	.02	9
10	.01	.28	-	-		.04	.08	-	-	-	.99	.03	10
11	.28	.90	.03	-		.18	.06	4	.32	-	.58	-	11
12	.08	.19	.02	-		-	.36	4	.02	.29	-	-	12
13	-	.10	-	-	.20	.02	.35	.15	.06	.05	.02	-	13
14	.04	.17	-	-	.15	.12	.59	.07	.02	-	.57	-	14
15	.03	.22	-	.04		.03	.02	.96	.05	-	-	.05	15
16	.10	.32	-	.11	.30	.50	.03	.56	.03	-	-	.03	16
17	.04	.04	-	.02		.04	.53	-	.01	-	-	-	17
18	.03	-	.02	.12		.15	.05	.92	-	-	.30	-	18
19	.02	.08	.13	.06		.14	.25	.04	.02	-	.50	.01	19
20	.01	.15	.28	-		-	-	.84	-	-	.25	-	20
21	.19	.02	.03	-	.20	.01	-	-	-	.03	.05	-	21
22	.92	.08	-	.05	.26		-	.01	-	-	.01	-	22
23	.47	.02	-	.72	.62		.01	.04	-	-	.90	-	23
24	.15	-	1.14	.07	.02	.68	.75	-	-	-	.07	-	24
25	.29	.15	.03	.35	.03		.08	-	-	-	.19	.01	25
26	-	.09	-	.36	-		.46	-	-	-	.80	.05	26
27	.11	.28	-	.02	.54		.22	-	-	.03	.09	.02	27
28	.18	.31	-	.06	.02		-	.10	-	.08	.01	-	28
29	.09	X	-	-	.16		.08	.20	-	.09	.08	.27	29
30	.10	X	-	-	.25	.01	.08	.02	.05	.02	-	.12	30
31	1.27	X	.36	X	.15	X	-	-	X	-	X	.24	31
TOTAL	5.24	4.31	2.56	4.28	3.23	2.88	5.13	5.19	1.86	1.76	12.36	2.40	51.60
*Days with or in. or more.	26	24	11	18	16	20	23	19	15	11	24	19	226
*Days with or in. or more.	18	20	6	14	13	15	18	16	9	7	21	12	169

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Phototype

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Chayford
in the County of Leven

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 590 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.19	-	-	.27	.14	-	.15	.05	.04	.01	.01	.30	1
2	.18	-	.10	.11	-	-	.03	.02	.45	.03	-	.23	2
3	.02	.01	.05	-	-	.45	.01	-	.48	.13	.02	.05	3
4	.08	-	-	-	-	.02	.06	.03	-	-	.35	-	4
5	1.32	-	.12	-	-	-	.01	-	.05	-	-	-	5
6	1.10	-	-	.40	-	-	.14	-	.29	.01	-	-	6
7	.30	-	.06	.16	-	-	.03	-	.80	1.50	-	-	7
8	.02	-	.56	.04	.04	-	-	-	.24	.12	-	-	8
9	2.66	tr	-	.62	.11	-	-	-	.12	.05	-	-	9
10	.50	-	-	.47	.14	-	-	.01	.10	.60	-	-	10
11	.19	-	-	.10	-	-	-	-	.01	.10	-	.21	11
12	1.02	-	-	.02	.15	-	.05	-	-	.42	-	.06	12
13	.20	-	-	.05	.50	-	.16	.20	-	1.21	.02	.18	13
14	.50	-	-	.94	.70	-	-	.02	-	.33	.06	-	14
15	.10	-	-	.10	.25	-	-	-	-	.91	-	-	15
16	.94	-	-	.11	.04	-	.15	-	-	.01	-	.15	16
17	.01	-	-	.01	-	-	tr	-	-	.09	.02	.02	17
18	-	-	-	-	-	-	-	-	.25	.01	.29	.01	18
19	.03	-	-	.05	.30	.01	-	-	.07	.38	.02	-	19
20	.02	-	-	.02	.44	-	-	.04	.01	.96	.11	.30	20
21	-	-	.05	.10	.85	-	-	.94	.06	1.19	.10	.35	21
22	-	-	.01	.09	-	-	.06	.13	.48	.27	.45	.16	22
23	-	.03	-	-	.06	-	.06	.02	-	.72	.40	.23	23
24	-	-	-	-	.05	-	.51	-	.10	1.55	.10	.02	24
25	-	-	.45	-	.05	-	.32	-	.09	.63	.18	-	25
26	-	-	.15	-	-	-	.10	-	.05	.20	.21	-	26
27	-	-	.51	.05	.10	-	.11	-	-	.54	.06	.05	27
28	-	-	.38	.19	.12	-	.13	-	-	.03	.01	.04	28
29	-	-	.96	.18	.16	.46	.01	.49	.80	1.15	.32	.75	29
30	.01	X	.15	.27	.10	1.54	.53	.03	-	.13	.99	.01	30
31	-	X	.14	X	.17	X	.09	-	X	.01	X	.99	31
TOTAL	9.39	.04	8.69	3.75	3.86	2.47	2.71	1.98	5.16	11.04	3.38	4.24	51.71
*Days with "or in. or more.	20	2	14	22	21	25	22	16	20	29	19	21	291
*Days with ".04 in. or more.	14	-	13	19	21	23	17	1	18	21	13	17	162

40-9999

*See Instruction 2 (f) on other side.

(Signed) PH Dyke

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Chayford
in the County of Leam.

Station number 1755

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft..... in.
,, Ground ,, Sea Level 590 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.65	.73	.25		.31	.02	-	.01	-	.03	.19	<u>1.00</u>	1
2	<u>1.40</u>	-	.88		<u>1.09</u>	<u>.60</u>	-	-	-	-	.04	.16	2
3	.15	.06	.45		.05	.02	-	-	-	-	-	-	3
4	.45	.08	.03		.21	-	-	-	-	-	-	-	4
5	.09	.07	<u>1.94</u>		.36	-	-	-	.01	.01	-	-	5
6	.03	.64	.20		.49	-	.62	-	-	.17	.01	-	6
7	.02	.08	.02		.11	-	.06	-	-	.07	-	-	7
8	.03	.01	-		.06	-	.28	-	-	.01	-	-	8
9	-	.10	-		.44	-	.27	.01	-	.78	.10	-	9
10	.06	.25	-		-	-	.45	.01	-	<u>1.50</u>	.13	-	10
11	-	-	-		-	-	.05	<u>3.25</u>	<u>1.25</u>	.04	-	-	11
12	.02	.01	-	.12	.04	.21	.26	.02	<u>.46</u>	-	.15	.02	12
13	-	-	-		.13	<u>.25</u>	.17	.12	.14	.19	.10	-	13
14	.26	-	-		-	-	.20	.02	.41	.04	.18	-	14
15	.38	-	.50		-	-	.14	.03	.13	.12	.11	.01	15
16	-	.03	.98		-	.03	-	-	.37	.19	-	-	16
17	.03	.15	.40		-	.20	-	-	.10	-	-	-	17
18	.13	-	.56		-	.21	-	-	-	-	.10	-	18
19	.33	-	.41		-	.10	-	.01	.11	-	<u>.58</u>	-	19
20	-	.07	.01		.03	.15	-	.01	.13	-	.01	-	20
21	-	.10	-		-	.48	-	.15	-	.18	.01	-	21
22	-	-	-	.11	-	-	-	.34	.37	.02	.02	-	22
23	-	<u>1.41</u>	-	.05	-	.08	-	.02	.03	.62	-	-	23
24	-	.10	-	<u>.20</u>	-	.03	-	-	.08	.03	-	-	24
25	-	.54	-	.15	<u>1.0</u>	.03	-	-	.13	-	-	-	25
26	-	.23	-	.04	.06	-	-	-	.01	.26	-	.10	26
27	-	.30	-	.06	-	-	-	-	.01	.60	.06	.50	27
28	-	.40	-	.16	-	-	.23	-	.02	.27	-	.14	28
29	.05		.05	.04	-	-	.02	-	.03	.08	-	.03	29
30	.07	X	.08	.17	-	-	.05	-	.17	-	-	.15	30
31	.62	X	.10	X	.02	X	-	-	X	.09	X	-	31
TOTAL	4.77	5.36	5.83	1.70	3.52	2.41	2.80	3.99	2.18	5.36	1.79	2.16	YEAR'S TOTAL
*Days with ".01 in. or more.	18	20	16	10	15	14	13	12	16	21	15	9	179
*Days with ".04 in. or more.	13	17	13	10	13	9	12	4	10	17	11	6	135

40-9999

*See Instruction 2 (f) on other side.

(Signed) M. H. Dykes

[P.T.O.]

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1755

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Chafford
in the County of Devon.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	-	-	-	-	.05	.05	.50	.01	.01	.38	.71		1
2	.09	-	.06	-	-	-	-	.07	.68	.03	.25	.21		2
3	.02	-	-	.05	2.12	-	-	.77	.02	-	-	.54		3
4	.01	-	.08	.15	.58	-	-	.03	.05	-	.15	.92		4
5	-	-	.11	.02	.50	.10	.10	1.02	-	-	.07	.93		5
6	.10	-	.29	.18	.75	-	-	.32	-	-	.03	.69		6
7	.13	-	-	-	-	-	-	.13	.02	1.15	.01	.97		7
8	-	-	-	-	.03	-	-	-	.05	-	.42	1.82		8
9	.02	-	.50	.01	-	-	-	-	-	-	.42	.27		9
10	.63	.01	.35	.32	-	-	-	.18	-	-	.09	.10		10
11	1.37	.01	.03	.53	-	-	.02	.10	-	.01	.02	.53		11
12	.17	-	-	.15	-	-	-	.28	-	-	-	.27		12
13	.80	-	-	.78	-	-	-	-	-	.01	.06	.31		13
14	1.15	.01	.85	.04	-	-	-	-	-	.33	.26	.68		14
15	.33	-	.28	.02	.14	-	-	-	-	.31	.15	.46		15
16	.15	.02	.54	.01	.07	-	-	.01	.46	.10	.01	.44		16
17	.87	-	.14	.33	.08	-	-	.04	.10	.05	-	.40		17
18	.30	-	.30	.62	-	.08	.08	-	.15	-	-	.68		18
19	.09	-	.25	.02	-	.04	.04	-	.07	.01	-	.71		19
20	.01	-	.02	.11	.03	-	.16	-	.08	-	.02	.02		20
21	-	-	.24	.01	-	.15	.05	.05	-	.40	-	.25		21
22	.09	.01	.12	.05	-	-	.04	.03	.45	-	-	.49		22
23	.01	-	.02	.18	-	.83	-	-	-	.08	-	.37		23
24	-	.14	.01	.06	-	.36	.05	-	-	.19	-	.12		24
25	.48	.06	-	.37	-	.02	-	-	.02	.72	-	.69		25
26	.02	-	-	.14	-	.26	-	-	.15	.02	.03	.18		26
27	-	-	-	.05	-	.29	-	.03	.03	.03	-	.43		27
28	-	.01	-	.04	-	.2	.02	.50	.40	.08	-	.96		28
29	-	-	-	-	-	-	.5	.07	.03	.11	-	.25		29
30	.03	X	-	-	-	-	-	.05	.14	.11	.01	.60		30
31	-	X	-	X	-	X	.10	.02	X	.19	X	.11		31
TOTAL	6.93	.27	4.19	4.24	4.30	2.18	.33	4.20	2.91	3.94	2.38	16.11	51.98	Year's Total
*Days with or in. or more.	23	8	18	24	9	11	7	19	18	23	17	31	208	
*Days with .04 in. or more.	16	2	14	18	7	10	5	14	12	16	10	30	153	

40-9999

*See Instruction 2 (f) on other side.

† Spare column; no entries required

(Signed)

Robert Lyke

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1755

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at

Chayford

in the County of

Levon

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level.....590 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.10	.71	κ	-	.04			.20	.26	.08	.47		1
2	.03	.02	.05			.05			.36	.25	.14	.24		2
3	.05	.05	.10	.03		.39			.37	.35	.17	.08		3
4	.02	.25	.01	.27	.34	.16			.10	.15	.30	.48		4
5		.40	.07	.12		.16			.12	.73	.06	.06		5
6			.02	.37		1.02				.01	.02	.20		6
7				.33		.35				.37	.16	.06		7
8			.01	.51		.04		.44		.20	.25	.29		8
9				1.22		-				1.00	.58			9
10	.13		.30	.68		.09				.04	.03			10
11	.45		.04	.02		.63			.14	.01	.74	.03		11
12	.08	.05				.21		.07	.03	.03	.15			12
13	.12	.33		.25		.02			.05	.01	.82			13
14	.03	.07		.23		.10			.43	.05	1.22	.24		14
15		.29	.01	.68		.22			.19		.30	.81		15
16		.27	.12	.39	.05	.03	.02		.78	.03	.82	.05		16
17				.07		.25	.01	.15	.23	.15				17
18		.09		.47	1.15		.11		.56	.44	.05	.24		18
19		.17		.12	.03	.02	.20		.07		.30	.01		19
20		.85		.72	.20				.02	.02	.10			20
21		.83		.20	.96		.02		.03	.11				21
22		.02	.14	.09						.07	.01			22
23		.10	.35	.15				.33	.17	.23		.49		23
24	.25	.83		.05	.08	.68		.24	.03	.30		.33		24
25	.26	.26		.03	.29	.92					.01	.27		25
26		.85				.03		.43	.12	.03	.02	.82		26
27		.07			.05			.05	.10	.12	.10	.34		27
28		.25					.05	.16	.14	.07	.07	.02	5.03	28
29		X				.03		.02	.32	.07	5.20	.72		29
30		X				.20		.66	.17	.88	1.71	1.05		30
31		X		X	.65	X		.06	X	.05	X	.40		31
TOTAL	1.50	6.14	1.93	7.00	2.90	5.64	.41	2.58	4.73	6.07	8.35	7.20	54.45	
*Days with ".01 in. or more.	11	22	14	22	10	22	6	11	23	29	26	23	219	
*Days with ".04 in. or more.	8	20	10	19	9	17	3	9	19	22	20	20	176	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Went by

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1755

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at

Chapbrl

in the County of

Lewm

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 3 in.

,, Ground ,, Sea Level.....540 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.26	.10	.08		.11	.60	.03		.03	.03	.03		1
2		.01		.10		.43	.61	.01	.10	.05	.05			2
3			.10	.70		.02	.01		.46	.04	.04	.03		3
4	1.14		.07	.03		.30		.02	.33	.12	.12	.46		4
5		.16	.10				.36		.17	.20	.30	.20		5
6	.14		.03			.01	.35	.05	.27	.24	.34	.02		6
7	.33		.09			.01	.21		.09	1.07	1.07	.01		7
8	.42		.43				.50			1.47	1.47	.08		8
9	.80	1.36	.25				.55		.01		.32	.01		9
10	.12	.35					.10				.30	.02		10
11	.39	.05			.03	.09	.06	.07	.07		.92	.07		11
12	.14			.35			.31		.25	.01	.08	.06		12
13	.05	.02	.03				.06		.02	.15	.09	1.88		13
14		.02		.01		.03	.70		.25	.06	.01	1.31		14
15		.02			.05		.03		.09		.29	.55		15
16		.30		.02			.10		.02		.12	.30		16
17	.35	1.17			.36		.91		.01	.10	.10	1.59		17
18	.30	.30			.10	.35	.87	.01		.11		.18		18
19	.93		.54	.28			.14					.01		19
20	.11	.70	.08	.05			.08	.01	.75		.01	.03		20
21	.08	.30	.38	1.07			.04			.01				21
22	.17	.22	.06				.15					.07		22
23		.05	.03	.28	.03		.08			.03		.02		23
24	.25	.02	.08	.03	.15		.45		.02	.52				24
25	.36		.54	.11	.35		.21		.03	.45				25
26	.53	.05	.20	.01					.01	.20				26
27	.35	.05	.08			.40	.22		.04	.17				27
28	1.05	.03	.73				.20				.01	.36		28
29	.05	.04	.11		.08	.08	.10			.01	.01	.20		29
30	.21	X	.01		.01	.39				.08		.03		30
31	.35	X	.42	X	.09	X	.08		X	.01	X	.86		31
TOTAL	8.62	5.48	4.46	3.72	1.15	2.22	8.08	.20	2.99	1.91	5.68	8.37	52.28	✓
* Days with .01 in. or more.	27	21	22	14	9	12	28	7	19	14	20	25	218	✓
* Days with .04 in. or more.	27	15	18	9	6	8	26	2	12	9	15	15	162	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

R.H. Dyke

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 1755

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.Kept at Huish Chagfordin the County of DevonDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 3 in.,, Ground ,, Sea Level 590 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.26	.05	.05	.68	-	-	.02	-	.10	.24	.03	.74		1
2	.22	1.17	.07	.23	.17	-	-	-	.02	-	-	.02		2
3	.01	.77	.01	.09	.07	-	.03	-	-	-	.01	.07		3
4	.17	.72	-	.07	.05	.01	.34	-	-	-	-	.72		4
5	.71	.02	-	.04	.05	-	-	-	-	-	-	.13		5
6	.37	.50	.80	.25	-	-	.10	-	-	.03	-	.20		6
7	-	.49	.21	.20	-	.08	-	-	.03	.05	.17	.10		7
8	.01	.07	.04	-	.44	-	-	-	-	-	.01	.06		8
9	.05	.06	.16	.16	.08	.02	.02	.02	.45	.02	-	.01		9
10	.27	.05	.92	.80	-	.06	.02	.05	-	-	-	.60		10
11	.17	-	.40	.25	.50	.03	.27	-	-	-	-	.03		11
12	1.02	.31	.27	.26	.02	.46	.03	.27	.25	-	-	.87		12
13	-	.07	.73	.15	-	-	-	.32	.11	-	-	.05		13
14	-	.01	.05	-	-	-	.18	.02	.04	-	-	.18		14
15	.75	.25	.49	.52	-	-	.51	-	.14	-	-	.35		15
16	.67	.15	.73	.06	-	-	.01	.13	.29	-	.49	-		16
17	1.22	.07	.70	-	-	-	-	-	.11	-	.75	-		17
18	.15	.27	.43	-	-	.25	.02	-	.01	-	.23	.05		18
19	.22	.10	.15	.18	.02	-	-	-	.15	-	.18	.08		19
20	.98	.04	.83	.24	.20	-	-	-	.12	-	-	.40		20
21	1.26	.70	.03	.04	.32	-	-	-	.10	.07	.20	.01		21
22	.08	.02	.08	-	.48	.15	.14	-	.11	.50	.77	.12		22
23	.80	.30	.01	-	.09	-	-	-	-	.34	.27	.02		23
24	.50	.72	.12	-	.01	-	.01	-	.02	1.20	-	-		24
25	-	1.35	.64	-	.03	-	-	-	.04	.31	.01	-		25
26	.06	.38	.05	-	-	-	-	-	.01	.01	-	.03		26
27	.16	.80	-	.02	-	-	-	-	-	.60	-	-		27
28	.30	.80	-	-	-	.02	-	-	-	.23	-	-		28
29	.27	X	-	-	.02	.01	-	-	-	.18	.05	.01		29
30	.24	X	-	-	-	.05	-	.02	.14	.03	.17	-		30
31	.40	X	.01	X	-	X	-	-	X	.30	X	-		31
TOTAL	11.38	9.38	7.98	4.24	2.55	1.14	1.73	.83	2.24	4.11	3.34	4.85	53.71	
* Days with .01 in. or more.	27	27	25	19	16	11	13	7	19	15	14	24	217	
* Days with .04 in. or more.	25	23	21	18	11	6	6	4	14	11	10	17	166	

Year's total

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Robert Lyle P.T.O.

Section

A

for the entry of Daily Observations

Station No.

1755

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at *Huish Chapford*in the County of *Devon*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*1.5*.....ft. *5*.....in.,, Ground ,, Sea Level*540*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.20				.74	.35	.53		.40	.06	.48		1
2		.03		.11		.01	.15			.56		.11		2
3						.6	.02	3.60		.60	.09	.01		3
4					.15	.02	.35	1.00		.43		.18		4
5	.02			.6	.05	.04	.11	.01		.65		.07		5
6	.26	.01		.6		.23	1.17		.07	.20		.20		6
7	.20						.46		.40	.08	.01	.13		7
8	1.01	.06					.25	.06		.44		.07		8
9	.54	.10				.06		.56		.01	.02	1.02		9
10	.12						.10	.46		.03		.25		10
11	.25					.02	.08	.01			.97	1.44		11
12	.74	.02								.43	1.44	.03		12
13	.10				.17			.05		.06	.20	.87		13
14	1.35				.27		.22				.01	.01		14
15	.51				.21					.08	.50	.69		15
16	.45	.06	.01		.20			.07		.01	.10	.03		16
17	.05	.15								.30		.10		17
18	.43				.21	.02		.23		.07	.43	.01		18
19			.01		.02			.01			.52			19
20	.07							.01			.39			20
21									.17		.31	.55		21
22				.05		.07		.50		.06	.43	.13		22
23				.15				.02			.34	.03		23
24	.05		.08		.05			.01	.02		1.55			24
25	.15	.74	.06		.05		.11			.10	.07	.02		25
26	.45	.30	.03		.65	.01				.24		.06		26
27	.28	.11			.10	.21	.50	.27		.05	.38			27
28	.34	.18			.11	.23		.74	.02	.02	.02	.03		28
29	.35	X			.46	.03		.01	.14	.10	.30	.06		29
30	.05	X			.03	.50			.20	.01	.28			30
31	.02	X		X	.20	X			X	.34	X	.39		31
TOTAL	8.59	1.94	.19	.31	2.93	2.19	3.85	8.15	1.02	5.27	9.32	6.42	50.18	✓
* Days with .01 in. or more.	24	12	5	3	16	14	13	19	7	24	23	25	185	✓
* Days with .04 in. or more.	23	9	2	3	14	8	12	12	5	19	19	17	143	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

W. H. Lyke

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1755

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at *Huish Chagford*
 in the County of *Devon*
 Diameter of Funnel of Gauge.....*5*.....in.
 Height of top of Gauge above Ground....*1*.....ft.....in.
 „ Ground „ Sea Level*590*.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.38	-	.33	.03	.01	-	.02	.02	.06	-	.87	.31		1
2	.17	-	-	.19	-	-	.02	.16	.19	-	.50	.12		2
3	.30	-	.14	.50	-	-	-	.03	.02	-	.50	1.02		3
4	-	-	.49	.29	.37	-	.35	.06	-	1.64	.32	.48		4
5	-	-	.05	.30	-	-	.59	-	-	.72	1.26	.05		5
6	.26	-	.04	.16	-	-	1.33	.02	-	.24	.52	-		6
7	.11	.15	.01	-	-	-	.06	-	-	-	.45	.50		7
8	.05	.64	.11	-	.09	-	.17	.03	-	1.07	.80	.13		8
9	.04	.03	.15	-	-	-	-	.03	-	.10	.07	.23		9
10	.35	-	.02	-	-	-	-	.10	.10	.20	.06	.76		10
11	.10	.06	.05	-	-	.04	-	-	-	.10	.01	.03		11
12	.12	.05	-	.15	-	-	-	-	.10	.06	.02	-		12
13	.01	.01	-	.20	-	.03	.40	-	-	.67	.05	.03		13
14	1.21	-	.01	.10	.07	.06	.77	-	-	.05	.67	-		14
15	1.02	-	-	.06	.08	.39	.30	-	-	.02	.45	.03		15
16	.35	.01	-	.15	.04	-	.73	-	-	-	.38	-		16
17	1.28	.08	-	.01	.03	.26	.41	-	-	-	.05	-		17
18	.03	.06	.04	-	-	.02	.65	-	-	-	1.12	.04		18
19	.32	-	-	-	-	-	.34	.76	-	-	.02	.35		19
20	.65	.01	-	-	.03	.66	.45	.98	-	-	-	.04		20
21	.07	.63	.18	.01	.04	.35	.01	.13	-	-	-	-		21
22	1.42	.63	.28	.05	-	.62	.07	-	-	-	.43	.01		22
23	.02	.04	.16	.37	-	.03	.23	-	.03	.03	1.46	-		23
24	.70	.02	.32	.08	-	.58	.71	.05	-	.13	.02	.02		24
25	.81	.23	-	.04	-	.05	.05	.39	-	.23	1.22	-		25
26	.14	.03	-	.22	-	-	-	.16	-	.19	1.24	.01		26
27	-	.45	-	.01	-	.15	-	-	-	-	.26	.01		27
28	-	.13	-	.06	-	.09	.06	-	-	-	.23	-		28
29	-	X	.03	.09	-	.04	.21	-	-	.37	.46	.02		29
30	.02	X	.06	.43	-	.02	.07	.07	-	.65	.16	-		30
31	-	X	-	X	-	X	.04	.13	X	1.18	X	-		31
TOTAL	9.91	3.16	2.47	3.50	7.6	3.38	8.04	3.12	.50	7.59	13.40	4.20	60.03	Year's Total
* Days with .01 in. or more.	25	18	18	22	9	16	24	16	6	18	29	20	221	
* Days with .04 in. or more.	21	12	14	18	6	12	21	11	4	16	25	12	172	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

R. Hart

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 1755

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Chagford

in the County of Devon

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1.....ft.....in.

,, Ground ,, Sea Level 590.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	0.9	0.9	0.9	1.38	-	-	-	-	-	2.6	-		1
2	-	3.0	2.6	2.6	-	-	-	-	-	-	1.92	0.2		2
3	0.4	9.0	0.1	0.4	-	-	0.3	-	-	1.5	1.81	1.0		3
4	-	0.1	-	3.2	-	-	0.4	-	-	1.5	2.5	3.0		4
5	0.2	0.8	-	-	-	-	0.2	-	-	1.8	6.8	2.7		5
6	2.1	5.0	-	-	-	-	0.3	-	-	4.8	1.5	3.7		6
7	0.3	0.3	-	-	-	-	1.5	-	0.3	0.8	6.7	0.9		7
8	0.1	0.1	-	-	-	-	0.1	-	0.1	1.6	-	3.7		8
9	-	0.1	-	-	-	-	4.9	0.4	-	1.8	4.0	2.8		9
10	-	-	-	-	-	0.2	3.0	-	0.2	2.2	1.9	4.8		10
11	-	-	1.0	-	-	0.3	5.5	-	-	0.1	1.9	0.8		11
12	-	-	2.5	0.5	-	0.5	9.0	-	6.9	-	6.6	0.1		12
13	-	-	4.3	-	-	-	-	-	0.2	5.2	9.8	4.8		13
14	-	0.3	0.3	1.2	0.1	-	0.4	-	3.2	5.5	1.3	5.0		14
15	-	0.1	-	1.3	0.1	-	0.6	-	0.5	0.1	7.1	0.3		15
16	1.7	9.1	5.0	1.4	-	-	2.9	-	-	0.9	0.7	0.3		16
17	-	2.0	9.7	3.0	-	-	0.9	-	0.3	0.1	0.2	0.2		17
18	1.0	5.4	6.7	6.8	-	-	0.1	0.1	1.3	2.0	0.7	1.5		18
19	-	0.3	3.5	1.5	-	-	-	0.8	5.0	0.3	3.0	-		19
20	-	-	0.3	-	-	-	-	-	0.3	-	1.2	-		20
21	-	-	0.7	-	3.3	-	-	-	1.3	-	7.4	-		21
22	-	0.2	0.3	1.0	0.1	6.5	-	-	1.2	0.3	0.7	-		22
23	3.0	1.4	2.7	0.4	3.3	-	-	-	-	2.1	0.4	-		23
24	0.1	-	0.3	0.1	4.2	0.1	2.0	-	-	5.8	0.2	-		24
25	1.5	-	2.7	0.3	-	1.0	-	-	-	-	-	-		25
26	5.3	5.0	0.1	1.4	1.8	0.5	1.3	-	-	-	0.3	-		26
27	4.4	3.0	1.6	8.0	4.3	-	-	0.1	-	-	0.2	-		27
28	4.2	0.7	0.4	1.0	0.5	-	-	0.2	-	-	0.3	-		28
29	3.3	1.5	1.6	1.03	-	-	-	-	-	0.8	-	2.3		29
30	1.5	X	0.2	0.3	-	-	-	-	-	7.9	-	1.3		30
31	0.4	X	0.8	X	-	X	-	-	X	8.6	X	5.6		31
TOTAL	2.95	4.95	4.47	4.56	22.5	9.0	3.34	2.2	2.08	4.99	12.25	4.50	47.36	Year's Total
* Days with .01 in. or more.	16	21	20	20	21	7	17	5	13	21	28	20	20.8	
* Days with .04 in. or more.	12	16	14	17	18	3	12	3	7	16	21	15	15.3	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

BMo
Sun

1756

1756

* * The following register of monthly &c., is NOT required if daily or values are given on the other side

EXMOUTH COLLESTRATIVE
1931 — 36

RAINFALL IN 1931.

At Exmouth Colistrative
In the County of S. Devon

Rain Gauge Diameter of Funnel 5 in.
Height of Top above Ground Seven in.
Height of Ground above Sea Level 100 ft.

Nearest Parish Church at Distance

Nature of objects
nearest to gauge

Heights of objects

Distances ..

Directions from
gauge ..

..... in Summer

Direction from

gauge

Direction from

gauge

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches.	Inches.	Date.	.01 in. or more	.04 in. or more
JAN.					
FEB.	1.87			16	
MAR.	2.01			9	
APRIL	3.21			13	
MAY	3.01			19	
JUNE	3.64			14	
JULY	3.81			21	
AUG.	3.89			15	
SEPT.	1.65			12	
OCT.	.35			8	
NOV.	7.13	1.60	3	23	
DEC.	1.72			8	
Total	imp				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Signature J. Barber

per Devon & Exeter Gazette

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd, 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

RAINFALL IN 1931

At Exmouth Colintonave
In the County of S. Devonshire

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 5 in.
Height of Ground above Sea Level 100 ft.

Hour of observation by the clock—in Winter..... in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge.....

Heights of objects.....

Distances

Directions from gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with .01 in. or more	Number of Days with .04 in. or more
JAN.				
FEB.	1.87		16	
MAR.	2.01		9	
APRIL	3.21		13	
MAY	3.01		19	
JUNE	3.64		14	
JULY	3.81		21	
AUG.	3.89		15	
SEPT.	1.65		12	
OCT.	3.55		8	
NOV.	7.13	1.60	3	23
DEC.	1.72		8	
Total	imp			

Signature J. Barber

per Devon & Exeter Gazette

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

RAINFALL IN 1932

At Greenmouth, Colerstraine
In the County of S. Devon

Hour of observation by the clock—in Winter _____ in Summer _____

Nearest Railway Station _____ Distance _____ Direction from gauge _____

Nearest Parish Church at _____ Distance _____ Direction from gauge _____

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground Sealed in.
Height of Ground above Sea Level 100 ft.

Nature of objects nearest to gauge _____
Heights of objects _____
Distances _____
Directions from gauge _____

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with .01 in. or more	Number of Days with .04 in. or more
	Inches.	Inches.	Date.	
JAN.	3.19	✓		17
FEB.				
MAR.				
APRIL				
MAY	3.62	✓		19
JUNE	2.87	✓		9
JULY				
AUG.	1.94	✓		9
SEPT.	4.16	1.02	22	16
OCT.	2.20	✓		21
NOV.	2.20	1.89	30	16
DEC.	2.15	✓		18
Total	33.22	✓		

Signature J. Barber Esq

Institute S. Devon & Exeter Gazette.

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933.

At ExmouthIn the County of S. DevonRain Gauge Diameter of Funnel in.Height of Top above Ground ft. in.Height of Ground above Sea Level ft.

Month.	Total Depth.	Greatest Fall In 24 hours.	Number of Days with '01 in. or more	'04 in. or more
JAN.	2.06	4.8	2	14
FEB.	4.00	1.20	25	15
MAR.	3.53	.83	16	16
APRIL	1.54			
MAY	1.50	.70	2	7
JUNE	2.99	.70	22	15
JULY	2.50	.68	28	13
18-12				
AUG.	1.48	.66	13	
1960				
SEPT.	3.23			
OCT.	2.54	.48	10	15
25-37				
Nov.	1.53	.60	15	10
26-90				
DEC.	3.25	1.88	1	
Total	30.15			

Signature G. Barber

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter in Summer Nearest Railway Station Distance Direction from gauge Nearest Parish Church at Distance Direction from gauge Nature of objects nearest to gauge Heights of objects Distances Directions from gauge

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash—(not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934.

At Exmouth
In the County of

Rain Gauge { Diameter of Funnel in.
Height of Top above Ground ft. in.
Height of Ground above Sea Level ft.

Month.	Total Depth.	Greatest Fall In 24 hours.	Number of Days with	
	Inches	Inches	.01 in. or more	.04 in. or more
JAN.	2.16		19	
FEB.	.17			
MAR.	2.62			
APRIL	2.72	7.67		
MAY	.77	8.44		
JUNE	1.54			
JULY	.67	10.65		
AUG.	5.17			
SEPT.	2.58	15.82		
OCT.	2.47	18.29		
NOV.	(1.75)			
DEC.	(10.00)			
Total	(32.62)			

Signature G. B. Barker

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter..... in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge.....

Height of objects.....

Distances

Directions from gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

November + December estimated by surrounding station.

Stench.

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station,

1756

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935.

At Exmouth, DevonshireIn the County of S. Devonshire

Rain Gauge { Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with .01 in. or more	Number of Days with .04 in. or more
	Inches	Inches	Date	
JAN.				
FEB.	3.25			
MAR.	1.39			
APRIL	3.28			
MAY	3.27			
JUNE				
JULY	.20			
AUG.	2.28			
SEPT.	2.65			
OCT.				
NOV.		2.55		
DEC.				
TOTAL				

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge

Height of objects

Distances ...


Directions from gauge ...

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- It is known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceeding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt. 3430/1699 15,000 2/35 W. H. & S. 668/91.

BMonthly
Summary.**C**

Particulars of Station.

1756

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936.

At Exmouth (Coleraine)In the County of Devon

Rain Gauge { Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with 0.1 in. or more	0.4 in. or more
JAN.	5.90				
FEB.					
MAR.					
APRIL	2.51				
MAY					
JUNE					
JULY	2.0				
AUG.					
SEPT.	2.65				
OCT.					
Nov.	5.97				
DEC.					
TOTAL	imp				

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....


Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 would show that the reading on the

morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

Kept at *Vernham*
in the County of *Devon*

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
Ground Sea

1757
VERNHAM DEAN
1931.32

780308

1757
COPY FOR OFFICIAL USE.
FALL ORGANIZATION.
131.

to Rev. S. G. Gillum.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	40	1	-	57	16	-	6	-	25	-	-	-	1
2	40	2	4	66	-	4	-	-	23	4	8	12	2
3	7	-	70	4	-	-	5	-	8	-	1.44	4	3
4	2	-	19	-	-	24	37	31	10	-	-	-	4
5	1	39	13	1	-	63	1	9	-	-	6	23	5
6	-	2	4	4	10	13	12	-	-	13	9	49	6
7	4	1	-	-	16	25	27	8	-	-	45	8	7
8	-	9	-	18	-	42	2	9	-	-	9	-	8
9	-	11	-	-	-	7	2	-	-	-	41	-	9
10	1	5	-	1	5	11	-	16	-	-	51	-	10
11	9	47	-	-	4	22	4	-	3	-	15	-	11
12	-	4	-	-	4	-	16	-	24	-	4	-	12
13	-	4	-	-	6	4	37	13	8	-	-	-	13
14	2	4	-	-	1	8	98	-	5	2	-	-	14
15	1	7	4	1	7	-	4	16	-	-	-	2	15
16	-	9	-	-	19	41	-	3	4	-	-	4	16
17	1	7	-	2	-	-	23	4	-	-	-	-	17
18	-	-	4	17	-	22	-	1.50	-	-	20	-	18
19	1	2	-	-	-	38	-	4	5	-	30	-	19
20	1	6	5	-	-	-	1	24	-	4	15	-	20
21	14	-	34	-	25	-	-	-	-	3	-	-	21
22	33	4	45	10	10	-	-	-	-	-	-	-	22
23	23	1	4	15	63	-	1	2	-	-	34	-	23
24	-	4	-	51	10	32	67	60	-	-	1	-	24
25	12	4	-	30	2	-	15	-	5	-	17	-	25
26	2	2	-	10	-	-	20	-	-	-	49	-	26
27	11	8	-	-	51	-	1	-	-	4	1	-	27
28	5	11	8	-	2	-	-	-	-	1	6	9	28
29	7	-	20	-	11	-	2	34	-	-	4	30	29
30	2	X	-	-	3	-	-	2	1	-	12	4	30
31	42	X	5	X	13	X	1	-	X	-	X	26	31
TOTAL	2.57	1.82	1.79	2.83	2.70	3.48	3.78	3.81	1.13	.27	57.13	1.63	YEAR'S TOTAL
*Days with "or in. or more.	22	21	9	14	18	13	21	15	11	5	19	9	177
*Days with "04 in. or more.	12	14	9	10	14	13	13	12	9	2	17	8	133

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Vernham Dean, Exmouth
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground about 10 in.
Ground Sea Level about 80 ft.

Mrs S. G. Gillum.
Wife of the late Rev. S. G. Gillum.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	40	1	-	57	16	-	6	-	25	-	-	-	1
2	40	2	4	66	-	4	-	-	23	4	8	12	2
3	7	-	70	4	-	-	5	-	8	-	1.44	4	3
4	2	-	19	-	-	24	37	31	10	-	-	-	4
5	1	39	13	1	-	63	1	9	-	-	6	23	5
6	-	2	4	4	10	13	12	-	-	13	9	49	6
7	4	1	-	-	16	25	27	8	-	-	45	8	7
8	-	9	-	18	-	42	2	9	-	-	9	-	8
9	-	11	-	-	-	7	2	-	-	-	41	-	9
10	1	5	-	1	5	11	-	16	-	-	51	-	10
11	9	47	-	-	4	22	4	-	3	-	15	-	11
12	-	4	-	-	4	-	16	-	24	-	4	-	12
13	-	4	-	-	6	4	37	13	-	8	-	-	13
14	2	4	-	-	1	8	98	-	5	2	-	-	14
15	1	7	4	1	7	-	4	16	-	-	-	2	15
16	-	9	-	-	19	41	-	3	4	-	-	4	16
17	1	7	-	2	-	-	23	4	-	-	-	-	17
18	-	-	4	17	-	22	-	1.50	-	-	20	-	18
19	1	2	-	-	-	38	-	4	5	-	30	-	19
20	1	6	5	-	-	-	1	24	-	4	15	-	20
21	14	-	34	-	25	-	-	-	-	3	-	-	21
22	33	4	45	10	10	-	-	-	-	-	-	-	22
23	23	1	4	15	63	-	1	2	-	-	34	-	23
24	-	4	-	51	10	32	65	60	-	-	1	-	24
25	12	4	-	30	2	-	15	-	5	-	17	-	25
26	2	2	-	10	-	-	20	-	-	-	49	-	26
27	11	8	-	-	51	-	1	-	-	4	1	-	27
28	5	11	8	-	2	-	-	-	-	1	6	9	28
29	7	-	20	-	11	-	2	34	-	-	4	30	29
30	2	x	-	-	3	-	-	2	1	-	12	4	30
31	42	x	5	x	13	x	1	-	x	-	x	26	31
TOTAL	2.57	1.82	1.79	2.83	2.70	3.48	3.78	3.81	1.13	.27	5.13	1.63	30.94
*Days with "01 in. or more.	22	21	9	14	18	13	21	15	11	5	19	9	177
*Days with "04 in. or more.	12	14	9	10	14	13	13	12	9	2	17	8	133
YEAR'S TOTAL													30.94

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Vernham Dean, Exmouth
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground about 10 in.
Ground Sea Level about 80 ft.

Mrs. S. G. Gillman
Wife of the late Rev. S. G. Gillman.
Total days

780308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1			14			2	27			—	5	1
2	—		4	33		2		1	2	1	4	15	2
3	4		3	4		92	5		41	4	31	4	3
4	2		6			15	TR	3					4
5	14		6				5	4	48	4	6		5
6	52		41	10	4		13			—			6
7	5		22	4	13		4		39	117			7
8	1		22	12 (M)	13				28	10			8
9	95	1 Sn.		12				4		TR			9
10	30			18	5	2	4			18			10
11	2			8	10					6		12	11
12	45				32		2		1	11		6	12
13	3			14	3	2	26	65		95		25	13
14	26			5	37			2		3		1	14
15	4			10	15					3	8	—	15
16	16			10			36					4	16
17	1			1	1		4		4				17
18	4			4	21				10		28		18
19	2			2	19				7	24	4		19
20	1			4	119		5	3	1	69	21	15	20
21	4		11	12			1	16	11	30	6	8	21
22	1		1		1		5	6	105	39	19	4	22
23	—				1	5	15		1	39		17	23
24	—	4			4		62		11	12	4		24
25	—		68	2	1		2	4	92	—	3		25
26	—		3	2	4		7		1	4	7	2	26
27	—		52	29	11		3				3	7	27
28	—		9	2	16		1			63	4	7	28
29	—		44	9	26	39		62	55		4	36	29
30	1	X	1	4	2	125	27		48	12	91	4	30
31	—	X	10	X	18	X	2		X	X	X	86	31
TOTAL	2.99	1	2.31	2.01	3.64	2.82	2.27	1.85	4.18	5.56	2.21	2.41	YEAR'S TOTAL
*Days with "0.1 in. or more.	19	1	13	20	20	8	20	9	18	20	11	14	32.26
*Days with "0.4 in. or more.	8	—	8	15	14	5	13	5	13	16	9	12	118

Section **A** for the
FORM **R** AIR

1758
FOR OFFICIAL USE.

H. RAINFALL ORGANIZATION.

N 1931.

Kept at **Exmouth W.W.**
in the County of

1758
1931 — 40

Diameter of Funnel of
Height of top of Gauge
Ground

780308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I				72									I
2													2
3			70								1.56		3
4													4
5		44				63							5
6										12		43	6
7													7
8													8
9													9
10									32				10
11													11
12													12
13													13
14							77						14
15													15
16													16
17													17
18								1.52					18
19													19
20													20
21													21
22													22
23					.61								23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31	45	X		X		X			X		X		31
TOTAL	2.07	1.65	1.74	3.10	2.62	3.05	3.64	3.59	1.30	0.23	5.94	1.66	YEAR'S TOTAL 30.59
*Days with or in. or more.	19	18	9	13	18	13	18	16	12	4	19	9	168
*Days with or 4 in. or more.	11	11	8	12	15	12	13	11	10	2	18	9	182

40-9999 52.5 41.8 44.1 78.8 66.6 77.5 92.4 91.1 32.9 5.9 150.7 42.1 776.4
(Signed) P.T.O.

*See Instruction 2 (f) on other side.

Section

A

for the

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10.

REGISTER OF RAINFALL IN 1931.

Kept at Exmouth
in the County of Dorset

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I				72									I
2													2
3			70								1.56		3
4													4
5		44				63							5
6										12		43	6
7													7
8													8
9													9
10									32				10
11													11
12													12
13													13
14							77						14
15													15
16													16
17													17
18								1.52					18
19													19
20													20
21													21
22													22
23					61								23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31	45	X		X		X			X		X		31
TOTAL	2.07	1.65	1.74	3.10	2.62	3.05	3.64	3.59	1.30	0.23	5.94	1.66	YEAR'S TOTAL 30.59
*Days with or in. or more.	19	18	9	13	18	13	18	16	12	4	19	9	168
*Days with or more.	11	11	8	12	15	12	13	11	10	2	18	9	182

40-9999 52.5 41.8 44.1 78.8 66.6 77.5 92.4 91.1 32.9 5.9 150.7 42.1 776.4
(Signed) P.T.O.

*See Instruction 2 (f) on other side.

Section **A** for the entry of Daily Observations.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1931.

Kept at FILTER BEDS SALTERTON RD EXMOUTH

in the County of DEVON

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 1/4 ft. 1 1/4 in.
Ground Sea Level 195 ft.

Convert

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	—	Trace	—	18.3	2.9	Trace	2.0	—	7.8	0.1	—	—	1
2	9.1	0.3	—	16.6	—	—	—	Trace	4.0	—	2.2	3.0	2
3	2.0	—	17.7	—	—	—	1.0	—	1.9	—	39.7	1.1	3
4	0.5	—	5.5	—	2.6	5.8	10.6	3.7	1.8	0.1	—	Trace	4
5	—	11.2	3.1	1.6	Trace	15.9	—	3.0	—	—	1.4	7.8	5
6	—	0.8	—	0.1	2.5	3.0	3.8	8.8	—	3.1	1.8	10.8	6
7	—	0.2	—	—	4.8	6.1	6.3	3.8	—	Trace	13.4	2.0	7
8	—	2.4	—	5.2	—	10.0	0.6	0.8	—	—	2.3	1.2	8
9	0.5	2.6	Trace	—	—	1.3	0.3	0.8	8.1	—	11.5	—	9
10	—	0.6	—	—	1.1	2.9	—	4.8	—	—	14.1	—	10
11	1.8	10.2	—	—	Trace	5.4	2.8	—	2.2	—	11.6	—	11
12	—	1.2	—	—	—	—	1.9	8.8	3.4	1.4	Trace	—	12
13	—	0.7	—	—	1.7	Trace	9.2	2.7	0.1	0.6	—	—	13
14	0.4	0.4	Trace	—	0.2	1.9	20.1	8.6	1.1	—	8.8	—	14
15	0.2	1.9	—	0.1	1.3	—	—	1.8	—	—	—	0.1	15
16	Trace	2.2	—	0.3	3.9	11.3	—	0.7	1.2	—	—	Trace	16
17	0.1	1.2	—	3.1	—	0.2	5.5	2.2	—	—	Trace	—	17
18	Trace	—	0.1	4.2	—	—	0.3	38.5	—	—	4.7	—	18
19	0.2	0.6	1.3	2.4	—	7.9	0.1	0.3	1.1	—	6.8	—	19
20	Trace	1.4	8.4	Trace	—	—	Trace	2.3	—	0.5	2.9	—	20
21	2.9	—	1.5	—	6.1	—	—	—	—	—	—	—	21
22	8.0	Trace	—	1.7	2.7	—	—	—	—	—	Trace	—	22
23	5.4	—	—	3.6	15.5	—	0.7	4.5	—	—	9.3	—	23
24	1.4	0.1	Trace	15.9	1.9	5.8	17.7	13.6	—	—	0.4	—	24
25	3.2	—	—	3.6	0.1	—	3.6	0.5	—	—	4.4	—	25
26	0.2	0.1	—	2.1	—	—	5.0	1.4	—	—	10.6	Trace	26
27	3.2	2.1	—	—	13.3	—	—	—	—	Trace	1.7	—	27
28	1.1	1.6	2.4	—	0.6	—	—	7.5	—	0.1	—	1.9	28
29	0.2	—	3.7	—	1.8	—	0.1	0.4	Trace	Trace	3.1	7.6	29
30	0.7	×	—	—	0.4	—	—	0.5	0.2	—	—	—	30
31	11.4	×	0.4	×	3.2	×	0.8	—	×	—	×	6.6	31
TOTAL	52.5	41.8	44.1	78.8	66.6	77.5	92.4	84.1	32.9	5.9	150.7	42.1	776.4
*Days with 0.2 mm. or more.	19	18	9	13	18	13	18	16	11	4	19	9	167
*Days with 1.0 mm. or more.	11	11	8	12	15	12	13	11	10	2	18	9	132

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1932

Kept at Exmouth
in the County of Devon

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I													I
2				29									2
3													3
4													4
5													5
6													6
7										1.15			7
8													8
9	.97												9
10													10
11													11
12													12
13								.67					13
14													14
15													15
16													16
17													17
18													18
19													19
20					1.13								20
21													21
22									1.07				22
23		0.1 mm.											23
24							.67						24
25			.64										25
26													26
27													27
28													28
29													29
30		X				1.31					0.51		30
31		X		X		X			X		X	.58	31
TOTAL	2.81	0.00	2.28	1.70	3.49	2.96	2.21	1.99	4.21	5.70	1.80	2.15	31.30
*Days with .01 in. or more.	15	0	10	20	16	8	16	9	16	19	15	16	160
*Days with .04 in. or more.	8	0	8	12	14	5	9	8	13	16	13	12	118

40-9999 71.5 0.1 57.8 43.1 88.7 75.2 56.1 50.6 107.0 144.9 45.8 54.6

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section **A**

FOR OFFICIAL USE.

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1932 .

Kept at ~~MILNER GROUNDS~~ EXMOUTH.
in the County of ~~DEVON~~ SALTERTON ROAD.

Diameter of Funnel of Gauge. 5 in.
Height of top of Gauge above Ground. 1 ft. 0 in.
,, Ground ,, Sea Level 195 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
I	0.1	—	—	2.9	—	—	0.6	6.8	—	—	0.7	0.1	I
2	Trace	Trace	Trace	7.4	—	0.4	0.7	0.1	—	Trace	—	3.8	2
3	Trace	—	0.5	—	—	22.9	0.4	—	11.4	0.1	8.6	1.3	3
4	0.5	—	—	—	—	3.4	Trace	1.6	—	—	—	—	4
5	3.1	—	1.8	—	—	—	0.4	—	1.0	—	—	—	5
6	10.3	—	Trace	1.7	0.1	—	0.9	—	7.6	—	—	—	6
7	1.4	—	Trace	0.9	2.3	—	Trace	—	15.9	29.3	—	—	7
8	—	—	5.3	Trace	3.2	—	—	—	2.4	4.0	—	—	8
9	24.7	Trace	—	2.3	0.1	—	—	—	—	Trace	Trace	—	9
10	7.7	—	—	4.5	1.2	0.4	—	—	Trace	4.2	—	Trace	10
11	0.3	—	Trace	1.2	2.5	—	—	—	0.2	0.8	—	2.5	11
12	11.6	—	—	—	7.6	—	1.1	—	0.2	3.6	Trace	3.0	12
13	0.3	—	—	3.2	0.8	0.5	6.0	17.1	—	25.1	—	4.5	13
14	7.1	—	—	0.8	9.0	—	—	0.4	—	0.8	0.2	0.1	14
15	0.1	—	—	2.3	3.4	—	Trace	—	—	0.9	0.0	0.4	15
16	2.8	—	—	1.9	—	—	13.4	—	—	—	—	—	16
17	0.2	—	—	0.1	0.1	—	Trace	—	0.8	Trace	—	—	17
18	Trace	—	—	—	5.7	—	—	—	2.2	Trace	6.8	0.1	18
19	0.8	—	—	0.3	6.7	—	—	—	1.4	5.8	0.1	—	19
20	—	—	—	0.2	28.7	—	0.3	1.0	Trace	17.8	5.4	3.7	20
21	0.3	—	2.7	3.4	—	—	Trace	4.3	2.7	7.2	1.2	2.1	21
22	—	—	0.1	Trace	Trace	—	0.1	1.8	27.2	9.3	4.6	0.2	22
23	—	0.1	—	—	Trace	1.4	3.6	—	0.1	10.3	Trace	0.1	23
24	—	—	—	—	—	—	17.0	—	3.1	1.0	0.9	3.5	24
25	—	—	16.3	0.9	Trace	—	0.6	—	2.5	2.9	0.4	0.3	25
26	—	—	0.7	0.3	—	—	1.6	—	—	1.1	1.3	—	26
27	—	—	12.6	16.0	2.3	—	1.2	—	—	5.7	1.0	1.7	27
28	—	—	5.8	0.4	4.0	Trace	Trace	—	—	Trace	—	2.7	28
29	—	—	0.8	1.9	5.9	12.9	—	—	14.6	12.4	0.7	8.6	29
30	0.2	×	0.4	0.5	0.3	33.3	7.0	17.5	13.7	2.5	13.0	0.2	30
31	—	×	1.8	×	4.8	×	1.2	—	×	0.1	×	14.8	31
TOTAL	2.81	0.00	2.28	1.70	3.49	2.96	2.21	1.99	4.21	5.70	1.80	2.15	31
Days with 0.2 mm. or more.	15	—	11	20	16	8	16	8	16	19	14	16	159
Days with 1.0 mm. or more.	8	—	8	12	14	5	9	7	13	16	8	12	112
YEAR'S TOTAL	71.5	0.1	57.8	43.1	88.7	75.2	56.1	50.6	107.0	144.9	45.8	54.6	795.4

(144W)

40-9999

(Signed)

J. Hutton

[P.T.O.]

REGISTER OF RAINFALL IN 1933.

Kept at Exmouth
in the County of Devon

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												1.89	1
2					69								2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10										.51			10
11													11
12									1.04				12
13								.61					13
14													14
15	0.54												15
16			85										16
17													17
18													18
19											.53		19
20													20
21													21
22						.86							22
23													23
24													24
25		1.20											25
26													26
27													27
28				.42			.68						28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.28	3.99	3.28	1.51	1.48	2.85	2.28	1.41	2.77	2.35	1.38	3.13	28.71
*Days with or in. or more.	13	14	14	9	12	15	12	6	12	16	9	10	142
*Days with or in. or more.	10	11	12	8	8	11	10	5	8	14	3	7	107

40-9999 58.0

(Signed) 70.4

*See Instruction 2 (f) on other side.

[P.T.O.]

Section **A**

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1933.

Kept at FILTER BEDS, SALTERTON RD EXMOUTH

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 195 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	11.3	6.9	2.0	—	1.1	5.4	—	—	—	—	0.1	4P.0	1
2	11.5	Trace	18.7	—	17.5	9.8	—	—	—	—	Trace	2.9	2
3	1.0	2.2	6.7	—	0.4	—	—	—	—	—	Trace	—	3
4	7.2	Trace	3.5	—	1.9	—	—	—	—	—	—	—	4
5	0.6	0.1	7.1	—	0.5	—	—	—	Trace	2.6	0.2	—	5
6	—	12.0	0.3	—	1.7	—	2.6	—	0.2	1.9	—	—	6
7	Trace	1.3	—	—	Trace	—	0.4	—	—	7.2	—	Trace	7
8	—	Trace	0.5	—	—	—	0.8	—	—	0.1	—	—	8
9	—	0.4	—	—	0.1	0.7	4.0	0.1	—	4.1	0.2	—	9
10	—	1.9	—	—	5.6	—	6.2	Trace	Trace	12.0	0.2	—	10
11	1.4	—	—	0.4	—	4.8	1.4	3.3	Trace	Trace	—	—	11
12	—	—	—	5.5	1.4	2.3	3.6	—	26.3	—	—	0.5	12
13	—	—	—	—	0.7	1.3	2.5	15.6	—	2.4	0.4	—	13
14	0.7	—	—	—	—	—	13.3	7.7	—	2.7	6.1	—	14
15	13.7	—	5.1	—	—	—	4.9	Trace	—	0.2	13.3	—	15
16	—	Trace	21.5	—	—	Trace	Trace	Trace	Trace	1.8	—	—	16
17	—	1.4	3.4	—	—	2.6	—	Trace	1.5	—	—	—	17
18	1.1	—	8.2	—	—	0.2	—	—	—	—	0.4	—	18
19	5.3	—	8.1	—	—	3.1	—	0.4	1.2	—	13.4	0.6	19
20	—	0.3	0.1	Trace	Trace	7.9	—	—	0.3	—	0.7	0.1	20
21	—	1.5	—	Trace	Trace	0.4	—	1.7	Trace	2.3	—	—	21
22	—	—	—	1.8	—	21.8	—	6.8	15.7	0.1	0.1	—	22
23	—	18.8	—	2.8	—	6.5	—	0.1	10.4	6.2	—	—	23
24	—	30.5	—	5.2	—	0.2	—	—	7.4	1.8	—	—	24
25	—	8.2	—	5.7	Trace	5.5	—	—	4.2	—	—	3.6	25
26	—	0.5	—	4.4	—	—	—	—	—	0.2	—	0.2	26
27	—	0.1	—	—	2.4	—	Trace	—	0.2	7.2	Trace	11.9	27
28	Trace	—	—	10.7	3.2	—	17.3	—	—	4.8	—	8.2	28
29	1.3	—	Trace	1.9	0.7	—	Trace	—	0.5	—	—	2.2	29
30	0.2	×	2.5	—	—	—	1.0	—	2.5	—	—	1.3	30
31	2.2	×	1.6	×	0.5	×	—	—	×	1.3	×	—	31
TOTAL	58.0	101.4	83.4	38.4	37.7	72.5	58.0	35.7	70.4	59.8	35.1	79.5	YEAR'S TOTAL
*Days with 0.2 mm. or more.	13	14	14	9	13	15	12	6	12	16	9	10	143
*Days with 1.0 mm. or more.	10	11	12	8	8	11	10	5	8	14	3	7	107

(144W)

40-9999

(Signed)

[P.T.O.]

Kept at Exmouth
in the County of Devon
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level 195 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								.79					1
2									.72				2
3										.58			3
4													4
5													5
6													6
7					.25								7
8													8
9											.57		9
10													10
11	.49												11
12													12
13													13
14			.33										14
15													15
16													16
17													17
18				.59									18
19													19
20													20
21													21
22							.50						22
23						.075							23
24		.06											24
25												.87	25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.17	0.09	2.38	2.37	0.73	1.43	0.65	2.46	2.45	2.44	1.67	9.28	28.12
*Days with .01 in. or more.	19	2	19	16	5	8	6	14	17	16	9	29	160
*Days with .04 in. or more.	12	1	16	10	5	6	2	9	12	12	8	28	121

Section **A** for the entry of Daily Observations.

Station No. 1758

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1934.

Kept at EXMOUTH

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 195 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	1.5	—	0.1	—	—	1.4	~~9.4~~	20.0	1.6	Trace	1.9	14.3		1
2	2.9	—	1.0	—	—	—	—	0.1	17.7	Trace	6.4	6.9		2
3	0.5	—	—	—	Trace	—	—	2.3	—	14.8	—	6.1		3
4	1.1	—	2.2	0.2	5.6	—	—	1.1	4.2	2.3	—	9.1		4
5	—	—	1.3	Trace	3.5	4.4	—	18.6	—	6.2	0.1	9.4		5
6	1.1	—	8.2	1.6	5.1	—	—	—	0.1	7.1	0.1	11.0		6
7	0.4	—	Trace	—	—	—	—	2.4	—	2.3	Trace	14.2		7
8	—	—	—	—	2.8	Trace	—	0.1	0.8	—	5.8	6.5		8
9	0.1	—	5.7	—	—	—	—	—	—	1.2	14.4	2.7		9
10	3.6	Trace	5.5	9.5	—	—	0.5	0.8	—	—	2.2	2.6		10
11	12.5	0.1	1.3	11.0	—	—	Trace	0.6	—	—	—	12.5		11
12	0.2	—	—	—	—	—	0.6	2.1	—	—	—	3.7		12
13	9.8	—	—	9.6	—	Trace	—	—	—	—	2.0	10.9		13
14	6.9	—	8.3	0.5	—	—	—	—	—	0.9	5.5	7.7		14
15	0.6	0.1	2.1	—	1.3	—	—	—	Trace	4.4	3.5	8.0		15
16	0.7	—	7.7	—	0.1	—	—	—	—	—	—	10.0		16
17	1.7	—	0.3	2.7	Trace	—	Trace	—	2.3	0.7	—	7.4		17
18	1.6	—	5.4	15.0	—	Trace	—	—	9.3	0.3	—	5.9		18
19	0.3	—	4.0	1.3	Trace	0.5	—	—	0.9	0.1	—	2.6		19
20	—	—	2.1	1.2	0.1	—	0.1	0.8	0.9	0.1	—	Trace		20
21	—	—	2.1	Trace	—	2.4	0.2	—	Trace	7.9	—	8.9		21
22	0.1	—	1.2	—	—	—	12.8	0.1	6.3	—	Trace	15.5		22
23	2.6	—	0.2	2.5	—	19.0	—	1.9	6.6	1.0	—	3.1		23
24	—	1.5	0.7	0.7	—	4.5	1.9	0.3	0.2	3.8	—	0.4		24
25	6.6	0.7	—	3.7	—	Trace	Trace	—	—	6.4	—	22.2		25
26	Trace	—	1.1	0.3	—	3.7	—	—	1.2	—	0.1	1.4		26
27	—	—	—	0.2	—	0.3	—	0.2	0.8	Trace	0.2	7.9		27
28	—	—	—	0.2	—	0.1	—	9.7	6.7	Trace	—	17.2		28
29	—	—	—	—	—	—	Trace	Trace	1.3	0.9	0.1	0.1		29
30	0.3	X	—	—	—	—	0.5	1.3	1.4	—	—	6.6		30
31	Trace	X	—	X	0.1	X	Trace	0.1	X	1.6	X	1.0		31
TOTAL	55.4	2.4	60.5	60.2	18.6	26.3	16.6	62.5	62.3	62.0	42.3	235.8	814.6	814.6
* Days with 0.2 mm. or more.	19	2	19	16	5	8	6	14	16	16	9	29	159	
* Days with 1.0 mm. or more.	12	1	16	10	5	6	2	9	11	12	8	28	120	

Sec **A** for the entry of Daily Observations.

Station No. 281

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1934/5

Kept at Exmouth
in the County of DevonDiameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....1 ft. 0 in.
„ Ground „ Sea Level.....19.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.63											1
2														2
3														3
4														4
5						.82								5
6														6
7														7
8														8
9														9
10														10
11	0.14													11
12														12
13														13
14														14
15				.60										15
16									.39		1.07			16
17					.96									17
18														18
19							.12							19
20														20
21														21
22														22
23														23
24														24
25														25
26		.65										.77		26
27														27
28														28
29														29
30		x						.69						30
31		x		x		x			x	.80	x			31
TOTAL	0.44	3.09	1.30	3.20	2.22	3.48	0.26	2.08	2.33	3.55	5.85	4.48	32.28	Year's Total
*Days with "or in. or more.	6	19	7	17	9	19	4	9	23	20	23	19	175	
*Days with .04 in. or more.	4	12	5	15	8	16	2	6	17	13	17	15	130	

40-9999

*See Instruction 2(f) on other side.

Spare column, no entries required.
(Signed) M

[P.T.O.]

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1935.

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft. 0.....in.
" " Ground " Sea Level 195.....ft.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	0.1	—	16.0	—	—	8.6	0.1	—	3.3	1.5	3.2	3.4		1
2	—	0.1	4.9	—	—	1.4	Trace	—	2.3	4.5	1.9	0.8		2
3	—	—	—	Trace	10.0	8.1	—	—	0.1	16.8	6.0	0.1		3
4	1.6	3.0	—	1.3	1.1	6.9	—	—	1.4	0.2	6.0	9.2		4
5	Trace	2.4	1.9	1.4	—	0.9	—	—	2.0	1.6	0.5	5.4		5
6	—	0.3	—	5.4	—	20.9	—	—	—	2.6	6.2	—		6
7	—	—	—	5.3	—	1.0	—	—	—	5.1	0.5	0.2		7
8	—	—	—	8.9	—	—	—	—	6.2	0.5	9.1	0.4		8
9	Trace	—	—	8.5	—	1.5	Trace	—	3.8	16.0	8.1	—		9
10	1.5	—	4.0	0.1	—	0.2	—	—	—	0.2	—	0.5		10
11	3.6	Trace	0.8	Trace	—	8.5	—	—	2.5	0.1	8.3	0.1		11
12	0.5	1.2	—	—	—	8.9	—	Trace	0.9	—	3.9	—		12
13	0.3	1.4	—	7.3	—	2.3	—	—	1.1	—	6.5	—		13
14	Trace	0.8	—	4.1	Trace	1.2	—	—	3.5	—	21.5	4.8		14
15	—	0.6	—	15.3	1.6	2.3	—	—	0.9	—	4.3	1.8		15
16	—	0.5	5.1	3.4	—	2.4	0.2	—	9.8	Trace	27.3	—		16
17	—	Trace	—	0.9	24.3	5.6	—	2.9	0.1	—	0.4	—		17
18	—	0.9	—	3.3	0.2	Trace	2.5	0.3	3.4	0.2	1.1	2.4		18
19	—	0.3	—	1.4	5.3	0.6	3.1	—	1.1	3.0	10.1	—		19
20	—	6.5	—	3.1	6.1	Trace	0.4	—	0.1	0.1	5.5	—		20
21	—	10.0	Trace	5.9	—	—	—	—	1.3	1.0	0.1	—		21
22	—	0.5	0.1	4.6	—	—	—	—	0.5	0.2	—	—		22
23	Trace	1.2	0.2	0.1	3.1	—	—	10.6	0.9	9.3	—	9.5		23
24	0.1	15.3	Trace	Trace	4.5	—	—	5.1	5.6	2.0	—	5.9		24
25	3.3	11.6	—	0.9	0.1	2.5	—	10.1	—	—	—	3.0		25
26	—	16.4	—	—	Trace	Trace	—	—	2.2	—	0.2	19.6		26
27	—	3.5	Trace	—	Trace	—	—	4.5	0.8	0.2	0.8	12.5		27
28	—	1.4	—	—	—	—	—	Trace	2.3	0.2	0.2	1.2		28
29	—	—	—	—	Trace	—	—	0.9	2.3	Trace	0.1	13.3		29
30	0.1	X	—	—	Trace	3.1	—	15.4	0.6	4.3	16.1	14.1		30
31	—	X	—	X	Trace	X	—	0.9	X	20.4	X	5.5		31
Year's Total.														
TOTAL	11.2	78.5	33.0	81.2	56.3	88.3	6.5	52.9	59.2	90.2	148.5	43.7	819.5	
* Days with 0.2 mm. or more.	6	19	5	15	9	19	4	9	23	20	23	19	175	
* Days with 1.0 mm. or more.	4	12	5	15	8	16	2	6	15	13	17	15	130	

Section

A

for the entry of Daily Observations.

Station No.

1758
281

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at

Exmouth

in the County of

Devon

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....1 ft. 0 in.

Ground Sea Level.....195 ft.

mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							.54							1
2														2
3				1.01					.77					3
4														4
5														5
6														6
7														7
8			.66											8
9														9
10														10
11								.06			.72			11
12														12
13												.80		13
14														14
15														15
16					.28									16
17		.83												17
18						.82								18
19														19
20														20
21														21
22														22
23														23
24										.27				24
25														25
26														26
27														27
28	.85													28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	5.64	3.10	4.07	2.40	0.71	1.84	4.46	0.13	2.84	0.81	2.17	3.63	31.80	
* Days with .01 in. or more.	23	20	19	9	5	15	28	6	14	10	16	17	182	
* Days with .04 in. or more.	19	11	14	8	4	10	24	1	13	6	12	13	135	

40-9999

143.2 48.8 1034 61.0 18.0 46.7

† Spare column for entries required

20.6

55.2 92.3 808.2

* See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

1758

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

281

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at Exmouth (Waterworks Road)

in the County of Devon

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1.....ft.....0.....in.

,, Ground ,, Sea Level 195.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1				.47								.72		1
2														2
3														3
4		.86												4
5														5
6														6
7														7
8					1.00									8
9														9
10														10
11														11
12								1.05						12
13			.93											13
14							1.12							14
15														15
16										.60				16
17	.65										.41			17
18						.27								18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		X												30
31		X		X		X			X	.83	X			31
TOTAL	5.65	5.78	5.19	2.76	2.77	.83	2.13	1.63	1.62	3.42	2.07	3.37	37.22	
* Days with 0.2 mm. or more.	24	24	23	15	15	7	10	6	15	11	12	19	182	181
* Days with 1.0 mm. or more.	19	16	19	12	11	6	6	4	9	8	9	13	132	

(141w) * See Instruction 2 (f) on other side.

40-9999.

143.5 146.7 131.7 70.0

70.4

21.1

† Spare column, no entries required except year's total.

54.2

(Signed)

41.1

41.1

86.9

52.6

85.7

945.3

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1758

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 1937

Kept at LOW LEVEL FILTER BEDS
in the County of SALTERTON ROAD EXMOUTH

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....12.....in.

,, Ground ,, Sea Level.....195.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	1.0	0.3	0.5	11.9	—	—	—	—	4.2	0.1	Trace	18.3		1
2	Trace	12.1	2.2	5.5	—	—	—	—	1.0	—	—	1.7		2
3	—	5.5	2.9	2.4	1.5	—	0.1	—	—	—	—	—		3
4	2.1	21.8	Trace	Trace	0.5	—	—	0.4	—	—	—	10.0		4
5	1.6	Trace	0.3	0.7	—	—	13.3	—	—	—	—	2.6		5
6	0.7	13.1	12.9	5.0	0.9	—	1.4	—	—	Trace	Trace	—		6
7	—	18.1	1.0	Trace	—	0.9	—	—	—	—	1.3	6.3		7
8	—	0.8	—	—	25.4	Trace	1.3	—	—	—	0.9	1.3		8
9	0.4	0.2	5.2	4.2	0.3	—	0.1	1.2	1.5	0.8	—	0.7		9
10	7.5	0.3	18.2	11.5	4.0	4.8	0.4	0.7	—	—	—	7.1		10
11	0.4	—	4.6	6.5	14.0	1.5	5.8	—	—	—	—	0.2		11
12	15.5	7.0	1.2	7.2	5.0	4.9	5.9	26.6	2.6	—	—	12.4		12
13	—	0.2	21.0	4.5	—	1.1	—	7.3	0.6	—	—	0.1		13
14	—	0.2	2.6	1.1	—	—	28.4	0.1	Trace	—	—	0.3		14
15	7.3	2.2	5.6	6.6	—	—	31.9	—	3.5	—	—	3.1		15
16	1.0	1.3	10.3	0.2	—	—	Trace	5.1	15.2	—	7.4	—		16
17	16.5	1.6	12.9	—	—	—	Trace	—	0.5	—	10.4	—		17
18	5.0	0.8	6.1	—	—	6.9	—	—	4.7	—	6.0	4.5		18
19	2.1	—	1.7	0.7	1.5	—	Trace	—	1.1	—	0.7	1.6		19
20	9.0	0.8	1.3	2.0	1.2	—	—	—	—	—	—	12.7		20
21	15.8	9.4	2.8	Trace	6.7	—	0.3	—	4.6	0.4	4.2	0.4		21
22	5.7	Trace	0.9	—	5.7	1.0	0.3	—	0.7	11.2	6.7	1.5		22
23	6.8	6.0	Trace	—	0.3	—	—	—	—	5.6	8.6	0.3		23
24	7.2	14.6	1.5	—	—	—	—	—	0.4	17.6	—	Trace		24
25	2.7	14.0	15.1	—	2.4	—	—	—	0.3	7.1	—	—		25
26	—	8.6	0.9	—	1.0	—	—	—	—	—	—	0.6		26
27	0.6	6.4	—	Trace	—	—	—	—	—	10.5	—	—		27
28	5.2	1.4	—	—	—	Trace	—	—	—	4.1	0.2	—		28
29	0.5	—	—	—	—	—	—	—	—	7.7	2.5	—		29
30	13.3	×	—	—	—	—	—	—	0.2	0.7	3.7	—		30
31	15.6	×	—	×	—	×	—	—	×	21.1	×	—		31
TOTAL	143.5	146.7	131.7	70.0	70.4	21.1	54.2	41.4	41.1	86.9	52.6	85.7	945.3	Year's Total
* Days with 0.2 mm. or more.	24	24	23	15	15	7	10	6	15	11	12	19	180	
* Days with 1.0 mm. or more.	19	16	19	12	11	6	6	4	9	8	9	13	132	

Section

A

for the entry of Daily Observations.

Station No. 1758

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1.

REGISTER OF RAINFALL IN 1938.

Kept at Exmouth (Waterworks Rd.)

in the County of Devon

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1 ft. 0.....in.

,, Ground ,, Sea Level 195.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1										49				1
2														2
3								.13						3
4								1.87						4
5														5
6							1.27							6
7														7
8														8
9														9
10														10
11												.67		11
12														12
13														13
14	.78													14
15														15
16														16
17														17
18														18
19									.36					19
20														20
21														21
22				.11										22
23														23
24			.13											24
25		.52									1.29			25
26					.38									26
27														27
28														28
29														29
30		X				.44								30
31		X		X		X			X		X			31
TOTAL	77.5	21.4	4.3	4.3	55.7	35.9	81.6	108.3	27.4	72.3	142.0	99.1	729.8	Year's Total
* Days with 0.2 mm. or more.	20	8	3	2	15	12	12	12	11	17	18	18	148	
* Days with 1.0 mm. or more.	18	3	1	2	12	9	8	11	7	13	16	16	116	

(141w)

* See Instruction 2 (f) on other side.

† Spare column, no entries required, except year's total.

40-9999. 3.95 .84 .17 1.41 2.19 1.41 3.22 (Signed) 4.26 1.08 2.85 5.59 3.90 28.73 P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1758

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Exmouth (Waterworks Rd.)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 19.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1														1
2									192					2
3				58								46		3
4			53		24		53							4
5														5
6														6
7														7
8										138				8
9														9
10														10
11														11
12														12
13														13
14	93													14
15						66								15
16														16
17														17
18														18
19														19
20								220						20
21														21
22		36												22
23											93			23
24														24
25														25
26														26
27														27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	151.3	39.8	38.4	55.8	14.7	70.0	120.9	107.0	29.9	124.5	130.0	43.6	925.9	Year's Total
* Days with 0.2 mm. or more.	21	11	14	19	10	17	22	17	6	18	22	15	192	
* Days with 1.0 mm. or more.	15	7	7	14	4	16	21	15	4	12	19	10	144	

(141w) * See Instruction 2 (f) on other side.

40-9999. 596 1.57 1.51 2.20 58 2.76 4.76 4.21 1.18 4.90 3.12 1.72 36.47 P.T.O.

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 1758

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 1934

Kept at Exmouth (Waterworks Rd)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 19.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9							.66	.01						9
10								.01				.56		10
11														11
12									.42					12
13										.72	1.52			13
14					.48									14
15														15
16		1.09	.62											16
17														17
18														18
19								.01						19
20														20
21														21
22						.47								22
23														23
24														24
25														25
26														26
27														27
28	.43													28
29				1.18										29
30		X												30
31		X	X	X		X			X		X			31
TOTAL	59.3	107.0	74.1	79.6	41.3	16.6	57.7	1.1	36.8	107.6	162.3	75.1	818.5	Year's Total
* Days with 0.2 mm. or more.	14	17	14	18	11	5	15	4	13	14	19	18	165	
* Days with 1.0 mm. or more.	11	14	12	12	6	2	10	0	7	16	16	15	121	

(141w)

* See Instruction 3, (f) on other side.

2.33 4.21 2.92 3.13 1.63 65

† Spare column, no entries required, except year's total.

2.27 (Signed)

OH

1.45

4.24

6.39

2.96

32.22

P.T.O.

1759

COPY FOR OFFICIAL USE.

OFFICE.—BRITISH RAINFALL ORGANIZATION

RAINFALL IN 1931.

SALTERTON RD EXMOUTH

1931-40.

1732

1734

1935

1736 1/8.

780308

ED TO THE PREVIOUS DAY.

Reading made on January 1st of the following

Jan. 1, following

and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	02	—	69	14	—	—	—	08	01	—	01	1
2	25	03	—	69	—	—	08	—	45	—	05	04	2
3	24	—	62	—	—	—	06	—	09	—	1.62	15	3
4	15	—	27	—	12	23	44	16	10	02	11	—	4
5	—	32	13	08	02	63	01	13	—	—	07	28	5
6	—	16	—	01	11	04	16	—	—	15	09	45	6
7	—	—	—	—	20	38	26	10	—	—	33	09	7
8	—	13	—	19	—	42	—	08	—	01	10	07	8
9	05	05	—	03	—	02	04	—	—	—	49	01	9
10	—	11	—	01	05	19	03	20	32	—	60	—	10
11	08	44	—	—	—	24	—	—	02	—	49	—	11
12	02	06	—	—	—	—	20	—	24	04	—	—	12
13	—	04	—	—	08	—	23	10	—	07	—	—	13
14	03	03	—	—	—	09	1.02	03	03	—	37	—	14
15	01	07	—	—	08	—	—	08	05	—	01	—	15
16	—	13	—	01	18	46	—	05	05	—	—	02	16
17	01	07	—	15	—	—	25	—	02	—	—	—	17
18	—	—	02	10	—	14	03	1.53	—	—	21	—	18
19	01	—	06	18	—	38	02	10	06	—	25	—	19
20	01	10	35	—	—	—	—	25	—	—	17	—	20
21	12	01	07	—	25	—	—	01	—	02	—	—	21
22	30	—	—	08	11	—	—	—	—	02	—	—	22
23	30	01	—	14	63	—	—	—	—	—	37	—	23
24	06	01	—	32	13	23	70	48	—	—	02	—	24
25	15	—	—	48	02	—	06	—	—	—	20	—	25
26	01	02	—	10	—	—	35	—	—	—	46	—	26
27	14	09	—	—	19	—	03	—	—	—	07	—	27
28	04	09	06	—	35	—	—	—	—	—	—	09	28
29	03	—	19	—	11	—	—	32	—	—	14	30	29
30	01	×	—	—	02	—	—	02	01	—	—	—	30
31	48	×	03	×	15	×	—	01	×	02	×	20	31
TOTAL	2.50	1.99	1.80	3.26	2.94	3.45	3.97	3.65	1.52	36	6.42	1.71	YEAR'S TOTAL
*Days with or in. or more.	22	21	10	16	19	13	18	17	13	9	21	12	33.57
*Days with or in. or more.	13	14	8	12	16	12	13	13	9	3	19	9	141

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P. Hutton

[P.T.O.]

OFFICE.—BRITISH RAINFALL ORGANIZATION
RAINFALL IN 193/.

FORM 1099.

Kept at FILTER BEDS, SALTERTON ROAD
in the County of DEVON EXMOUTH

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 195 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	02	—	69	14	—	—	—	08	01	—	01	1
2	25	03	—	69	—	—	08	—	45	—	05	04	2
3	24	—	62	—	—	—	06	—	09	—	1.62	15	3
4	15	—	27	—	12	23	44	16	10	02	11	—	4
5	—	32	13	08	02	63	01	13	—	—	07	28	5
6	—	16	—	01	11	04	16	—	—	15	09	45	6
7	—	—	—	—	20	38	26	10	—	—	33	09	7
8	—	13	—	19	—	42	—	08	—	01	10	07	8
9	05	05	—	03	—	02	04	—	—	—	49	01	9
10	—	11	—	01	05	19	03	20	32	—	60	—	10
11	08	44	—	—	—	24	—	—	02	—	49	—	11
12	02	06	—	—	—	—	20	—	24	04	—	—	12
13	—	04	—	—	08	—	23	10	—	07	—	—	13
14	03	03	—	—	—	09	1.02	03	03	—	37	—	14
15	01	07	—	—	08	—	—	08	05	—	01	—	15
16	—	13	—	01	18	46	—	05	05	—	—	02	16
17	01	07	—	15	—	—	25	—	02	—	—	—	17
18	—	—	02	10	—	14	03	1.53	—	—	21	—	18
19	01	—	06	18	—	38	02	10	06	—	25	—	19
20	01	10	35	—	—	—	—	25	—	—	17	—	20
21	12	01	07	—	25	—	—	01	—	02	—	—	21
22	30	—	—	08	11	—	—	—	—	02	—	—	22
23	30	06	—	14	63	—	—	—	—	—	37	—	23
24	06	01	—	32	13	23	70	48	—	—	02	—	24
25	15	—	—	48	02	—	06	—	—	—	20	—	25
26	01	02	—	10	—	—	35	—	—	—	46	—	26
27	14	09	—	—	19	—	03	—	—	—	07	—	27
28	04	09	06	—	35	—	—	—	—	—	—	09	28
29	03	—	19	—	11	—	—	32	—	—	14	30	29
30	01	×	—	—	02	—	—	02	01	—	—	—	30
31	48	×	03	×	15	×	—	01	×	02	×	20	31
TOTAL	2.50	1.99	1.80	3.26	2.94	3.45	5.97	3.65	1.52	36	6.42	1.71	YEAR'S TOTAL 33.57
*Days with "01 in. or more.	22	21	10	16	19	13	18	17	13	9	21	12	191
*Days with "04 in. or more.	13	14	8	12	16	12	13	13	9	3	19	9	141

Section

A

for the entry of Daily Observations.

Station No.

1759

AIR MINISTRY:—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at FILTERS, SALTERTON ROAD,
in the County of DEVON EXMOUTH.Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 18 ft. 6 in.
Ground Sea Level 195 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	—	—	.13	—	—	.03	.33	—	—	.04	.01	1
2	—	—	—	.38	—	—	—	.02	—	.01	.01	.15	2
3	—	—	.02	—	—	.92	.05	—	.45	—	—	.06	3
4	.02	—	—	—	—	.22	—	.08	—	—	.31	—	4
5	.14	—	.06	—	—	—	.01	—	.04	.01	—	.01	5
6	.42	—	—	.07	—	—	.05	—	.31	—	—	—	6
7	.07	—	—	.07	.11	—	—	—	.18	1.04	—	—	7
8	—	—	.28	—	.06	—	—	—	.51	.86	—	—	8
9	.77	—	—	.05	.10	—	—	—	—	—	—	—	9
10	.41	—	—	.19	.08	.03	—	—	—	.18	—	—	10
11	.01	—	—	.10	.12	—	—	—	.01	.05	—	.12	11
12	.40	—	—	—	.34	—	—	—	.01	.15	—	.02	12
13	.06	—	—	.15	.05	—	.27	.57	—	.95	—	.31	13
14	.24	—	—	.02	.39	.04	—	.11	—	.04	.02	.02	14
15	.01	—	—	.11	.16	—	.01	—	—	.03	.03	.03	15
16	.14	—	—	.09	—	—	.45	—	—	—	—	.01	16
17	.01	—	—	.02	—	—	—	—	.02	—	—	—	17
18	.01	—	—	—	.32	—	—	—	.10	—	.27	—	18
19	.02	—	—	.02	.16	—	—	—	.07	.23	—	.01	19
20	.02	—	—	.02	1.27	—	.05	.02	.01	.72	.27	.23	20
21	.05	—	.12	.13	—	—	—	.17	.01	.23	.03	.10	21
22	—	—	.01	—	.01	—	.02	.12	1.14	.28	.20	.02	22
23	—	—	—	—	.01	.13	.13	.02	.01	.50	.01	.17	23
24	—	—	—	—	—	—	.46	—	.14	.12	.03	.02	24
25	—	—	.61	.07	—	—	.18	—	.07	.13	.02	.03	25
26	—	—	.16	.02	—	—	.14	—	—	.03	.05	—	26
27	—	—	.61	.35	.13	—	.02	—	—	.26	.03	.07	27
28	—	—	.06	.03	.18	—	.06	—	—	—	—	.11	28
29	—	—	.33	.11	.26	.37	.01	.66	.66	.47	.03	.26	29
30	.02	X	—	.04	.01	1.39	.12	—	.55	.12	.89	.18	30
31	—	X	.07	X	.23	X	.15	—	X	.01	X	.44	31
TOTAL	2.92	—	2.33	2.17	3.99	3.10	2.21	2.10	4.29	5.92	2.23	2.38	33.64
*Days with ".01 in. or more.	19	—	11	21	19	7	18	10	18	22	16	22	183
*Days with ".04 in. or more.	11	—	9	15	16	6	12	7	12	17	7	12	124

40-9999

*See Instruction 2 (f) on other side.

(Signed)

I. Hutton

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1759

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at FILTER BEDS SALTERTON ROAD
in the County of DEVON EXMOUTHDiameter of Funnel of Gauge 8 in.Height of top of Gauge above Ground 8 ft. 6 in.,, Ground ,, Sea Level 195 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.59	.33	.09	—	.04	.24	—	—	—	—	.01	1.74		1
2	.52	—	.75	—	.68	.40	—	—	—	—	.01	.19		2
3	.05	.11	.28	—	.03	—	—	—	—	—	—	—		3
4	.27	.01	.16	—	.09	—	—	—	—	—	—	—		4
5	.03	—	.29	—	.03	—	—	—	—	.05	.02	—		5
6	.01	.49	.02	—	.09	—	.11	—	—	.14	—	—		6
7	.02	.06	—	—	.01	—	—	—	—	.18	—	.02		7
8	.01	.01	.03	—	.02	—	.06	—	—	.07	—	—		8
9	—	.02	—	—	.17	.03	.15	.02	—	.16	.02	—		9
10	—	.09	—	—	.07	—	.25	—	—	.81	.02	—		10
11	.09	—	—	—	—	.20	.10	.14	—	—	—	—		11
12	.01	—	—	.24	.01	.07	—	—	1.08	—	—	.03		12
13	—	—	—	—	.09	.09	.26	.65	—	.09	.04	—		13
14	.04	—	—	—	—	—	.02	.22	—	.15	.26	—		14
15	.55	—	.14	—	—	—	.75	.10	—	.02	.54	—		15
16	—	—	.92	—	—	—	—	—	.02	.08	—	—		16
17	.04	.06	.22	—	—	.12	—	.01	.07	—	—	—		17
18	.06	.02	.11	—	—	.03	.01	—	—	—	.02	—		18
19	.26	—	.34	—	—	.14	—	.03	.04	—	.54	.04		19
20	—	.03	.01	—	—	.32	—	—	.05	—	.04	.02		20
21	—	.03	—	—	—	.02	—	.09	—	.09	—	—		21
22	—	.03	—	.07	—	.84	—	.28	.50	.01	.01	—		22
23	—	.51	—	.75	—	.28	—	—	.54	.25	—	—		23
24	—	.89	—	.23	—	.02	—	—	.31	.09	—	—		24
25	—	1.06	—	.25	—	.23	—	—	.18	—	—	.16		25
26	—	.45	—	.20	.10	—	—	—	.01	.02	—	.02		26
27	—	.03	—	—	.01	—	—	—	.02	.30	.01	.47		27
28	—	.02	—	.45	.17	—	.70	—	—	.20	—	.37		28
29	.06	—	—	.08	—	—	—	—	.03	—	—	.09		29
30	.01	X	.11	—	—	—	.06	—	.11	—	—	.08		30
31	.09	X	.07	X	.03	X	—	—	X	.07	X	—		31
TOTAL	2.71	4.25	3.54	1.67	1.64	3.03	2.47	1.54	2.96	2.48	1.54	3.23	Year's Total	31.06
*Days with or in. or more.	18	19	75	8	16	15	11	9	13	18	13	12		167
*Days with .04 in. or more.	12	10	12	8	9	11	9	6	9	15	5	8		114

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

I. H. H. H.
Exmouth U.S.P.O.

Section



for the entry of Daily Observations.

Station No.

1759

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at FILTER BEDS, SALTERTON ROAD
in the County of DEVON EXMOUTHDiameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 8 ft. 6 in.
Ground Sea Level 195 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	04	—	—	—	—	07	—	78	11	—	09	52		1
2	16	—	06	—	—	—	—	—	73	02	27	36		2
3	04	—	—	—	—	—	—	10	—	30	—	22		3
4	06	—	10	02	18	—	—	05	17	42	—	39		4
5	02	—	—	—	10	11	—	74	—	25	01	40		5
6	08	02	39	08	31	09	—	—	—	38	—	46		6
7	04	—	—	—	—	—	—	10	—	10	—	56		7
8	—	—	—	—	13	—	—	02	05	—	18	25		8
9	02	—	22	—	—	—	—	—	—	05	65	13		9
10	13	02	23	38	—	—	03	05	—	—	08	12		10
11	56	—	06	43	—	—	—	02	01	—	—	51		11
12	02	01	—	—	—	—	04	09	—	—	—	16		12
13	41	—	—	37	—	—	—	01	—	—	08	46		13
14	28	—	36	07	—	—	—	—	—	01	23	31		14
15	05	—	09	—	07	—	—	—	—	20	15	35		15
16	05	02	33	—	—	—	—	—	—	—	—	41		16
17	09	01	03	07	—	—	—	—	11	04	—	25		17
18	08	01	14	67	—	—	—	—	38	—	—	31		18
19	02	—	25	11	—	04	—	02	05	01	—	13		19
20	—	02	10	06	02	—	02	03	05	01	—	—		20
21	—	—	07	02	—	11	01	01	01	32	—	38		21
22	01	—	09	—	—	—	54	09	27	—	—	65		22
23	11	—	02	10	—	74	—	01	09	02	—	14		23
24	—	08	04	05	—	18	08	03	18	18	—	03		24
25	26	—	—	19	—	—	01	—	—	27	—	88		25
26	01	04	06	02	—	08	—	—	07	—	01	02		26
27	—	—	—	02	—	09	—	02	05	—	02	27		27
28	02	—	—	02	—	02	—	40	26	—	—	80		28
29	—	—	—	—	—	—	—	01	09	02	01	02		29
30	03	X	—	—	—	—	01	07	07	05	01	28		30
31	—	X	—	X	02	X	03	01	X	08	X	05		31
TOTAL	2.59	0.23	2.64	2.68	0.83	1.53	0.77	2.66	2.75	2.73	1.79	9.82	31.02	
* Days with .01 in. or more.	24	9	18	17	7	10	9	21	18	19	13	30	195	
* Days with .04 in. or more.	16	2	16	12	5	9	3	10	16	13	8	27	137	

Section

A

for the entry of Daily Observations.

Station No.

1759

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.Kept at *Low Level Filling Beds*
Valentin Road, Exmouth
in the County of *Devon*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft. *6* in.,, Ground ,, Sea Level ft. *195***THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	.65	—	—	.37	.04	—	.19	.08	.14	.27		1
2	—	.02	.04	—	—	.01	—	—	.07	.20	.08	.04		2
3	—	—	.18	—	.11	.34	—	—	.06	.20	.25	.02		3
4	.07	.13	—	.07	.34	.32	—	—	.08	.02	.25	.37		4
5	—	.10	.09	.07	—	.05	—	—	.10	.09	.04	—		5
6	—	.05	.01	.22	—	.85	—	—	—	.10	.15	.22		6
7	—	—	—	.25	—	.06	—	—	—	.03	.16	.02		7
8	—	—	—	.27	—	—	—	—	.26	.09	.40	.02		8
9	.02	—	—	.48	—	.08	—	—	.16	.67	.38	—		9
10	.09	—	.07	.02	—	.02	—	—	—	.01	—	.01		10
11	.17	—	.11	—	—	.26	—	—	.13	—	.32	.02		11
12	.02	.04	—	—	—	.52	—	.04	.04	.01	.17	—		12
13	.05	.09	—	.31	—	.11	—	—	.06	—	.24	—		13
14	.01	—	—	.19	—	—	—	—	.05	.01	.94	.20		14
15	—	.06	—	.62	.08	.15	—	—	.15	—	.23	.10		15
16	—	.05	.20	.16	—	.12	—	—	.41	—	1.10	—		16
17	—	—	—	.04	.27	.24	.02	.14	.02	—	.04	—		17
18	—	.03	—	.15	.01	—	.11	.01	.15	.01	.03	.12		18
19	—	.03	—	.04	.18	.04	.15	—	.03	.10	.41	—		19
20	—	.26	.01	.17	.31	—	.01	—	.04	.02	.35	—		20
21	—	.42	—	.18	—	.02	—	—	.02	.03	.01	—		21
22	—	.05	.02	.27	—	—	—	—	.05	.01	—	—		22
23	—	.03	.02	.01	.11	—	—	.41	.04	.33	—	.18		23
24	—	.68	.01	—	.17	—	—	.62	.25	.10	—	.46		24
25	.16	.47	—	.05	.07	.12	—	.04	—	—	—	.18		25
26	—	.38	—	—	—	.01	—	.21	.10	—	.01	.67		26
27	—	.43	.01	—	—	—	—	—	.03	.01	.04	.71		27
28	—	.07	—	—	—	—	—	.05	.11	.02	.01	.04		28
29	—	—	—	—	—	—	—	—	.10	—	—	.52		29
30	.02	~~X~~	—	—	—	.44	—	.68	.03	.18	.51	.51		30
31	—	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.82	~~X~~	.28	1	31
TOTAL	.63	3.39	1.42	3.57	2.35	3.80	0.33	2.20	2.73	3.64	6.26	4.96	35.18	
* Days with .01 in. or more.	10	19	13	19	10	20	5	9	26	23	24	21	199	
* Days with .04 in. or more.	5	15	7	17	9	16	3	8	21	12	20	16	149	

Year's Total

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[Signature]

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1759

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at LOW LEVEL FILTER BED
in the County of SALTERN ROAD, EXMOUTH
Diameter of Funnel of Gauge.....8.....in.
Height of top of Gauge above Ground.....6.....ft.
" Ground " Sea Level.....195.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	04	12	—	16	—	20	55	—	—	—	02	02		1
2	01	01	—	06	—	35	25	—	—	—	01	01		2
3	—	—	—	116	—	15	18	—	112	—	38	02		3
4	—	—	16	02	—	05	—	—	25	—	06	03		4
5	50	04	03	—	—	—	04	02	05	—	01	18		5
6	08	—	03	—	—	03	18	03	20	—	20	—		6
7	05	—	35	—	—	04	05	—	04	—	20	05		7
8	37	—	66	—	—	—	14	—	—	—	38	03		8
9	48	43	06	—	—	—	50	—	07	—	02	—		9
10	36	31	—	—	—	01	01	—	—	—	12	—		10
11	45	07	—	—	—	07	08	—	01	—	84	—		11
12	01	—	—	10	—	08	18	05	52	—	08	16		12
13	08	—	03	—	—	01	05	03	01	01	05	65		13
14	01	02	03	—	—	—	50	—	11	01	03	61		14
15	02	02	—	—	—	—	10	—	04	—	09	33		15
16	—	17	—	—	30	—	20	—	—	—	07	06		16
17	03	78	—	—	01	—	22	—	—	—	02	70		17
18	20	11	21	—	—	—	45	—	—	—	—	25		18
19	62	15	15	01	—	111	06	03	—	02	—	—		19
20	04	30	22	08	—	01	05	—	30	—	—	—		20
21	—	—	01	78	—	05	06	—	01	—	—	—		21
22	10	50	17	—	—	—	12	—	—	—	—	01		22
23	04	06	05	18	04	—	16	—	—	10	—	—		23
24	31	01	14	—	31	—	03	—	21	28	—	—		24
25	24	—	46	09	—	—	11	—	—	70	—	—		25
26	16	02	24	—	—	—	33	—	10	08	—	—		26
27	63	02	02	—	—	—	14	—	04	17	—	—		27
28	83	02	61	—	—	01	10	—	—	—	—	21		28
29	01	02	04	—	—	05	01	—	—	08	12	08		29
30	18	~~XX~~	—	—	—	07	—	—	—	04	—	—		30
31	10	~~XX~~	61	~~XX~~	04	~~XX~~	03	—	~~XX~~	03	~~XX~~	33		31
TOTAL	5.95	3.18	4.28	2.64	.70	2.20	4.92	16	3.08	.92	2.79	3.73	Year's Total 34.64	✓
* Days with .01 in. or more.	26	20	21	10	5	16	29	5	16	11	18	18	185	✓
* Days with .04 in. or more.	20	12	15	8	4	11	25	1	13	7	13	12	141	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

S. Hutton

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1759

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Examiner Dept. Examiners use*

in the County of *Devonshire*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level *195* ft.

Saltenton Road

Examiners

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following



Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.10	.01	.01	.53	-	-	-	-	-	.02	.11	.64		1
2	-	.43	-	.23	-	-	-	-	.21	-	.01	.09		2
3	-	.30	.24	.08	.06	-	.02	-	-	-	-	-		3
4	.11	.94	-	-	.05	-	-	.10	-	-	-	.41		4
5	.07	-	.01	.02	-	-	.17	-	-	-	-	.10		5
6	.03	.37	.50	.03	.05	-	.45	-	-	-	-	-		6
7	-	.97	.05	.18	-	.04	-	-	-	-	.01	.05		7
8	-	-	-	.01	.87	-	.01	-	-	-	.10	.24		8
9	.05	.03	.15	.18	.16	-	.07	.01	.64	.03	-	.03		9
10	.26	.01	.71	.48	-	.17	-	.03	-	-	-	.25		10
11	.03	-	.21	.25	.72	.05	.22	-	-	-	-	-		11
12	.61	.27	.05	.34	.20	.20	.11	1.04	.11	-	-	.46		12
13	-	.02	.75	.18	-	.04	.61	.26	.02	-	-	.01		13
14	-	.01	.16	.04	-	-	.60	.08	.03	-	-	.02		14
15	.31	.10	.03	.20	-	-	-	-	.10	-	-	.10		15
16	.03	.07	.63	.04	-	-	-	.22	.65	-	.26	-		16
17	.41	.05	.53	-	-	-	-	-	.02	-	.43	-		17
18	.48	.03	.23	-	-	.26	-	-	.15	-	.28	.16		18
19	.10	.02	.06	.03	.04	-	-	-	.10	-	.04	.04		19
20	.34	.01	.05	.08	.07	-	.02	-	.01	-	-	.45		20
21	.46	.24	.11	.01	.05	-	.01	-	.02	-	.14	.03		21
22	.32	.07	.05	-	.48	.04	.03	-	.24	.44	.18	.05		22
23	.30	.26	-	-	.04	-	-	-	-	.26	.40	.02		23
24	.33	.55	.05	-	-	-	-	-	.02	.66	-	.01		24
25	.14	.37	-	-	.01	-	-	-	.02	.29	-	-		25
26	-	.64	.59	-	.15	-	-	-	.01	-	-	.03		26
27	-	.13	.02	-	-	-	-	-	-	.42	-	-		27
28	.20	.31	.03	-	-	-	-	-	-	.05	.01	-		28
29	.05	X	-	-	-	-	-	-	-	.39	.10	-		29
30	.55	X	-	-	-	-	-	-	-	.03	-	-		30
31	.61	X	-	X	-	X	-	-	X	.74	X	-		31
TOTAL	5.59	6.31	5.22	2.91	2.98	.80	2.32	1.74	2.35	3.33	2.07	3.19	Year's Total	
* Days with .01 in. or more.	23	25	23	18	14	7	12	7	16	11	13	20	189	
* Days with .04 in. or more.	20	17	18	13	13	7	7	5	8	8	10	13	139	

† Spare column, no entries required.

(Signed)

H. H. Knight

[P.T.O.]

* See Instruction 3 (f) on other side.

ENGINEER AND SURVEYOR

Section

A

for the entry of Daily Observations

Station No.

1759

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at *Burnt (Bills, Salteton Road)*in the County of *Devonshire*Diameter of Funnel of Gauge *8* in.Height of top of Gauge above Ground *19.5* ft.Ground Sea Level *19.5* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.06	-	-	.04	.24	-	.11	-	.13	-	.05		1
2	-	.03	-	-	-	-	-	-	-	.70	.02	.09		2
3	-	-	-	-	.13	.01	-	.10	-	.31	.11	.07		3
4	-	-	-	-	-	.04	.11	2.06	-	.34	-	.10		4
5	-	-	-	-	-	.01	.03	-	-	.41	-	.01		5
6	.04	-	-	-	-	.09	.13	-	.14	.01	-	.05		6
7	.06	-	-	-	-	.11	.21	-	.10	.10	.02	.05		7
8	.39	-	-	-	-	.03	.03	.15	-	.15	-	.04		8
9	.22	.03	-	-	-	.02	-	-	-	-	-	.46		9
10	.06	.04	-	-	-	-	-	-	-	-	-	.61		10
11	.07	-	-	-	-	-	.01	.11	-	-	.26	.62		11
12	.31	-	-	-	.17	-	.12	-	-	.15	.26	.18		12
13	.14	-	-	-	.14	-	.01	-	-	.02	.39	.58		13
14	.75	-	-	-	.16	-	.58	-	-	-	-	-		14
15	.15	-	-	-	.18	-	.18	-	-	.17	.20	.22		15
16	.20	.01	-	-	-	-	-	-	-	-	.30	-		16
17	-	.16	.03	-	.03	-	-	-	.01	.16	.01	.03		17
18	.11	-	-	-	.07	.06	-	-	.08	.02	.28	-		18
19	-	-	-	-	-	-	-	.10	.38	-	.49	-		19
20	-	-	-	-	-	-	-	-	.01	-	.46	-		20
21	.01	-	-	-	-	-	-	.01	.04	-	.23	.21		21
22	.01	-	-	.13	-	.08	-	.40	.02	.04	.36	.07		22
23	-	-	-	.05	-	-	-	.03	-	-	.02	-		23
24	-	-	.12	.01	-	-	-	.07	-	-	.31	-		24
25	.11	.27	.02	-	.25	-	.52	-	-	.03	1.21	-		25
26	.21	.74	-	-	.32	-	-	-	-	.06	.01	.13		26
27	.07	.01	-	-	.15	.09	.40	.58	-	.03	.24	-		27
28	.08	.05	-	-	.17	.15	-	.89	.03	-	-	.04		28
29	.10	-	-	-	.31	-	.01	-	.04	.27	.20	-		29
30	.01	X	-	-	.09	.57	.04	-	.24	-	.15	.01		30
31	.17	X	-	X	-	X	-	-	X	.07	X	.21		31
TOTAL	3.27	.90	.17	.19	2.21	1.60	3.45	4.59	1.09	3.17	5.53	3.77	Year's Total	29.94
* Days with .01 in. or more.	21	10	3	3	14	13	14	12	11	19	21	21		162
* Days with .04 in. or more.	18	6	1	2	13	9	9	10	7	14	16	17		122

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

J. L. Houghton

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 1759

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ~~Exmouth~~, Waterworks, Salterton Road.in the County of ~~DEVON~~.

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground...8...ft...6....in.

,, Ground ,, Sea Level 195.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.06	-	0.10	0.04	0.02	-	0.10	0.23	0.12	-	0.43	-		1
2	0.13	-	-	0.21	-	-	0.01	0.32	0.91	-	0.04	0.04		2
3	0.37	-	-	0.54	-	-	-	0.14	-	-	0.15	0.46		3
4	0.01	-	0.59	0.13	0.25	-	0.59	0.02	-	0.43	0.12	0.10		4
5	-	0.01	0.02	0.14	-	-	0.14	0.16	-	0.20	0.71	-		5
6	0.51	0.01	0.08	0.11	-	-	0.52	0.03	-	0.29	0.32	-		6
7	-	0.29	-	-	-	-	0.01	0.03	-	-	0.24	0.37		7
8	0.03	0.22	-	-	0.14	-	0.03	0.12	-	1.10	0.21	0.19		8
9	-	-	0.04	-	-	-	-	0.02	-	0.35	0.06	0.08		9
10	0.30	-	-	-	-	0.03	-	0.17	0.03	0.07	-	0.10		10
11	-	0.02	0.05	-	-	-	-	0.03	-	0.16	-	0.01		11
12	0.01	0.05	-	-	-	-	-	-	-	0.05	0.01	-		12
13	0.02	-	-	0.14	-	0.06	0.24	-	0.10	0.82	0.05	-		13
14	0.97	-	-	-	-	0.01	0.31	-	0.02	0.04	0.30	-		14
15	0.42	-	0.02	-	0.10	0.64	0.17	-	-	-	0.05	0.02		15
16	0.18	-	-	0.10	-	0.05	0.04	-	-	-	0.10	-		16
17	0.52	0.01	-	-	0.02	0.03	0.23	-	-	-	0.01	-		17
18	0.01	-	0.02	-	0.02	0.17	0.70	-	-	-	0.47	0.02		18
19	0.35	-	-	-	-	-	0.47	-	-	-	-	0.14		19
20	0.26	-	-	-	0.03	0.20	0.31	2.52	-	-	-	0.10		20
21	0.05	0.20	0.04	-	0.01	0.40	0.37	0.27	-	-	-	-		21
22	0.36	0.34	0.14	-	-	0.34	0.22	-	-	-	0.08	-		22
23	0.04	-	0.02	0.12	-	0.11	0.10	-	-	n -	0.92	-		23
24	0.66	-	0.45	0.08	-	0.35	0.12	-	-	0.01	-	-		24
25	0.71	0.18	-	0.10	-	-	0.03	0.10	-	0.03	0.11	-		25
26	0.04	0.01	-	0.09	-	0.14	-	0.15	-	0.08	0.12	-		26
27	-	0.18	-	0.02	-	0.03	-	0.04	-	-	0.13	-		27
28	-	0.09	-	0.08	-	0.13	0.18	-	-	-	0.15	0.01		28
29	-	-	-	0.05	-	-	0.11	-	-	0.65	0.05	-		29
30	-	X	0.03	0.31	-	0.22	-	0.18	-	0.18	0.01	-		30
31	-	X	-	X	-	X	0.02	0.03	X	0.64	X	-		31
TOTAL	6.01	1.61	1.60	2.26	0.59	2.91	5.02	4.56	1.18	5.10	4.84	1.64	37.32	✓
* Days with .01 in. or more.	22	13	13	16	8	16	23	18	5	16	24	13	187	✓
* Days with .04 in. or more.	17	8	8	15	3	12	18	12	3	14	21	9	140	✓

† Spare column, no entries required.

(Signed)

Victor Engelen & Son

[P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 1759

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340.

Kept at Low Level Filter Beds, Llanon, ...

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 8 ft. 6 in.

Ground Sea Level 195 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.04	-	-	.06	-	-	-	-	-	.21	-		1
2	-	.13	-	.17	-	-	-	-	-	-	.46	.07		2
3	.18	.60	-	.03	-	-	.01	-	-	.24	.69	.27		3
4	.01	.20	-	.01	-	-	.03	-	-	.11	.06	-		4
5	.04	-	-	-	-	-	-	-	-	.03	.48	.07		5
6	.25	.50	-	-	-	-	-	-	-	.11	.02	-		6
7	.09	.01	-	-	-	-	.07	-	-	-	-	.05		7
8	.01	.03	-	-	-	-	.04	-	-	.35	.13	.15		8
9	-	-	-	.02	-	-	.36	-	.02	.15	.52	.12		9
10	-	-	-	-	-	-	.41	.01	.04	.08	.08	.47		10
11	-	-	-	.02	-	-	.23	-	-	-	.48	.03		11
12	-	-	.21	-	-	.10	.14	-	.34	-	.17	-		12
13	-	-	.23	.01	-	-	.01	-	.05	.56	1.50	.07		13
14	-	-	.13	.01	.45	-	.01	-	.26	.31	-	.56		14
15	-	.02	-	.08	.01	-	.38	-	.11	.24	.39	-		15
16	-	.94	.49	.06	-	-	.08	-	.06	.38	.20	.01		16
17	-	.32	.27	.03	-	-	.04	-	-	-	.12	-		17
18	-	.36	.51	.83	-	-	-	-	.01	.07	.02	.05		18
19	-	.10	.23	.10	-	-	.04	.03	.34	-	.15	-		19
20	-	.01	-	.01	-	-	-	-	-	.14	.03	-		20
21	-	.01	-	-	.18	-	-	-	-	-	.37	-		21
22	-	.02	.16	.04	-	.48	-	-	.01	-	-	-		22
23	-	.03	.17	.05	.01	-	-	-	-	.30	-	-		23
24	-	-	-	.01	-	-	.36	-	-	-	-	-		24
25	.23	-	.24	-	.01	.03	-	-	-	-	-	-		25
26	.36	.40	-	.20	.42	.01	.01	-	-	-	-	-		26
27	.32	.10	.01	.05	.27	-	.13	-	-	-	-	-		27
28	.26	.15	.03	-	-	-	-	-	-	-	-	-		28
29	.05	.20	.18	1.10	.04	.05	-	-	-	.03	-	.17		29
30	.01	~~X~~	-	.34	.01	-	-	-	-	.25	-	.11		30
31	.13	~~X~~	.03	~~X~~	-	~~X~~	-	-	~~X~~	.67	~~X~~	.31		31
TOTAL	1.94	4.17	2.89	3.17	1.46	.67	2.35	.04	1.24	4.02	6.08	2.51	30.54	Year's Total
* Days with .01 in. or more.	13	20	14	20	10	5	17	2	10	17	19	15	162	
* Days with .04 in. or more.	10	13	11	11	6	3	12	-	7	15	16	13	117	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section **A** for the entry of
AIR MINISTR
FORM 1090. **REGIS**
Kept at **LITTLEHAM**
in the County of **DEV**
Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea Level

1759/5
EY MOUTH LITTLEHAM
1933 — 40

Station No. **1759/5**
FALL ORGANIZATION,
133. File No. 817771/28.

the Register
S. Devay/6
1933. W. Malan

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									—	tn.	tn.	1.74	1
2									—	—	.06	—	2
3									—	—	—	—	3
4									—	—	—	—	4
5									—	.10	.02	—	5
6									tn.	.07	—	—	6
7									—	.21	—	—	7
8									—	.19	tn.	—	8
9									—	tn.	.02	—	9
10									—	.50	—	—	10
11									tn.	—	—	—	11
12									1.16	—	—	—	12
13									—	—	tn.	—	13
14									—	.11	.28	—	14
15									—	.02	.51	—	15
16									tn.	—	—	—	16
17									.06	—	tn.	—	17
18									—	—	.03	—	18
19									.05	—	.48	—	19
20									—	—	tn.	—	20
21									—	.06	tn.	—	21
22									.68	—	—	—	22
23									.53	.22	—	—	23
24									—	.10	—	—	24
25									—	tn.	—	.16	25
26									.02	.02	—	—	26
27									—	.01	.01	.46	27
28									—	.29	—	.29	28
29									.03	.19	—	.11	29
30		X							.10	—	—	.05	30
31		X		X		X			X	—	X	tn.	31
TOTAL									2.63	2.90	1.41	2.81	YEAR'S TOTAL
*Days with .01 in. or more.									8	14	8	6	
*Days with .04 in. or more.									6	11	4	6	

40-9999

*See Instruction 2 (f) on other side.

(Signed)

W. Malan Esq. F.T.O.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Station No. **1759/5** (not known)

FORM 1090.

REGISTER OF RAINFALL IN 1933. File No. **812771/28.**

Kept at **LITTLEHAM, EXMOUTH** cf 1760, 1759.

in the County of **DEVON.**

Diameter of Funnel of Gauge **5** in.

Height of top of Gauge above Ground **6½** ft.

Ground Sea Level **155** ft.

I began keeping the Register on September 1st 1933. S. Devon/6
W. Malan
C 1933

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									—	tr.	tr.	1.74	1
2									—	—	.06	—	2
3									—	—	—	—	3
4									—	—	—	—	4
5									—	.10	.02	—	5
6									tr.	.07	—	—	6
7									—	.21	—	—	7
8									—	.19	tr.	—	8
9									—	tr.	.02	—	9
10									—	.50	—	—	10
11									tr.	—	—	—	11
12									1.16	—	—	—	12
13									—	—	tr.	—	13
14									—	.11	.28	—	14
15									—	.02	.51	—	15
16									tr.	—	—	—	16
17									.06	—	tr.	—	17
18									—	—	.03	—	18
19									.05	—	.48	—	19
20									—	—	tr.	—	20
21									—	.06	tr.	—	21
22									.68	—	—	—	22
23									.53	.22	—	—	23
24									—	.10	—	—	24
25									—	tr.	—	.16	25
26									.02	.02	—	—	26
27									—	.01	.01	.46	27
28									—	.29	—	.29	28
29									.03	.19	—	.11	29
30		X							.10	—	—	.05	30
31		X		X		X			X	—	X	tr.	31
TOTAL									2.63	2.90	1.41	2.81	YEAR'S TOTAL
*Days with .01 in. or more.									8	14	8	6	—
*Days with .04 in. or more.									6	11	4	6	—

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934.

V/S. D. M. 1/6.

Kept at Thatcham (Littleham) Farm
in the County of DorsetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 6 1/2 ft.,, Ground ,, Sea Level 155 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	'08	—	—	—	—	'05	—	'71	'15	tr.	'08	'68		1
2	'01	—	'05	—	—	—	—	—	'71	'02	'24	'21		2
3	'03	—	—	—	—	—	—	'14	tr.	'39	tr.	'23		3
4	'01	—	'09	'02	'18	—	—	'08	'22	'27	—	'32		4
5	tr.	—	'06	—	—	'20	—	'67	tr.	'22	'01	'36		5
6	'06	tr.	'34	'09	'14	—	—	tr.	'01	'35	'01	'44		6
7	'03	tr.	tr.	tr.	'25	—	—	'11	—	'10	'01	'52		7
8	'01	—	—	—	'14	—	—	'01	'06	tr.	'33	'29		8
9	tr.	—	'24	'01	tr.	—	—	—	—	'04	'51	'08		9
10	'15	tr.	'37	'32	—	—	'03	'04	—	tr.	'06	'12		10
11	—	tr.	'07	'36	—	—	—	'03	—	—	tr.	'47		11
12	'49	tr.	tr.	tr.	—	—	'04	'11	—	—	—	'09		12
13	'39	tr.	—	'41	—	—	—	—	—	—	'07	'40		13
14	'28	tr.	tr.	'03	—	—	—	—	—	'03	'25	'26		14
15	'03	tr.	'09	tr.	'06	—	—	—	—	'18	tr.	'33		15
16	'04	tr.	'31	—	'02	—	—	—	'02	tr.	'14	'41		16
17	'08	tr.	'02	'27	'01	tr.	—	—	'11	'05	—	'27		17
18	'02	tr.	'21	'69	'01	tr.	—	—	'28	—	—	'26		18
19	'01	tr.	'16	'09	'01	tr.	—	'05	'04	'01	—	'11		19
20	tr.	tr.	'14	'07	'01	—	'01	—	'03	'01	—	tr.		20
21	tr.	—	'10	'01	tr.	'11	—	—	tr.	'31	—	'34		21
22	'01	—	'06	—	—	tr.	'42	'10	'27	—	—	'60		22
23	'07	—	'02	'11	—	'85	tr.	—	'11	'08	—	'11		23
24	tr.	'07	'03	'07	—	'21	'09	—	'16	'05	—	'05		24
25	'25	'03	—	'18	—	—	tr.	—	'01	'26	—	'75		25
26	tr.	tr.	'07	'02	—	'14	—	—	'05	—	'02	'08		26
27	tr.	—	—	'03	—	'05	—	'02	'03	—	'01	'27		27
28	tr.	—	—	'02	—	tr.	—	'41	'25	tr.	—	'75		28
29	—	X	—	tr.	—	—	—	'01	'05	'02	'01	'01		29
30	'02	X	—	—	—	—	'04	'06	'06	'05	—	'25		30
31	—	X	—	X	'02	X	'02	'02	X	'06	X	'05		31
TOTAL	2.03	'10	2.43	2.78	'85	1.67	'65	2.57	2.62	2.50	1.75	9.11	Year's total	29.06
*Days with '01 in. or more.	20	2	18	18	11	8	7	16	19	19	14	30		182
*Days with '04 in. or more.	6	1	5	11	5	8	4	10	14	13	8	29		124

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

V. N. MALAN ESQ X

[P.T.O.]

EXMOUTH (LITTLEHAM)

COPY FOR OFFICIAL USE.

F 321169/34

File No. 817771/28

Section

A

for the entry of Daily Observations.

Station No. 1750/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Thatched Cottage, LITTLEHAM, EXMOUTH
in the County of DEVON.

Diameter of Funnel of Gauge. 5 in.
Height of top of Gauge above Ground. 6 1/2 ft.
Ground Sea Level 155 ft.

Good agreement.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	—	—	—	—	.05	—	.71	.15	tr.	.08	.68		1
2	.01	—	.05	—	—	—	—	—	.71	.02	.24	.21		2
3	.03	—	—	—	—	—	—	.14	tr.	.39	tr.	.23		3
4	.01	—	.09	.02	.18	—	—	.08	.22	.27	—	.32		4
5	tr.	—	.06	—	—	.20	—	.67	tr.	.22	.01	.36		5
6	.06	tr.	.34	.09	.14	—	—	tr.	.01	.35	.01	.44		6
7	.03	tr.	tr.	tr.	.25	—	—	.11	—	.10	.01	.52		7
8	.01	—	—	—	.14	—	—	.01	.06	tr.	.35	.29		8
9	tr.	—	.24	.01	tr.	—	—	—	—	.04	.51	.08		9
10	.15	tr.	.37	.32	—	—	.03	.04	—	tr.	.06	.12		10
11	—	tr.	.07	.36	—	—	—	.03	—	—	tr.	.47		11
12	.49	tr.	tr.	tr.	—	—	.04	.11	—	—	—	.09		12
13	.39	tr.	—	.41	—	—	—	—	—	—	.07	.40		13
14	.28	tr.	tr.	.03	—	—	—	—	—	.03	.25	.26		14
15	.03	tr.	.09	tr.	.06	—	—	—	—	.18	tr.	.33		15
16	.04	tr.	.31	—	.02	—	—	—	.02	tr.	.14	.41		16
17	.08	tr.	.02	.27	.01	—	—	—	.11	.05	—	.27		17
18	.02	tr.	.21	.69	.01	tr.	—	—	.28	—	—	.26		18
19	.01	tr.	.16	.09	.01	.06	—	.05	.04	.01	—	.11		19
20	tr.	tr.	.14	.07	.01	—	.01	—	.03	.01	—	tr.		20
21	tr.	—	.10	.01	tr.	.11	—	—	tr.	.31	—	.34		21
22	.01	—	.06	—	—	tr.	.42	.10	.27	—	—	.60		22
23	.07	—	.02	.11	—	.85	tr.	—	.11	.08	—	.11		23
24	tr.	.07	.03	.07	—	.21	.09	—	.16	.05	—	.05		24
25	.25	.03	—	.18	—	—	tr.	—	.01	.26	—	.75		25
26	tr.	tr.	.07	.02	—	.14	—	—	.05	—	.02	.08		26
27	tr.	—	—	.03	—	.05	—	.02	.03	—	.01	.27		27
28	tr.	—	—	.02	—	tr.	—	.41	.25	tr.	—	.75		28
29	—	X	—	tr.	—	—	—	.01	.05	.02	.01	.01		29
30	.02	X	—	—	—	—	.04	.06	.06	.05	—	.25		30
31	—	X	—	X	.02	X	.02	.02	X	.06	X	.05		31
TOTAL	2.03	.10	2.43	2.78	.85	1.67	.65	2.57	2.62	2.50	1.25	9.11	29.06	
*Days with or in. or more.	20	2	18	18	11	8	7	16	19	19	14	30	182	
*Days with .04 in. or more.	6	1	15	11	5	8	4	10	14	13	8	29	124	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

W. MALAN ESQ

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 175965

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Littleham, Exmouth.

in the County of Devon

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft. in.

Ground Sea Level ft.

as in previous years.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	tr.	.64	—	—	.29	.05	—	.16	.08	.13	.17		1
2	tr.	.02	.04	—	—	—	—	—	.08	.20	.10	.06		2
3	—	tr.	.16	—	.32	.30	—	—	.01	.74	.24	.03		3
4	.06	.13	.01	.07	—	.32	—	—	.08	.02	.17	.34		4
5	.02	.15	.08	.07	—	.03	—	—	.10	.08	.04	.03		5
6	tr.	.01	—	.24	—	.89	—	—	—	.05	.26	.24		6
7	tr.	—	—	.24	—	.04	—	—	—	.21	.04	.02		7
8	—	—	—	.39	—	—	—	—	.31	.04	.40	.02		8
9	tr.	—	—	.35	—	.09	—	—	.07	.66	.36	—		9
10	.07	—	.08	.02	—	.02	—	—	—	.01	—	.03		10
11	.18	tr.	.09	—	—	.38	—	—	.14	.02	.31	.01		11
12	.04	.06	.01	—	—	.47	—	.04	.02	.01	.17	—		12
13	.02	.06	tr.	.27	—	.09	—	—	.05	tr.	.27	—		13
14	tr.	.02	—	.23	—	.03	—	—	.21	tr.	.84	.20		14
15	—	.05	—	.63	.09	.16	—	—	.04	—	.20	.09		15
16	—	.04	.17	.18	tr.	.12	—	—	.40	—	1.19	.01		16
17	—	tr.	—	.04	.93	.25	—	.14	.02	—	.04	—		17
18	—	.05	—	.14	.03	tr.	.14	.02	.13	.02	.05	.10		18
19	—	.03	—	.03	.19	.03	.16	—	.06	.11	.39	—		19
20	—	.27	—	.12	.15	tr.	.02	—	.01	—	.24	—		20
21	—	.38	—	.25	tr.	.02	—	—	.06	.05	.01	—		21
22	—	.02	.01	.17	—	—	—	tr.	—	.02	—	—		22
23	tr.	.03	.03	.01	.14	—	—	.46	.07	.35	—	.42		23
24	.01	.63	.01	—	.19	—	—	.63	.24	.09	—	.22		24
25	.13	.31	—	.06	.02	.12	—	.01	—	—	—	.13		25
26	tr.	.56	—	—	—	.01	—	.19	.10	—	.01	.87		26
27	—	.16	tr.	—	.02	—	—	.01	.03	.02	.04	.44		27
28	—	.08	—	—	—	—	—	.06	.12	.01	.01	.06		28
29	tr.	X	—	—	—	—	—	—	.10	—	.05	.54		29
30	.01	X	—	—	—	.14	—	.75	.03	.19	.57	.53		30
31	tr.	X	—	X	—	X	—	.05	X	.81	X	.22		31
TOTAL	.56	3.06	1.33	3.41	2.08	3.80	0.37	2.36	2.64	3.79	6.13	4.78	34.31	Year's Total
*Days with .01 in. or more.	10	20	12	19	10	20	4	11	25	22	25	23	201	
*Days with .04 in. or more.	5	14	7	16	7	14	3	7	19	14	22	17	145	

40-9999

*See Instruction 2 (f) on other side.

†Spare column, no entries required.

(Signed)

W. Malan

P. I. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1759/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at **LITTLEHAM, EXMOUTH**
in the County of **DEVON.**

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level.....ft.

} no change in

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	.15	.01	.12	—	.23	.59	—	—	—	.02	.04		1
2	—	.01	—	.13	—	.38	.23	—	.01	—	.13	.01		2
3	—	—	—	.95	—	.17	.16	—	1.08	—	.24	.03		3
4	.01	—	—	.01	—	.05	.01	—	.26	—	.06	.11		4
5	.55	.04	.20	—	—	—	.08	—	.06	—	.02	.16		5
6	.09	—	.02	—	—	.03	.17	—	.18	—	.23	—		6
7	.11	—	.40	—	—	.03	.02	.03	.05	—	.28	.06		7
8	.31	—	.65	—	—	—	.38	—	—	—	.38	.03		8
9	.61	.38	.07	—	—	—	.27	—	.11	—	.05	.01		9
10	.20	.31	—	—	—	.01	.03	—	tr.	—	.18	—		10
11	.49	.02	—	—	tr.	—	.14	.08	.04	—	.65	.17		11
12	.01	—	—	.13	—	.14	.17	—	.51	tr.	.07	—		12
13	.06	.02	.05	—	—	.02	.06	.02	tr.	.01	.05	.85		13
14	—	—	.01	—	—	.01	.50	—	.10	.01	.01	.42		14
15	.02	.02	—	—	—	—	.11	—	.01	—	.11	.23		15
16	—	.16	—	—	.31	—	.22	—	tr.	—	.05	.16		16
17	.06	.78	—	—	.03	—	.30	—	—	—	.03	.56		17
18	.17	.23	.20	—	—	—	.35	.02	—	.03	—	.08		18
19	.58	tr.	.16	.08	—	.26	.06	.01	—	tr.	—	tr.		19
20	.05	.29	.20	.05	—	.02	.05	—	.30	—	—	tr.		20
21	—	.24	.10	.73	—	.06	.07	—	—	—	—	—		21
22	.10	.26	.12	tr.	tr.	—	.15	—	—	—	—	.02		22
23	.03	.07	.03	.18	.12	—	.11	—	—	.10	—	.01		23
24	.35	.02	.16	.01	.25	—	.01	—	.26	.27	—	tr.		24
25	.26	—	.50	.10	tr.	—	.16	—	.01	.17	—	—		25
26	.18	.02	.19	—	—	—	.39	—	.09	.01	—	—		26
27	.61	.05	.03	—	—	—	.15	—	.03	.17	—	—		27
28	.87	.01	.62	tr.	—	.01	.12	—	—	.02	—	.18		28
29	.02	.03	.01	—	—	.14	.02	—	—	.07	.10	.08		29
30	.21	x	tr.	—	—	.07	—	—	—	—	—	.01		30
31	.07	x	.68	x	.04	x	.03	—	x	.02	x	.37		31
TOTAL	6.01	3.11	4.41	2.49	0.75	2.33	5.11	0.16	3.10	0.88	2.66	3.59	Year's Total.	
* Days with .01 in. or more.	26	20	21	11	5	16	30	5	16	10	18	21	199	✓
* Days with .04 in. or more.	21	12	15	9	4	9	24	1	12	5	14	13	139	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

W. Malan

[P.T.O.]

Section



for the entry of Daily Observations.

Station No.

175915

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Littleham, Exmouth

in the County of Devon

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....6.2.....in.

,, Ground ,, Sea Level...155.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.01	.03	.42	—	—	—	—	.01	—	.01	.48		1
2	—	.45	.25	.22	—	—	—	—	.20	.01	—	.07		2
3	—	.19	.01	.10	.10	—	—	—	—	—	—	—		3
4	.10	.95	tr.	—	.02	—	—	.02	—	—	—	.47		4
5	.08	.02	.01	.04	—	—	—	—	—	—	—	.11		5
6	.04	.56	.47	.17	.04	—	.31	—	—	—	—	.01		6
7	tr.	.05	.04	.02	—	.02	.30	—	—	—	.08	.27		7
8	—	.69	—	—	1.09	—	—	—	—	—	.04	.02		8
9	.02	.02	.19	.17	.02	—	.06	.03	.72	.04	—	—		9
10	.28	.02	.70	.45	—	.21	.03	—	tr.	—	—	.33		10
11	.05	—	.26	.24	.58	.08	.28	—	—	—	—	.01		11
12	.56	.30	.04	.29	.25	.27	.05	1.18	.13	—	—	.50		12
13	.01	.02	.83	.20	—	.05	—	.32	.04	—	—	.01		13
14	tr.	.01	.13	.06	tr.	—	1.26	.02	.05	—	—	.03		14
15	.28	.10	.28	.26	—	—	0.13	—	.14	—	—	.13		15
16	.05	.07	.29	.02	—	—	—	.24	.63	—	.27	—		16
17	.52	.08	.55	—	—	—	—	—	.03	—	.37	—		17
18	.20	.05	.16	—	—	.26	—	—	.19	tr.	.27	.19		18
19	.07	.01	.08	.05	.05	—	—	—	.06	—	.04	.04		19
20	.27	.03	.04	.09	.08	—	—	—	—	—	—	.39		20
21	.52	.42	.13	.01	.30	—	.02	—	.15	.02	.18	.02		21
22	.19	.02	.07	—	.23	—	.03	—	.13	.54	.26	—		22
23	.25	.25	.01	—	.02	.04	—	—	—	.22	.20	.01		23
24	.31	.52	.09	—	—	—	—	—	.04	.72	—	—		24
25	.12	.58	.69	—	.07	—	—	—	.02	.27	.02	tr.		25
26	.01	.34	.05	—	.11	—	—	—	.01	.01	—	.03		26
27	—	.29	—	—	—	—	—	—	—	.45	—	—		27
28	.16	.05	—	—	—	—	—	—	—	.18	tr.	—		28
29	.07	X	—	—	—	—	—	—	—	.28	.14	—		29
30	.50	X	—	—	—	—	—	—	tr.	.05	.17	—		30
31	.51	X	—	X	—	X	—	—	X	1.03	X	tr.		31
TOTAL	5.23	6.10	5.40	2.81	2.96	0.93	2.47	1.81	2.55	3.82	2.05	3.12	39.25	✓
* Days with .01 in. or more.	25	27	24	17	14	7	10	6	16	13	13	19	191	✓
* Days with .04 in. or more.	22	18	20	14	11	6	7	3	12	10	11	11	145	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

W. Nalan

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

1759/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Littleham, Exmouth

in the County of Devon

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft.....6½.....in.

,, Ground ,, Sea Level.....155.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	—	.04	—	—	.06	.30	—	.12	—	.39	—	.08		1	
2	—	.04	—	—	—	—	—	—	—	.30	.06	.09		2	
3	—	—	—	—	.13	.03	.02	.02	tn.	.26	.12	.01		3	
4	—	—	—	—	tn.	.03	.10	2.10	—	.51	tn.	.07		4	
5	—	—	—	—	—	.02	.02	—	.09	.15	—	.01		5	
6	.08	—	—	tn.	—	.08	1.24	—	—	.08	—	.06		6	
7	.05	—	—	—	—	.12	.17	—	.13	.04	.02	.09		7	
8	.39	—	—	—	—	.02	.02	—	—	.17	—	—		8	
9	.126	.03	—	—	—	.03	—	.08	—	—	—	.45		9	
10	.07	.03	—	—	—	—	.01	—	—	—	—	.57		10	
11	.07	—	—	—	—	—	.09	.10	—	—	.32	.63		11	
12	.32	—	—	—	.17	—	.02	—	—	.13	.46	.17		12	
13	.16	—	—	—	.13	—	tn.	—	—	tn.	.22	.58		13	
14	.79	—	—	—	.15	—	.67	—	—	—	—	—		14	
15	.19	—	—	—	.19	—	.27	—	—	.19	.17	.21		15	
16	.12	.01	tn.	—	tn.	—	—	—	—	—	.30	.01		16	
17	—	.16	.03	—	.12	—	—	—	—	.14	.01	.05		17	
18	.11	—	—	—	.03	.09	—	.03	.08	.02	.27	—		18	
19	tn.	—	—	—	—	—	—	.07	.39	—	.93	—		19	
20	—	—	—	—	—	—	—	—	.01	—	.03	—		20	
21	tn.	—	—	—	—	—	—	—	.04	—	.24	.43 (sum)	(sum)	21	
22	.01	—	—	.13	—	—	—	.47	.06	.03	.35	—		22	
23	—	—	—	.07	—	.05	—	.03	—	—	.02	.03		23	
24	tn.	—	.14	tn.	tn.	—	tn.	.05	.07	—	.32	—		24	
25	.09	.29	.02	—	.21	—	.53	—	.01	.03	1.26	.10		25	
26	.22	.24	—	—	.35	—	.04	—	—	.08	.01	.07		26	
27	.08	—	—	—	.12	.09	.31	.52	—	.01	.25	tn.		27	
28	.10	—	—	—	.20	.10	—	.93	.03	—	—	.03		28	
29	.08	—	—	—	.38	—	.01	—	.10	.28	.22	—		29	
30	.01	—	—	—	.04	.36	.04	—	.25	—	.13	.02		30	
31	.24	—	—	—	.13	—	—	—	—	.09	—	.21		31	
TOTAL	3.44	0.84	0.19	0.20	2.41	1.32	3.56	4.52	1.26	2.90	5.71	3.97	Year's Total	30.32	✓✓
* Days with .01 in. or more.	20	8	3	2	15	13	16	12	12	18	21	22	162	✓✓	
* Days with .04 in. or more.	18	5	1	2	14	8	10	9	9	14	16	16	122	✓✓	

† Spare column, no entries required.

(Signed)

W. M. L. L.

P.T.O.

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No.

1759/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Littlehampton, Exmouth

in the County of Devon

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....6½.....ft.....in.

,, Ground ,, Sea Level 155.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

G. = Gale.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	—	.10	.05	.04	—	.10	.27	.06	—	.40	.01		1
2	.13	—	.01	.22	.01	—	.03	.36	1.41	—	.07	.05		2
3	.34	—	.05	.60	—	—	—	.10	—	—	.14	.47		3
4	.02	—	.45	.11	.25	—	.60	.03	—	.46	.11	.11		4
5	—	.01	.03	.15	—	—	.15	.17	—	.27	.81	.03		5
6	.49	.01	.11	.11	—	—	.48	.06	—	.29	.17	—		6
7	.01	.34	tr.	—	—	—	.01	.03	—	—	.30	.39		7
8	—	.17	—	—	.13	—	.06	.09	—	1.28	.23	.11		8
9	.01	—	.04	—	—	—	—	.02	—	.13	.07	.07		9
10	.31	—	—	—	—	—	—	.20	.06	.10	.01	.13		10
11	.01	.01	.07	—	—	.05	—	.02	—	.22	—	.01		11
12	.01	.05	—	.02	—	—	—	—	.02	.05	—	—		12
13	.04	—	—	.13	—	—	.32	—	.13	.92	.05	—		13
14	.86	—	—	—	—	.06	.21	—	.02	.07	.27	—		14
15	.40	—	.02	.01	.13	.10	.18	—	.01	—	.13	.05		15
16	.20	—	—	.10	—	.60	.05	—	—	.01	.07	—		16
17	.47	—	—	—	.02	.02	.26	—	—	—	.02	—		17
18	.01	—	.02	—	.03	.25	.68	—	—	—	.55	.10		18
19	.24	—	—	—	—	.02	.53	—	—	—	—	.13		19
20	.31	—	—	—	.06	.19	.31	2.60	—	—	—	.10		20
21	.05	.18	.03	.03	.02	.39	.41	.44	—	—	—	—		21
22	.38	.30	.15	—	—	.43	.22	—	—	—	.14	—		22
23	.03	—	.02	.13	—	.03	.15	—	—	—	.87	—		23
24	.84	—	.42	.08	—	.37	.14	—	—	.01	—	—		24
25	.63	.15	—	.08	—	tr.	.07	.10	—	.03	.13	—		25
26	.03	.02	—	.13	—	—	—	.10	—	.07	.16	—		26
27	—	.26	—	.02	—	.13	—	.02	—	.05	.13	—		27
28	—	.03	—	.07	—	.14	.24	—	—	—	.16	.03		28
29	—	X	—	.04	—	.05	.12	—	—	.25	.01	—		29
30	—	X	.04	.32	—	.20	—	.24	—	.40	—	—		30
31	—	X	—	X	—	X	.05	.05	X	.42	X	—		31
TOTAL	5.87	1.53	1.56	2.40	0.69	3.03	5.37	4.90	1.71	5.03	5.00	1.79	Year's Total	38.88
* Days with .01 in. or more.	24	12	15	19	9	16	23	18	7	18	23	15		199
* Days with .04 in. or more.	15	7	9	15	5	13	21	15	4	15	20	11		150

† Spare column, no entries required.

(Signed)

W. Mahon 5.1.40.

[P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations.

Station No.

1759/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Littleham Exmouth

in the County of Devon

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....6.2.....ft.

Ground Sea Level 155.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.03	—	—	.07	—	—	—	—	—	.21	—		1
2	—	.12	—	.12	—	—	tr.	—	—	—	.63	.12		2
3	.16	.55	—	—	—	—	—	—	—	.24	.61	.17		3
4	.02	.29	—	.03	—	—	.08	—	—	.10	.10	.01		4
5	.05	—	—	—	—	—	tr.	—	—	.05	.61	.11		5
6	.19	.52	—	—	—	—	tr.	—	—	.11	.05	.09		6
7	.09	.01	—	—	—	—	.04	—	tr.	tr.	—	.04		7
8	.01	.04	—	—	—	—	—	—	—	.34	.18	.24		8
9	—	—	—	.01	—	—	.70	.01	.02	.14	.49	.05		9
10	—	—	—	—	—	—	.11	.01	.04	.07	.06	.50		10
11	—	—	—	.04	—	—	.25	—	—	—	.51	tr.		11
12	—	—	.20	—	—	.12	.15	—	.46	—	.18	—		12
13	—	—	.31	.01	—	—	—	—	.03	.53	1.42	.45		13
14	—	.07	.12	.04	.55	—	.02	—	.28	.22	—	.13		14
15	—	—	—	.07	.02	—	.24	—	.13	.25	.42	.01		15
16	.12	.79	.50	.08	—	—	.10	—	.07	.39	.18	.01		16
17	—	.23	.37	.05	—	—	.06	—	.01	.01	.16	—		17
18	—	.33	.32	.97	—	—	—	.03	tr.	.06	.03	.05		18
19	—	.10	.25	.13	—	—	.08	—	.35	.01	.15	—		19
20	—	—	.01	.01	—	—	—	—	—	.12	.03	—		20
21	—	—	.01	—	.17	—	—	—	.01	—	.37	—		21
22	—	.03	.10	.09	—	.47	—	—	—	tr.	—	—		22
23	—	.06	.14	.07	.02	—	.03	—	—	.24	—	.01		23
24	.02	—	.01	—	.05	—	.29	—	—	.01	—	—		24
25	.15	—	.25	.01	.03	.04	—	—	—	—	—	—		25
26	.39	.36	—	.23	.43	.02	.16	—	—	—	—	—		26
27	.25	.07	.06	.03	.37	—	—	—	—	—	—	.01		27
28	.29	.08	.01	.02	.02	—	—	tr.	—	—	—	—		28
29	—	.17	.17	1.22	—	.05	—	—	—	.04	—	.16		29
30	.16	—	.01	.16	.02	—	—	—	—	.32	—	.17		30
31	.10	—	.03	—	—	—	—	—	—	.68	—	.44		31
TOTAL	2.0	3.85	2.87	3.39	1.75	0.70	2.31	0.05	1.40	3.93	6.39	2.77	Year's Total	31.41
* Days with .01 in. or more.	14	18	18	20	11	5	14	3	10	19	19	19	170	
* Days with .04 in. or more.	11	15	12	13	6	4	12	0	6	17	17	14	127	

† Spare column, no entries required.

(Signed)

W. Mahan

P.T.O.

* See Instruction 3 (f) on other side.

Se 1760

Fc CAPEL LANE.

EXMOUTH.

1931-40

1932-11/18.
1933-36

Ground

780208

6029076.
COPY FOR OFFICIAL USE.
OFFICE.—BRITISH RAINFALL ORGANIZATION.
RAINFALL IN 1931.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	01	—	87	09	—	—	—	18	—	—	01	1
2	29	02	—	69	—	—	08	—	46	—	05	04	2
3	21	—	71	—	—	—	05	—	12	—	1.31	14	3
4	05	—	39	—	16	2.4	25	11	08	—	12	—	4
5	—	36	15	02	—	72	—	13	—	—	07	25	5
6	—	15	—	—	11	06	14	—	—	14	09	45	6
7	—	—	—	—	21	42	31	10	—	—	52	11	7
8	—	14	—	21	—	42	—	08	—	—	15	05	8
9	03	05	—	04	—	01	05	—	—	—	50	01	9
10	—	11	—	—	04	20	02	12	38	—	59	—	10
11	09	33	—	—	—	23	—	—	01	—	49	—	11
12	02	05	—	—	—	—	21	—	17	03	—	—	12
13	—	03	—	—	07	—	30	10	—	07	—	—	13
14	03	03	—	—	—	07	1.05	04	02	—	33	—	14
15	01	07	—	01	09	—	—	09	04	—	01	—	15
16	—	13	—	01	17	45	—	04	06	—	—	01	16
17	—	08	—	15	—	—	24	—	01	—	—	—	17
18	—	—	01	14	—	12	03	1.50	—	—	24	—	18
19	01	—	07	17	—	35	02	09	07	—	20	—	19
20	01	09	37	—	—	—	—	21	—	—	08	—	20
21	10	01	05	—	26	—	—	03	—	01	—	—	21
22	28	—	—	01	10	—	—	—	—	01	—	—	22
23	23	01	—	11	64	—	—	—	—	—	34	—	23
24	05	01	—	30	13	03	68	65	—	—	01	—	24
25	12	—	—	49	02	—	07	—	—	—	23	—	25
26	01	02	—	08	—	—	32	—	—	—	45	—	26
27	15	09	—	—	16	—	01	—	—	—	10	—	27
28	04	06	06	—	33	—	—	—	—	01	—	11	28
29	02	—	20	—	11	—	—	32	—	—	14	24	29
30	01	×	—	—	03	—	—	—	01	—	—	—	30
31	47	×	02	×	12	×	—	—	×	01	×	21	31
TOTAL	2.23	1.85	2.03	3.30	2.84	3.34	3.83	3.61	1.61	28	6.02	1.65	YEAR'S TOTAL 32.59
*Days with or in. or more.	21	21	10	15	18	13	17	15	13	7	21	12	183
*Days with or in. or more.	12	13	8	11	16	11	13	14	9	2	19	9	137

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. Hutton

[P. 10]

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at FILTER BEDS, CAPEL LANE
in the County of DEVON EXMOUTH.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
Ground Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	01	—	87	09	—	—	—	18	—	—	01	1
2	29	02	—	69	—	—	08	—	46	—	05	04	2
3	21	—	71	—	—	—	05	—	12	—	131	14	3
4	05	—	39	—	16	24	25	11	08	—	12	—	4
5	—	36	15	02	—	72	—	13	—	—	07	25	5
6	—	15	—	—	11	06	14	—	—	14	09	47	6
7	—	—	—	—	21	42	31	10	—	—	52	11	7
8	—	14	—	21	—	42	—	08	—	—	15	05	8
9	03	05	—	04	—	01	05	—	—	—	50	01	9
10	—	11	—	—	04	20	02	12	38	—	59	—	10
11	09	33	—	—	—	23	—	—	01	—	49	—	11
12	02	05	—	—	—	—	21	—	17	03	—	—	12
13	—	03	—	—	07	—	30	10	—	07	—	—	13
14	03	03	—	—	—	07	105	04	02	—	33	—	14
15	01	07	—	01	09	—	—	09	04	—	01	—	15
16	—	13	—	01	17	47	—	04	06	—	—	01	16
17	—	08	—	15	—	—	24	—	01	—	—	—	17
18	—	—	01	14	—	12	03	150	—	—	24	—	18
19	01	—	07	17	—	35	02	09	07	—	20	—	19
20	01	09	37	—	—	—	—	21	—	—	08	—	20
21	10	01	05	—	26	—	—	03	—	01	—	—	21
22	28	—	—	01	10	—	—	—	—	01	—	—	22
23	23	01	—	11	64	—	—	—	—	—	34	—	23
24	05	01	—	30	13	03	68	65	—	—	01	—	24
25	12	—	—	49	02	—	07	—	—	—	23	—	25
26	01	02	—	08	—	—	32	—	—	—	45	—	26
27	15	09	—	—	16	—	01	—	—	—	10	—	27
28	04	06	06	—	33	—	—	—	—	01	—	11	28
29	02	—	20	—	11	—	—	32	—	—	14	24	29
30	01	×	—	—	03	—	—	—	01	—	—	—	30
31	47	×	02	×	12	×	—	—	×	01	×	21	31
TOTAL	2.23	1.85	2.03	3.30	2.84	3.34	3.83	3.61	1.61	28	6.02	1.65	YEAR'S TOTAL 32.59
*Days with "or in. or more.	21	21	10	15	18	13	17	15	13	7	21	12	183
*Days with "04 in. or more.	12	13	8	11	16	11	13	14	9	2	19	9	137

Section

A

for the entry of Daily Observations.

Station No.

1760

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at FILTERS. CAPEL LANE
in the County of DEVON. EXMOUTHDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 8 ft 0 in.
,, Ground ,, Sea Level 240 ft.

780308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	—	—	.11	—	—	.03	.32	—	—	.03	.06	1
2	—	—	—	.36	—	—	—	.02	—	—	—	.17	2
3	—	—	.04	—	—	.88	.05	—	.46	.01	—	.06	3
4	.03	—	—	—	—	.21	—	.08	—	—	.33	—	4
5	.16	—	.06	—	—	—	.02	—	.05	—	—	—	5
6	.49	—	—	.10	.01	—	.05	—	.31	—	—	—	6
7	.07	—	—	.05	.11	—	.01	—	.21	.91	—	—	7
8	—	—	.25	—	.09	—	—	—	.52	.35	—	—	8
9	.87	—	—	.05	.06	—	—	.01	—	—	—	—	9
10	.45	—	—	.24	.06	.03	—	—	—	.18	—	—	10
11	.03	—	—	.07	.11	—	—	—	.02	.05	—	.10	11
12	.44	—	—	—	.33	—	—	—	.02	.14	—	.02	12
13	.07	—	—	.14	.05	—	.28	.58	—	.97	—	.33	13
14	.29	—	—	.04	.35	.03	—	.13	—	.04	.01	.02	14
15	.01	—	—	.11	.15	—	—	—	—	.03	.03	.03	15
16	.15	—	—	.08	—	—	.54	—	.01	—	—	.01	16
17	.02	—	—	.03	—	—	—	—	.02	—	—	—	17
18	.03	—	—	—	.34	—	—	—	.11	—	.26	—	18
19	.02	—	—	.02	.16	—	—	—	.07	.26	—	.02	19
20	.03	—	—	.01	1.28	—	.02	.05	—	.71	.23	.16	20
21	.03	—	.12	.15	—	—	—	.19	.02	.23	.04	.10	21
22	—	—	.01	—	.01	—	.01	.07	1.17	.29	.22	.02	22
23	—	—	—	—	.01	.07	.15	—	.01	.49	—	.16	23
24	—	—	—	—	—	—	.42	—	.14	.07	.04	.02	24
25	—	—	.55	.04	—	—	.27	—	.11	.13	.03	.02	25
26	—	—	.14	.03	—	—	.09	—	—	.04	.07	—	26
27	—	—	.60	.31	.12	—	.03	—	—	.25	.04	.07	27
28	—	—	.06	.03	.18	—	.05	—	—	—	—	.08	28
29	—	—	.43	.10	.26	.41	—	.68	.56	.51	.03	.27	29
30	.03	×	—	.04	.02	1.42	.14	—	.55	.15	.97	.18	30
31	—	×	.11	×	.20	×	.16	—	×	—	×	.49	31
TOTAL	3.28	NIL	2.39	2.11	3.90	3.05	2.32	2.13	4.36	5.81	2.33	2.39	YEAR'S TOTAL 34.07
*Days with ".01 in. or more.	19	—	11	21	20	7	17	10	18	20	14	21	178
*Days with ".04 in. or more.	10	—	10	16	16	5	11	8	12	18	9	13	128

40-9999

*See Instruction 2 (f) on other side.

(Signed) —

Hutton

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1760

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at FILTER BEDS, CAPEL LANE, EXMOUTH
in the County of DEVONDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 8 ft. 0 in.Ground Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.54	.37	.09	—	.04	.20	—	—	—	.01	.03	2.00		1
2	.45	—	.92	—	.74	.38	—	—	—	—	.01	.15		2
3	.06	.13	.26	—	.03	—	—	—	—	—	—	—		3
4	.24	.01	.15	—	.10	—	—	—	—	—	—	—		4
5	.03	—	.30	—	.03	—	—	—	—	.01	.02	—		5
6	.01	.44	.01	—	.07	—	.13	—	—	.15	—	—		6
7	.03	.06	—	—	.01	—	—	—	—	.17	—	.01		7
8	.01	.01	.02	—	.01	—	.07	—	—	.06	—	—		8
9	—	.02	—	—	.18	.02	.16	—	—	.16	.02	—		9
10	—	.10	—	—	.08	—	.24	—	—	.51	.01	—		10
11	.11	—	—	—	.01	.24	.07	.15	—	—	—	—		11
12	.01	—	—	.25	.01	.08	—	—	.96	—	—	.03		12
13	—	—	—	—	.09	.10	.26	.63	—	.10	.03	—		13
14	.03	—	—	—	—	—	.02	.09	—	.16	.25	—		14
15	.55	—	.10	—	—	—	.83	.10	—	.03	.50	—		15
16	—	—	.92	—	—	—	—	—	.01	.05	.02	—		16
17	.05	.05	.21	—	—	.12	—	.01	.07	—	—	—		17
18	.05	.02	.13	—	—	.01	—	—	—	—	.02	—		18
19	.24	—	.31	—	—	.12	—	.03	.03	—	.51	.03		19
20	—	.02	.01	—	—	.34	—	—	.05	—	.03	.02		20
21	—	.03	—	—	—	.01	—	.05	.01	.08	—	—		21
22	—	.02	—	.06	—	.41	—	.20	.54	.01	.01	—		22
23	—	.50	—	.16	—	.25	—	—	.53	.21	—	—		23
24	—	.76	—	.33	—	.02	—	—	.23	.10	—	—		24
25	—	1.15	—	.23	—	.28	—	—	.20	—	—	.16		25
26	—	.44	—	.22	.12	—	—	—	.01	.02	—	.02		26
27	—	.04	—	—	.02	—	—	—	.02	.31	—	.45		27
28	—	.02	—	.43	.10	—	.71	—	.01	.20	—	.38		28
29	.06	—	—	.09	—	—	.04	—	.03	—	—	.10		29
30	.01	×	.06	—	—	—	.06	—	.13	.01	—	.08		30
31	.06	×	.07	×	.04	×	—	—	×	.05	×	—		31
TOTAL	2.86	4.19	3.46	1.67	1.77	2.68	2.59	1.35	2.83	2.40	1.46	3.43	Year's Total	36.39
*Days with '.01 in. or more.	18	19	15	8	17	15	11	8	15	20	13	12		171
*Days with '.04 in. or more.	11	11	12	8	9	11	10	6	8	14	3	7		110

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

1760

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at FILTER BEDS, CAPEL LANE
in the County of DEVON EXMOUTHDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 8 ft. 0 in.,, Ground ,, Sea Level 240 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03	—	01	—	—	05	—	77	07	—	08	51 52		1
2	17	—	04	—	—	—	—	—	70	02	23	41 26		2
3	02	—	—	—	—	—	—	14	—	24	—	21 22		3
4	04	—	10	02	18	—	—	04	19	36	—	44 58		4
5	01	—	—	—	12	14	—	74	—	25	01	38 40		5
6	07	01	38	08	27	07	—	—	—	40	—	45 46		6
7	03	—	—	—	—	—	—	10	—	11	—	54 56		7
8	—	—	—	—	14	—	—	01	04	—	14	25 26		8
9	01	—	24	—	—	—	—	—	—	04	69	12 22		9
10	13	01	34	39	—	—	02	02	—	—	05	13 22		10
11	51	—	05	35	—	—	—	02	01	—	01	36 52		11
12	01	01	—	—	—	—	03	08	—	—	—	13 26		12
13	42	—	—	37	—	—	—	01	—	—	07	46 46		13
14	20	—	44	07	—	—	—	—	—	01	27	27 52		14
15	04	—	08	—	05	—	—	—	—	19	15	33 38		15
16	03	01	30	—	—	—	—	—	—	—	—	45 42		16
17	07	01	03	06	01	—	—	—	12	05	—	24 25		17
18	07	01	12	67	—	—	—	—	30	—	—	27 52		18
19	02	—	24	17	—	06	—	01	05	01	—	16 22		19
20	—	01	15	05	01	—	01	02	02	01	—	—		20
21	—	—	08	02	—	10	01	—	01	31	—	45 38		21
22	01	—	09	—	—	—	30	08	26	—	—	77 65		22
23	14	—	01	08	—	83	—	—	06	03	—	10 22		23
24	—	07	04	10	—	22	06	02	19	10	—	03 02		24
25	25	—	—	18	—	—	01	—	—	25	—	86 88		25
26	01	04	06	02	—	08	—	—	06	01	01	01 02		26
27	—	—	—	03	—	08	—	01	05	—	01	24 22		27
28	—	—	—	04	—	02	—	40	23	—	—	87 86		28
29	—	—	—	—	—	—	—	03	11	02	01	02 02		29
30	02	X	—	—	—	—	02	09	07	06	01	25 28		30
31	—	X	—	X	02	X	04	01	X	07	X	05 08		31
TOTAL	2.31	0.18	2.80	2.70	0.80	1.65	0.50	2.60	2.54	2.54	1.74	9.82	30.32	
* Days with .01 in. or more.	23	9	19	17	8	10	9	19	18	26	14	30	196	
* Days with .04 in. or more.	12	2	16	3	5	9	3	9	15	13	8	27	132	

Section



for the entry of Daily Observations.

Station No. 1760

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *High Level Yellin Beds*
Capel Lane in the County of *Down*
 Diameter of Funnel of Gauge.....*5* in.
 Height of top of Gauge above Ground.....*8* ft.....*0* in.
 „ Ground „ Sea Level.....*24.0* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01	.01	.65	—	—	.31	.05	—	.20	.10	.18	.26		1
2	—	.02	.04	—	—	.01	—	—	.08	.21	.08	.05		2
3	—	—	.16	—	.10	.26	—	—	.04	.71	.25	.02		3
4	.04	.14	—	.05	.32	.31	—	—	.13	.02	.24	.37		4
5	—	.10	.08	.06	—	.03	—	—	.11	.10	.05	—		5
6	—	.05	.01	.23	—	.82	—	—	.01	.10	.15	.23		6
7	—	—	—	.22	—	.05	—	—	—	.03	.17	.02		7
8	—	—	—	.26	—	—	—	—	.30	.10	.41	.03		8
9	.02	—	—	.40	—	.09	—	—	.08	.66	.38	—		9
10	.08	—	<i>show</i> .05	.02	—	.02	—	—	—	.01	—	.01		10
11	.13	—	<i>show</i> .26	—	—	.21	—	—	.04	—	.33	.02		11
12	.03	.03	—	—	—	.56	—	.03	.03	.02	.17	—		12
13	.04	.09	—	.34	—	.10	—	—	.05	—	.25	—		13
14	.02	—	—	.21	—	.01	—	—	.09	.01	.85	.20		14
15	—	.06	—	.71	.11	.14	—	—	.16	—	.22	.10		15
16	—	.02	.21	.14	—	.12	—	—	.35	—	1.12	—		16
17	—	—	.01	.03	.96	.26	—	.12	.01	—	.04	—		17
18	—	.02	—	.13	.04	—	.11	—	.11	.02	.03	.12		18
19	—	.03	—	.03	.19	.03	.15	—	.02	.10	.42	—		19
20	—	.21	.01	.14	.22	—	.02	—	.02	.02	.36	—		20
21	—	.40	<i>fog</i> .01	.23	—	.01	—	—	.03	.03	.01	—		21
22	—	.04	.01	.23	—	—	—	—	.05	.02	—	—		22
23	—	.03	.02	.01	.08	—	—	.43	.04	.32	—	.19		23
24	—	.65	.01	—	.16	—	—	.62	.25	.10	—	.45		24
25	.14	.44	—	.05	.08	.09	—	.04	—	—	—	.18		25
26	—	.38	—	—	—	.02	—	.22	.10	—	<i>see</i> .01	.67		26
27	—	.40	<i>fog</i> .01	—	.01	—	—	.03	.03	.01	.04	.71		27
28	—	.07	—	—	—	—	—	.07	.10	.02	.01	.05		28
29	—	—	—	—	—	—	—	—	.12	—	—	.53		29
30	.01	~~X~~	—	—	—	.09	—	.67	.03	.17	.51	.51		30
31	—	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.83	~~X~~	.28		31
TOTAL	0.52	3.24	1.54	3.40	2.27	3.54	0.33	2.23	2.58	3.71	6.25	5.00	34.68	7
* Days with .01 in. or more.	10	20	15	19	11	21	4	8	25	23	24	21	204	
* Days with .04 in. or more.	5	13	7	15	10	14	3	7	19	12	20	16	141	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1760

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at HIGH LEVEL FILTER BEDS
in the County of CAPEL LANE EXMOUTH
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 8 ft. 0 in.
Ground Sea Level 240 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	05	12	—	16	—	20	56	—	—	—	02	02		1
2	01	01	—	07	—	37	25	—	—	—	01	01		2
3	—	—	—	118	—	15	18	—	112	—	39	02		3
4	—	—	17	02	—	05	—	—	25	—	07	03		4
5	51	04	03	—	—	—	03	02	06	—	01	17		5
6	07	—	03	—	—	03	17	03	20	—	20	—		6
7	05	—	36	—	—	04	04	—	04	—	30	05		7
8	36	—	65	—	—	—	15	—	—	—	37	03		8
9	48	44	06	—	—	—	52	—	08	—	02	—		9
10	35	31	—	—	—	01	01	—	—	—	12	—		10
11	46	08	—	—	—	06	09	—	01	—	83	—		11
12	01	—	—	11	—	08	18	04	51	—	03	16		12
13	09	—	03	—	—	01	04	03	01	01	05	66		13
14	01	02	03	—	—	—	51	—	10	01	03	61		14
15	02	02	—	—	—	—	11	—	04	—	08	32		15
16	—	18	—	—	29	—	21	—	—	—	07	06		16
17	03	70	—	—	01	—	23	—	—	—	02	60		17
18	21	11	22	—	—	—	44	—	—	—	—	25		18
19	63	15	15	01	—	113	06	03	—	—	—	—		19
20	03	31	22	00	—	01	05	—	31	—	—	—		20
21	—	—	01	81	—	05	06	—	01	—	—	—		21
22	11	51	18	—	—	—	12	—	—	—	—	01		22
23	04	06	05	18	04	—	16	—	—	10	—	—		23
24	32	01	14	—	31	—	03	—	21	20	—	—		24
25	26	—	48	09	—	—	11	—	—	00	—	—		25
26	15	02	25	—	—	—	32	—	10	08	—	—		26
27	64	02	02	—	—	—	14	—	04	18	—	—		27
28	87	03	61	—	—	01	10	—	—	—	—	20		28
29	01	03	04	—	—	06	01	—	—	08	11	08		29
30	20	X	—	—	—	07	—	—	—	04	—	—		30
31	10	X	62	X	04	X	03	—	X	03	X	32		31
TOTAL	607	326	435	272	60	233	492	15	309	91	273	369	3491	✓
* Days with .01 in. or more.	27	20	21	10	5	16	29	5	16	10	18	18	195	✓
* Days with .04 in. or more.	20	12	5	8	4	11	25	1	13	4	11	12	139	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

S. Hutton

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1760

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Englemin Poph. Mount 400*

in the County of *Downshire*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level *240*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following



Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11	.01	.01	.54	-	-	-	-	-	.02	.12	.62		1
2	-	.42	-	.23	-	-	-	-	.22	-	.01	.09		2
3	-	.31	.25	.09	.07	-	.02	-	-	-	-	-		3
4	.10	.95	-	-	.07	-	-	-	-	-	-	.40		4
5	.07	-	.01	.02	-	-	.17	-	-	-	-	.10		5
6	.03	.39	.57	.02	.05	-	.45	-	-	-	-	-		6
7	-	.97	.05	.19	-	.04	-	-	-	-	.01	.05		7
8	-	-	-	.01	.88	-	.01	-	-	-	.11	.25		8
9	.05	.03	.15	.17	.17	-	.07	.01	.66	.04	-	.08		9
10	.25	.01	.69	.48	-	.17	-	.03	-	-	-	.28		10
11	.03	-	.22	.25	.73	.05	.23	-	-	-	-	-		11
12	.60	.27	.05	.34	.21	.21	.12	1.04	.12	-	-	.48		12
13	-	.02	.77	.19	-	.03	-	.27	.02	-	-	.01		13
14	-	.01	.16	.04	-	-	.61	.10	.03	-	-	.02		14
15	.30	.09	.03	.20	-	-	.62	-	.11	-	-	.11		15
16	.03	.07	.64	.04	-	-	-	.23	.66	-	.26	-		16
17	.42	.05	.52	-	-	-	-	-	.02	-	.44	-		17
18	.48	.03	.23	-	-	.26	-	-	.15	-	.26	.16		18
19	.10	.02	.07	.03	.04	-	-	-	.11	-	.04	.04		19
20	.34	.01	.05	.08	.08	-	-	-	.01	-	-	.45		20
21	.47	.34	.11	.01	.06	-	.02	-	.02	-	.14	.03		21
22	.32	.07	.05	-	.48	.04	.01	-	.24	.47	.18	.05		22
23	.31	.27	-	-	.05	-	.03	-	-	.20	.41	.01		23
24	.33	.56	.06	-	-	-	-	-	.02	.63	-	.01		24
25	.15	.38	-	-	.01	-	-	-	.03	.28	-	-		25
26	-	.65	.65	-	.16	-	-	-	.01	-	-	.03		26
27	-	.13	.02	-	-	-	-	-	-	.47	-	-		27
28	.20	.31	.03	-	-	-	-	-	-	.04	.01	-		28
29	.05	X	-	-	-	-	-	-	-	.41	.09	-		29
30	.56	X	-	-	-	-	-	-	-	.03	-	-		30
31	.62	X	-	X	-	X	-	-	X	.73	X	-		31
TOTAL	5.92	6.37	5.53	2.93	3.06	.80	2.36	1.68	2.43	3.32	2.08	3.16	Year's Total	
* Days with .01 in. or more.	23	25	23	18	14	7	12	6	16	11	13	20	185	
* Days with .04 in. or more.	20	17	18	13	13	6	7	4	8	9	10	13	138	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

A. L. Knight

[P.T.O.]

ENGINEER & SURVEYOR

Section



for the entry of Daily Observations

Station No. 1760

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Belb's Copel Lane (Dunmurry)*
in the County of *Dumfriesshire*
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" Ground " Sea Level *240*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.06	-	-	.04	.35	-	.10	-	.12	-	.06		1
2	-	.03	-	-	-	-	-	-	-	.71	.02	.08		2
3	-	-	-	-	.14	.02	-	.10	-	.32	.11	.01		3
4	-	-	-	-	-	.05	.10	2.07	-	.35	-	.10		4
5	-	-	-	-	-	.01	.03	-	-	.40	-	.01		5
6	.04	-	-	-	-	.10	1.14	-	.14	.01	-	.04		6
7	.06	-	-	-	-	.11	.20	-	.10	.12	.02	.05		7
8	.38	-	-	-	-	.03	.03	.15	-	.16	-	.03		8
9	.21	.03	-	-	-	.02	-	-	-	-	-	.47		9
10	.06	.03	-	-	-	-	-	-	-	-	-	.62		10
11	.07	-	-	-	-	-	.01	.10	-	-	.25	.68		11
12	.32	-	-	-	.17	-	.12	-	-	.14	.27	.17		12
13	.14	-	-	-	.14	-	.01	-	-	.02	.38	.59		13
14	.75	-	-	-	.16	-	.67	-	-	-	-	-		14
15	.14	-	-	-	.18	-	.16	-	-	.17	.20	.20		15
16	.20	.01	-	-	-	-	-	-	-	-	.31	-		16
17	-	.17	.03	-	.04	-	-	-	-	.15	.01	.03		17
18	.11	-	-	-	.06	.06	-	-	.07	.02	.28	-		18
19	-	-	-	-	-	-	-	.11	.37	-	.48	-		19
20	-	-	-	-	-	-	-	-	.01	-	.49	-		20
21	.01	-	-	-	-	-	-	.01	.04	-	.24	.21		21
22	.01	-	-	.13	-	.08	-	.40	.02	.04	.35	.07		22
23	-	-	-	.04	-	-	-	.03	.04	-	.01	-		23
24	.11	-	.12	.01	-	-	-	.08	-	-	.31	-		24
25	.11	.27	.02	-	.24	-	.57	-	-	.02	1.11	-		25
26	.21	.23	-	-	.32	-	-	-	-	.06	.01	.13		26
27	.07	.01	-	-	.15	.09	.40	.56	-	.03	.24	-		27
28	.09	.05	-	-	.18	.14	-	.89	.03	-	-	.03		28
29	.10	-	-	-	.30	-	.01	-	.04	.26	.20	-		29
30	.01	~~X~~	-	-	.09	.58	.04	-	.25	-	.14	.01		30
31	.16	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.07	~~X~~	.22		31
TOTAL	3.36	.89	.17	.18	2.21	1.64	3.43	4.60	1.11	3.17	5.43	3.91	Year's Total 30.00	✓✓
* Days with .01 in. or more.	22	10	3	3	14	13	14	12	11	19	21	21	163	✓✓
* Days with .04 in. or more.	19	5	1	2	14	9	9	10	8	14	16	15	122	✓✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

P. L. Knight [P.L.O.]

Section



for the entry of Daily Observations

Station No. 1760

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Barnmouth, Waterworks, Capel Lane.....in the County of Devon.....Diameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....8.....ft. 0.....in.,, Ground ,, Sea Level ...240.....ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.06	-	0.10	0.03	0.02	-	0.10	0.23	0.12	-	0.41	-		1
2	0.13	-	-	0.22	-	-	0.01	0.31	0.93	-	0.05	0.03		2
3	0.36	-	-	0.55	-	-	-	0.13	-	-	0.14	0.43		3
4	-	-	0.58	0.12	0.25	-	0.59	0.02	-	0.45	0.11	0.09		4
5	-	0.01	0.02	0.14	-	-	0.13	0.17	-	0.19	0.73	-		5
6	0.62	0.01	0.09	0.11	-	-	0.51	0.03	-	0.28	0.31	-		6
7	-	0.30	-	-	-	-	0.01	0.03	-	-	0.26	0.39		7
8	0.03	0.20	-	-	0.13	-	0.03	0.11	-	1.10	0.20	0.19		8
9	-	-	0.03	-	-	-	-	0.02	-	0.32	0.07	0.06		9
10	0.31	-	0.02	-	-	0.04	-	0.19	0.04	0.08	-	0.10		10
11	-	0.02	0.06	-	-	-	-	0.03	-	0.16	-	0.01		11
12	0.01	0.04	-	-	-	-	-	-	-	0.05	0.01	-		12
13	0.02	-	-	0.14	-	0.06	0.31	-	0.10	0.83	0.05	-		13
14	0.96	-	-	-	-	0.01	0.30	-	0.02	0.04	0.28	-		14
15	0.41	-	0.02	-	0.10	0.63	0.17	-	-	-	0.06	0.01		15
16	0.15	-	-	0.08	-	0.06	0.03	-	-	-	0.10	-		16
17	0.54	0.01	-	-	0.02	0.02	0.23	-	-	-	0.01	-		17
18	0.01	-	0.02	-	0.03	0.17	0.71	-	-	-	0.46	0.03		18
19	0.34	-	-	-	-	-	0.46	-	-	-	-	0.15		19
20	0.28	-	-	-	0.02	0.20	0.30	2.51	-	-	-	0.10		20
21	0.06	0.20	0.04	-	0.01	0.40	0.37	0.27	-	-	-	-		21
22	0.35	0.34	0.13	-	-	0.33	0.20	-	-	-	0.07	-		22
23	0.04	-	0.02	0.12	-	0.11	0.10	-	-	-	0.91	-		23
24	0.68	-	0.44	0.09	-	0.39	0.11	-	-	0.01	-	-		24
25	0.73	0.18	-	0.08	-	-	0.05	0.10	-	0.03	0.10	-		25
26	0.03	0.01	-	0.09	-	0.12	-	0.15	-	0.07	0.10	-		26
27	-	0.17	-	0.02	-	0.02	-	0.05	-	-	0.13	-		27
28	-	0.08	-	0.07	-	0.12	0.19	-	-	-	0.16	0.01		28
29	-	X	-	0.05	-	-	0.11	-	-	0.60	0.05	-		29
30	-	X	0.02	0.32	-	0.21	-	0.18	-	0.29	0.01	-		30
31	-	X	-	X	-	X	0.02	0.03	X	0.57	X	-		31
TOTAL	6.12	1.57	1.57	2.23	0.58	2.89	5.04	4.56	1.21	5.07	4.78	1.60	37.22	Year's Total
* Days with .01 in. or more.	21	13	13	16	8	16	23	18	5	16	24	13	186	
* Days with .04 in. or more.	16	8	7	14	5	13	18	12	4	14	22	8	141	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

James Humphreys
Acting Engineer & Surveyor.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1760

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at High Level Filler Beds, Exmouth

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 8 ft 0 in.

Ground Sea Level 240 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.04	-	-	.07	-	-	-	-	-	.21	-		1
2	-	.13	-	.17	-	-	-	-	-	-	.45	.07		2
3	.19	.61	-	.03	-	-	.01	-	-	.23	.67	.26		3
4	.01	.21	-	.01	-	-	.03	-	-	.10	.06	-		4
5	.04	-	-	-	-	-	-	-	-	.03	.49	.06		5
6	.24	.51	-	-	-	-	-	-	-	.11	.02	-		6
7	.09	.01	-	-	-	-	.06	-	-	-	-	.04		7
8	.01	.04	-	-	-	-	.04	-	-	.35	.12	.15		8
9	-	-	-	.02	-	-	.36	-	.02	.15	.51	.11		9
10	-	-	-	-	-	-	.41	.01	.04	.08	.07	.45		10
11	-	-	-	.01	-	-	.24	-	-	-	.46	.04		11
12	-	-	.20	-	-	.10	.14	-	.33	-	.15	-		12
13	-	-	.23	.01	-	-	.01	-	.04	.55	1.50	.06		13
14	-	.15	.14	.01	.46	-	.01	-	.27	.30	-	.56		14
15	-	.03	-	.07	.01	-	.37	-	.10	.21	.38	-		15
16	-	.93	.50	.06	-	-	.08	-	.06	.38	.19	.01		16
17	-	.33	.26	.04	-	-	.04	-	-	-	.11	-		17
18	-	.35	.50	.89	-	-	-	-	.01	.07	.02	.05		18
19	-	.10	.21	.10	-	-	.04	.02	.33	-	.15	-		19
20	-	.01	-	.01	-	-	-	-	-	.14	.03	-		20
21	-	.01	-	-	.15	-	-	-	-	-	.36	-		21
22	-	.02	.15	.04	-	.49	-	-	.01	-	-	-		22
23	-	.03	.16	.05	.01	-	-	-	-	.29	-	-		23
24	-	-	-	.01	-	-	.35	-	-	-	-	-		24
25	.22	-	.23	-	.01	.03	-	-	-	-	-	-		25
26	.35	.39	-	.20	.42	.01	.01	-	-	-	-	-		26
27	.33	.10	.01	.04	.27	-	.12	-	-	-	-	-		27
28	.29	.15	.02	-	-	-	-	-	-	-	-	-		28
29	.04	.19	.17	1.10	.04	.05	-	-	-	.03	-	.16		29
30	.02	X	-	.34	.01	-	-	-	-	.25	-	.12		30
31	.14	X	.02	X	-	X	-	-	X	.67	X	.30		31
TOTAL	1.97	4.19	2.80	3.21	1.45	.68	2.32	.03	1.21	3.94	5.95	2.44	Year's Total	30.19
* Days with .01 in. or more.	13	20	14	20	10	5	17	2	10	17	19	15		162
* Days with .04 in. or more.	10	14	11	12	6	3	12	-	7	15	16	14		120

† Spare column, no entries required

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

REGIST

Kept at Starcross
in the County of Dorset

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground,
Ground Sea Lev

1761
STARCROSS
1931—32

780308

1761
COPY FOR OFFICIAL USE.
LL ORGANIZATION.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.01	-	<u>.66</u>	.25	.03	.09	-	.31	T	-	-	1
2	.44	-	-	.65	-	T	-	-	<u>.52</u>	-	.17	.14	2
3	.09	-	<u>.70</u>	-	-	-	.08	-	.12	-	<u>1.57</u>	.03	3
4	.02	-	.17	-	.11	.09	.25	.25	.06	.01	-	T	4
5	-	.30	.12	.04	.01	<u>.72</u>	.02	.95	T	-	.10	.24	5
6	-	.04	-	-	.06	.17	.39	-	-	<u>.14</u>	.13	<u>.43</u>	6
7	-	.02	-	-	.21	.23	.31	.10	-	T	.48	.07	7
8	-	.10	-	.13	-	.40	.02	.03	-	.02	.13	.05	8
9	.02	.11	-	-	-	.08	.07	T	-	-	.51	-	9
10	-	.06	-	-	.04	.11	T	.04	.21	-	.66	-	10
11	<u>.13</u>	<u>.52</u>	-	-	T	.23	.06	-	.03	-	.56	-	11
12	T	.06	-	-	.01	-	.13	-	.06	.10	-	-	12
13	-	.10	-	-	.07	.01	.11	.13	-	.05	-	-	13
14	.01	.02	-	-	.02	.04	<u>1.05</u>	.05	.05	-	.32	-	14
15	.01	.08	-	-	.09	-	-	.37	T	-	-	.02	15
16	-	.19	-	.03	.12	.46	-	.01	.03	-	-	-	16
17	.03	.06	-	.13	-	.03	.22	-	.01	-	.01	-	17
18	-	-	T	.15	-	.14	.02	<u>1.39</u>	-	-	.20	-	18
19	.01	.04	.07	.07	-	.17	.02	.05	.10	-	.80	-	19
20	.01	.05	.38	-	-	-	-	.21	-	-	.09	-	20
21	.15	T	-	-	.24	-	-	-	-	.02	T	-	21
22	.43	T	-	.25	.14	-	-	-	-	-	-	-	22
23	.27	.02	-	.20	<u>.80</u>	-	.03	.01	-	-	.41	-	23
24	.07	T	-	.62	.12	.23	.70	.62	-	-	.03	-	24
25	.20	-	-	<u>.34</u>	.04	-	.15	-	-	-	.18	-	25
26	.02	.01	-	.13	-	-	.27	-	-	-	.58	-	26
27	.13	.08	-	-	.78	-	.02	-	-	-	.11	-	27
28	.07	.11	.11	-	.05	-	-	T	-	.01	T	.12	28
29	.02	-	.18	-	.12	-	.02	.28	-	-	.10	.22	29
30	.10	X	-	-	.05	-	-	.07	.01	-	T	-	30
31	<u>.58</u>	X	.06	X	.14	X	T	T	X	-	X	.33	31
TOTAL	2.81	1.98	1.79	3.40	3.47	3.14	4.03	4.56	1.57	0.35	7.08	1.65	YEAR'S TOTAL
*Days with ".01 in. or more.	21	20	8	13	21	16	21	16	12	7	20	10	35.77
*Days with ".04 in. or more.	12	15	8	12	18	13	14	13	8	3	18	8	185
													142

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Starcross
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft - in.
Ground Sea Level 20 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.01	-	.66	.25	.03	.09	-	.31	T	-	-	1
2	.44	-	-	.65	-	T	-	-	.52	-	.17	.14	2
3	.09	-	.70	-	-	-	.08	-	.12	-	1.57	.03	3
4	.02	-	.17	-	.11	.09	.25	.25	.06	.01	-	T	4
5	-	.30	.12	.04	.01	.72	.02	.95	T	-	.10	.24	5
6	-	.04	-	-	.06	.17	.39	-	-	.14	.13	.43	6
7	-	.02	-	-	.21	.23	.31	.10	-	T	.48	.07	7
8	-	.10	-	.13	-	.40	.02	.03	-	.02	.13	.05	8
9	.02	.11	-	-	-	.08	.07	T	-	-	.57	-	9
10	-	.06	-	-	.04	.11	T	.04	.21	-	.66	-	10
11	.13	.52	-	-	T	.23	.06	-	.03	-	.56	-	11
12	T	.06	-	-	.01	-	.13	-	.06	.10	-	-	12
13	-	.10	-	-	.07	.01	.11	.13	-	.05	-	-	13
14	.01	.02	-	-	.02	.04	1.05	.05	.05	-	.32	-	14
15	.01	.08	-	-	.09	-	-	.37	T	-	-	.02	15
16	-	.19	-	.03	.12	.46	-	.01	.03	-	-	-	16
17	.03	.06	-	.13	-	.03	.22	-	.01	-	.01	-	17
18	-	-	T	.15	-	.14	.02	1.39	-	-	.20	-	18
19	.01	.04	.07	.07	-	.17	.02	.05	.10	-	.80	-	19
20	.01	.05	.38	-	-	-	-	.21	-	-	.09	-	20
21	.15	T	-	-	.24	-	-	-	-	.02	T	-	21
22	.43	T	-	.25	.14	-	-	-	-	-	-	-	22
23	.27	.02	-	.20	.80	-	.03	.01	-	-	.41	-	23
24	.07	T	-	.62	.12	.23	.70	.62	-	-	.03	-	24
25	.20	-	-	.34	.04	-	.15	-	-	-	.18	-	25
26	.02	.01	-	.13	-	-	.27	-	-	-	.58	-	26
27	.13	.08	-	-	.78	-	.02	-	-	-	.11	-	27
28	.07	.11	.11	-	.05	-	-	T	-	.01	T	.12	28
29	.02	-	.18	-	.12	-	.02	.28	-	-	.10	.22	29
30	.10	×	-	-	.05	-	-	.07	.01	-	T	-	30
31	.58	×	.06	×	.14	×	T	T	×	-	×	.33	31
TOTAL	2.81	1.98	1.79	3.40	3.47	3.14	4.03	4.56	1.57	0.35	7.08	1.65	YEAR'S TOTAL 35.77
*Days with ".01 in. or more.	21	20	8	13	21	16	21	16	12	7	20	10	185
*Days with ".04 in. or more.	12	15	8	12	18	13	14	13	8	3	18	8	142

40-9999

*See Instruction 2 (f) on other side.

(Signed) Henry Fairman P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

1761

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Starcrossin the County of DevonDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 20 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	—	—	.17	—	T	.04	.16	—	—	.01	T	1
2	—	—	.01	.30	—	T	.01	.02	.05	—	—	.14	2
3	T	—	—	—	—	1.01	.04	—	.40	—	.03	.07	3
4	.02	—	—	—	—	.10	.02	.03	—	—	.30	—	4
5	.17	—	—	—	—	—	.03	—	.03	—	—	—	5
6	.48	—	.07	.09	—	—	.06	—	.30	—	—	—	6
7	.10	—	.01	.05	.13	—	.02	—	.70	1.38	—	—	7
8	—	—	.25	T	.13	—	—	—	.01	.14	—	—	8
9	1.24	T	—	.16	.01	—	—	—	—	—	—	—	9
10	.35	—	T	.20	.03	.04	—	—	.01	.21	—	—	10
11	.01	—	—	.07	.12	.01	—	—	—	.60	—	.14	11
12	.49	—	—	—	.33	—	.02	—	—	.23	—	.03	12
13	.04	—	—	.19	.04	—	.27	.67	—	.40	—	.28	13
14	.37	—	—	.09	.15	—	—	T	—	.02	—	.01	14
15	T	—	—	.08	.40	—	.11	—	—	.03	.04	.01	15
16	.13	—	—	.08	—	—	1.22	—	—	—	—	T	16
17	.01	—	—	.01	—	—	—	—	.05	—	—	—	17
18	—	—	—	—	.25	—	—	—	.10	.01	.26	—	18
19	.01	—	—	.02	.22	—	—	—	.07	.21	.01	—	19
20	—	—	—	.02	1.12	—	—	.08	.01	.73	.20	.11	20
21	—	—	.10	.18	T	—	—	.21	.09	.28	.05	.18	21
22	—	—	T	T	.01	—	.04	.02	1.10	.36	.16	.02	22
23	—	—	—	—	T	.02	.11	—	.03	.46	.02	.19	23
24	—	T	—	—	T	—	.70	—	.15	.03	.03	.01	24
25	—	—	.66	.02	—	—	.03	—	.10	.12	.02	.01	25
26	—	—	.03	.03	—	—	.05	—	—	.08	.07	—	26
27	—	—	.63	.24	.08	—	.08	—	—	.24	.01	.11	27
28	—	—	.14	.02	.15	T	.01	—	—	—	—	.09	28
29	—	—	.43	.10	.25	.53	—	.58	.58	.65	.06	.46	29
30	—	X	.11	.06	.10	1.63	.25	T	.95	.20	.90	—	30
31	—	X	.04	X	.10	X	.03	—	X	.01	X	.86	31
TOTAL	3.43	Nil	2.48	2.18	3.62	3.34	3.41	1.77	4.73	6.39	2.17	2.72	35.94
*Days with ".01 in. or more.	14	Nil	12	21	18	7	20	8	18	21	16	17	172
*Days with ".04 in. or more.	9	Nil	9	15	15	5	12	5	13	16	9	11	119

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Henry Fairman

P.T.O.

Section **A** for the entry
AIR MINIS
FORM 1090

REG

Kept at (Little Court...)
in the County of Devon
Diameter of Funnel of Gauge...
Height of top of Gauge above
" Ground " "

1761/3
EXMOUTH, LITTLE COURT
1938-40
780308

Station No. 1761/3
INFALL ORGANIZATION
1938

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									-10				1
2							.12	-	-		.43	-	2
3							.02	-	.01	-	.20	.07	3
4							.07	-	.70	-	.28	.01	4
5							.10	.17	-	.02	.32	-	5
6							.16	.02	-	.07	.34	-	6
7							.04	1.16	-	.15	.04	-	7
8							-	.20	-	-	.03	.03	8
9							.07	.00	.08	-	-	-	9
10							-	.02	-	-	-	-	10
11							-	.07	-	-	-	-	11
12							-	.03	.12	-	.13	.21	12
13							-	-	-	-	-	.31	13
14							-	.18	-	-	-	.42	14
15	Previously at						-	.10	-	-	.14	-	15
16	Topsham (Albama)						-	-	-	-	-	.23	16
17	Stn. No. 1767						-	-	-	-	.03	.23	17
18							.6	-	-	.10	.15	.29	18
19							-	-	-	.30	.03	.53	19
20							-	-	.03	.01	-	.10	20
21							-	-	-	-	-	.02	21
22							-	-	-	-	-	.32	22
23							.8	-	.20	-	.04	.04	23
24							-	-	.02	.07	-	.34	24
25							-	.249	.08	-	.04	1.11	25
26							.07	.04	-	-	.05	-	26
27							.06	.26	.50	-	.04	.10	27
28							-	-	.01	-	-	.03	28
29							-	-	-	.08	.20	.16	29
30							.44	.03	-	.27	-	.11	30
31							.12	.03	-	.07	-	.18	31
TOTAL							1.56	3.36	3.97	1.12	2.65	5.06	
* Days with .01 in. or more.							9	12	14	11	10	18	
* Days with .04 in. or more.							8	9	14	10	8	19	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

MRS WIMBUSH

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 17613

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938Kept at *(Little Court), Exmouth*in the County of *Devon*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15	Previously at													15
16	Topsham (Alzamma)													16
17	Stn. No. 1767													17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30														30
31														31
TOTAL														
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

MRS WIMBUSH

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 1761/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Little Cornish, Cornwall

Glekin number 1761/3

in the County of Cornwall

File number 664960/26

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 6 in.

Ground Sea Level 100 ft.

2/40 letter ref. exposure & height of gauge

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		-	.07	.04	.03	-	.07	.35	.09	-	.53	-		1
2	.20	-	-	.22	-	-	.07	.33	.83	-	.05	-		2
3	.33	-	.03	.50	-	-	-	.00	.01	-	.15	.05		3
4	-	-	.52	.09	.25	-	-	.02	-	.58	.15	.12		4
5	-	-	.02	.11	-	-	.54	.17	-	.33	.74	.08		5
6	-	-	.06	.11	-	-	.18	.04	-	.28	.16	.03		6
7	-	.24	-	-	-	-	.44	.05	-	-	.40	-		7
8	.02	.25	-	-	-	-	-	.08	-	.95	.55	.35		8
9	-	-	.04	-	-	-	.04	.03	-	.17	.03	.10		9
10	.34	-	-	-	-	.05	-	.16	.05	.15	.02	.09		10
11	-	.03	.07	-	-	-	-	-	-	.16	-	.12		11
12	-	.05	-	-	-	-	-	-	-	.08	-	-		12
13	-	-	-	.11	-	.06	.34	-	.12	.93	.04	-		13
14	.84	-	-	.03	-	.05	.40	-	-	.05	.17	-		14
15	.33	-	-	-	.08	.57	.14	-	-	-	.17	-		15
16	.15	-	-	.07	-	-	.04	-	-	-	.08	.02		16
17	.17	-	-	-	.03	.04	.28	-	-	-	.03	-		17
18	.01	-	.05	-	-	.17	.53	-	-	-	.50	.12		18
19	.30	-	-	-	-	-	.26	-	-	-	-	.11		19
20	.25	-	-	-	.02	.41	.94	.25	-	-	-	.12		20
21	.05	.10	.04	-	.05	.33	.17	.15	-	-	-	-		21
22	.90	.35	.14	-	-	.53	.21	-	-	-	.09	-		22
23	.04	-	.04	.07	-	-	.08	-	-	-	.89	-		23
24	.90	.14	.43	.16	-	.40	.14	-	-	-	-	-		24
25	.55	.10	-	.06	-	-	.05	-	-	.04	.10	-		25
26	.03	-	-	.11	-	.12	-	-	-	.08	.16	-		26
27	-	.15	-	.14	-	.06	-	.70	-	.03	.08	-		27
28	-	-	-	.03	-	-	.12	.07	-	-	.17	-		28
29	-	.10	-	.14	-	.09	.15	.30	-	.29	-	-		29
30	-	X	.04	.45	-	.07	-	.21	-	.25	-	-		30
31	-	X	-	X	-	X	.04	.04	X	.56	X	-	35.05	31
TOTAL	4.47	1.60	1.55	2.58	.46	2.95	4.56	4.25	1.10	4.23	5.27	1.50	Year's Total	35.63
* Days with .01 in. or more.	17	10	13	17	6	14	22	17	5	16	22	12	171	
* Days with .04 in. or more.	15	9	11	15	3	14	22	15	4	15	19	10	152	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 1767

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Little Court, Halsdon Cross Exmoor

in the County of Devon

Diameter of Funnel of Gauge 6.5 in.

Height of top of Gauge above Ground 6 in.

Ground Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.05	-	-	.13	-	-	-	-	-	-	-		1
2	-	.11	-	.11	-	-	-	-	-	-	.71	.08		2
3	.15	.64	-	-	-	-	-	-	-	.20	.68	.17		3
4	-	.19	-	.03	-	-	.07	-	-	.11	.08	-		4
5	.05	-	-	-	-	-	-	-	-	.11	-	-		5
6	.19	.69	-	-	-	-	.07	-	-	.42	.42	-		6
7	.09	-	-	-	-	-	.08	-	-	-	-	.75		7
8	-	.04	-	-	-	-	.04	-	-	.48	-	.73		8
9	-	-	-	-	-	-	.54	.02	.03	.11	.60	.13		9
10	-	-	-	-	-	-	.23	.01	.05	-	.10	-		10
11	-	-	-	.04	-	-	.28	-	-	-	.41	.15		11
12	-	-	.21	-	-	.04	.16	-	.45	-	-	-		12
13	-	-	.27	-	-	-	-	-	.02	.85	1.63	-		13
14	-	-	.14	.04	-	-	.02	-	.28	.32	-	-		14
15	-	.03	-	.07	.48	-	.40	-	.10	-	-	.58		15
16	-	.96	.52	.06	-	-	.10	-	.06	.57	.62	-		16
17	-	.15	.36	-	-	-	.05	-	-	-	.08	-		17
18	-	.38	.28	.79	-	-	.07	-	-	-	.06	.06		18
19	-	.06	.19	.13	-	-	.04	-	.43	.07	-	-		19
20	-	-	-	-	-	-	-	-	-	.11	-	-		20
21	-	-	-	.02	.19	-	.02	-	-	-	.05	-		21
22	-	-	.16	.05	-	.50	-	-	-	-	-	-		22
23	-	.05	.21	.05	.04	-	-	-	-	.22	.33	-		23
24	.00	-	-	-	.04	-	.39	-	-	-	-	-		24
25	.21	-	.27	-	.05	.05	.04	-	-	-	-	-		25
26	.31	.45	-	.21	.44	-	.07	-	-	-	-	-		26
27	.32	.11	.03	.07	.38	-	.05	-	-	-	-	-		27
28	.32	.08	-	-	.05	-	-	-	-	-	-	-		28
29	.05	.74	.17	1.19	-	-	-	-	-	-	-	.15		29
30	-	X	-	.21	.03	-	-	-	-	.32	-	.15		30
31	.21	X	.03	X	-	X	-	-	X	.64	X	-		31
TOTAL	1.99	4.13	2.79	3.08	1.83	.59	2.72	.03	1.12	4.33	5.72	1.82	Year's Total	
* Days with .01 in. or more.	11	16	23	25	10	3	19	2	28	15	14	11	30.15	Print
* Days with .04 in. or more.	11	15	11	13	9	8	17	-	6	13	13	11	419	123

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

Mrs WINTBUSH

(Signed)

General Manager

P.T.O.

Section

A

for the entry of
AIR MINIST

FORM 1090

REGI

Kept at ... KENTON

in the County of ... DEW

Diameter of Funnel of Gauge....

Height of top of Gauge above G

Ground

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.06	—	.01	.20	—	—	—	—	—	.21	—		1
2	—	.15	—	.15	—	—	tr	—	—	—	.72	.11		2
3	.11	.78	—	.02	—	—	tr	tr	—	.14	.55	.15		3
4	tr	.36	tr	.06	—	—	.04	—	—	.15	.18	—		4
5	.04	.01	—	—	—	—	.01	—	—	.05	.61	.15		5
6	.25	.77	—	—	—	—	.05	—	—	.15	.03	.15		6
7	.07	.01	—	tr	—	—	.13	—	.02	tr	—	.03		7
8	tr	.02	—	—	—	—	tr	tr	—	.46	.41	.24		8
9	—	—	—	—	—	—	.59	—	.02	.12	.38	.13		9
10	—	—	—	—	—	—	.12	.07	—	.10	.13	.83		10
11	—	.01	.05	.02	—	—	.28	—	—	—	.67	.04		11
12	—	—	.22	tr	—	.23	.19	—	.47	tr	.21	—		12
13	—	tr	.40	tr	—	—	.01	—	tr	.86	1.13	.34		13
14	—	.06	tr	.05	.30	—	tr	—	.21	.48	.01	.37		14
15	—	.01	—	.09	.01	—	.34	—	.10	.22	.39	tr		15
16	.03	1.01	.57	.11	—	—	.10	—	.08	.27	.25	tr		16
17	—	.26	.42	.02	—	—	.06	—	.02	tr	.08	—		17
18	.22	.27	.52	.67	—	—	tr	.02	.07	.11	.04	.06		18
19	—	.05	.24	.17	—	—	.09	—	.67	.01	.16	—		19
20	—	tr	.01	.02	—	—	.01	—	tr	.15	.04	tr		20
21	—	tr	.03	.01	.21	.02	tr	.02	tr	—	.50	—		21
22	—	.01	.12	.05	—	.56	tr	—	.04	.01	—	—		22
23	—	.05	.18	.02	.06	—	.02	tr	—	.34	.01	tr		23
24	.02	—	tr	—	.03	—	.39	—	—	—	—	tr		24
25	.13	—	✕	.02	.24	.06	—	—	—	—	—	—		25
26	.37	.53		.22	.33	.03	.13	—	—	—	—	—		26
27	.29	.15	✕	.20	.33	—	—	—	—	—	—	—		27
28	.22	.20	.47	.08	.03	—	—	tr	—	—	—	—		28
29	.15	.08	✕	1.22	—	.02	—	—	—	.04	—	.28		29
30	.08	✕		.08	.03	—	—	—	—	.47	—	.28		30
31	.02	✕	.05	✕	—	✕	—	—	✕	.75	✕	.79		31
TOTAL	2.00	4.85	3.28	3.29	1.77	.92	2.56	.11	1.70	4.88	6.71	3.90	35.97	173.54
* Days with .01 in. or more.	11	15	13	13	7	3	13	1	7	17	18	14	132	
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) K. E. Alexander

P.T.O.

Section

A

for the entry of Daily Observations

Station No.

1761/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at KENTON Vicarage

in the County of DEVON

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. 0 in.

Ground Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.06	—	.01	.20	—	—	—	—	—	.21	—		1
2	—	.15	—	.15	—	—	tr	—	—	—	.72	.11		2
3	.11	.78	—	.02	—	—	tr	tr	—	.14	.55	.15		3
4	tr	.36	tr	.06	—	—	.04	—	—	.15	.18	—		4
5	.04	.01	—	—	—	—	.01	—	—	.05	.61	.15		5
6	.25	.77	—	—	—	—	.05	—	—	.15	.03	.15		6
7	.07	.01	—	tr	—	—	.13	—	.02	tr	—	.03		7
8	tr	.02	—	—	—	—	tr	tr	—	.46	.41	.24		8
9	—	—	—	—	—	—	.59	—	.02	.12	.38	.13		9
10	—	—	—	—	—	—	.12	.07	—	.10	.13	.83		10
11	—	.01	.05	.02	—	—	.28	—	—	—	.67	.04		11
12	—	—	.22	tr	—	.23	.19	—	.47	tr	.21	—		12
13	—	tr	.40	tr	—	—	.01	—	tr	.86	1.13	.34		13
14	—	.06	tr	.05	.30	—	tr	—	.21	.48	.01	.37		14
15	—	.01	—	.09	.01	—	.34	—	.10	.22	.39	tr		15
16	.03	1.01	.57	.11	—	—	.10	—	.08	.27	.25	tr		16
17	—	.26	.42	.02	—	—	.06	—	.02	tr	.08	—		17
18	.22	.27	.52	.67	—	—	tr	.02	.07	.11	.04	.06		18
19	—	.05	.24	.17	—	—	.09	—	.67	.01	.16	—		19
20	—	tr	.01	.02	—	—	.01	—	tr	.15	.04	tr		20
21	—	tr	.03	.01	.21	.02	tr	.02	tr	—	.50	—		21
22	—	.01	.12	.05	—	.56	tr	—	.04	.01	—	—		22
23	—	.05	.18	.02	.06	—	.02	tr	—	.34	.01	tr		23
24	.02	—	tr	—	.03	—	.39	—	—	—	—	tr		24
25	.13	—	✓	.02	.24	.06	—	—	—	—	—	—		25
26	.37	.53		.22	.33	.03	.13	—	—	—	—	—		26
27	.29	.15	✓	.20	.33	—	—	—	—	—	—	—		27
28	.22	.20	.47	.08	.03	—	—	tr	—	—	—	—		28
29	.15	.08	✓	1.22	—	.02	—	—	—	.04	—	.28		29
30	.08	×		.08	.03	—	—	—	—	.47	—	.23		30
31	.02	×	.05	×	—	×	—	—	×	.75	×	.79		31
TOTAL	2.00	4.85	3.28	3.29	1.77	.92	2.56	.11	1.70	4.88	6.71	3.90	35.97	†
* Days with .01 in. or more.	11	15	13	13	7	3	13	1	7	17	18	14	132	
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) K. E. Alexander

P.T.O.

Section



for the entry of

FORM 1090.

METEOROLOGICAL

1762
FOR OFFICIAL USE.

Kept at The Manor House
in the County of Wiltshire

1762
LYMPSTONE THE MANOR HOUSE
1931—39

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
" " " " " Sea

ANIZATION.

October estimated
as .40 in.

ed to read the instructions
ng in this form.

ould fill in section C

780308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.50	.13		.09		.25			.11	1
2	.40	.01				.01	.01		.58				2
3	.09		.75			.01	.08		.08		1.40	.10	3
4	.07		.20				.22		.15			.04	4
5		.40	.11		.13	.18	.02	.27			.05		5
6		.06			.13	.15	.30	.18			.02	.14	6
7		.03			.01	.70	.28	.09			.20	.46	7
8		.14		.01		.43	.01				.57	.09	8
9		.11				.07	.06	.04			.20	.04	9
10		.06				.14	.02	.15			.50	.01	10
11	.10	.46		.30		.24	.01		.38		.57		11
12	.01	.06		.15	.20		.20				.32		12
13		.04				.01	.11	.16					13
14	.02	.03		.65	.02	.05	.93	.06					14
15	.01	.10			.14		.28	.52	.02			.04	15
16		.10		.35		.45	.28	.05	.24			.04	16
17						.08							17
18		.06	.01			.12	.01	1.38			.03		18
19	.02	.03	.05	.01		.15	.02	.04					19
20		.04	.46					.22	.01		.07		20
21	.15				.21			.01			.47		21
22	.34				.14						.22		22
23	.20				.68		.01				.03		23
24	.07	.01			.14	.01	.70	.56					24
25	.11			.31	.03		.14				1.57		25
26	.02	.01			.02		.40						26
27	.13	.07		.05	.50		.03				.03		27
28	.03	.08			.21		.01	.26				.08	28
29	.01				.13		.01	.08			.07	.28	29
30	.05	X	.31		.18			.06			.23		30 ^{d.}
31	.66	X		X		X	.01	.05	X		X	.26	31 ^{d.}
TOTAL	2.49	1.90	1.89	2.33	3.00	2.80	3.96	4.18	1.71	1.40	6.55	1.69	YEAR TOTAL
Days with .01 in. or more.	19	20	7	9	17	16	25	18	8	6	203	13	(181)
Days with .04 in. or more.	12	14	6	57	13	12	13	17	6	147	12	13	(132)

(Signed).....Lilian Sheldon (Miss) [P.T.O.]



FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 19231. *October estimated as .40 in.*

Kept at *The Manor House, Lympstone*
in the County of *Devon*

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *11* ft. *11* in.
" Ground " Sea Level *54* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.50	.13		.09		.25			.11	1
2	.40	.01				.01	.01		.58				2
3	.09		.75			.01	.08		.08		1.40	.10	3
4	.07		.20				.22		.15			.04	4
5		.40	.11		.13	.18	.02	.27			.05		5
6		.06			.13	.15	.30	.18			.02	.14	6
7		.03			.01	.70	.28	.09			.20	.46	7
8		.14		.01		.43	.01				.57	.09	8
9		.11				.07	.06	.04			.20	.04	9
10		.06				.14	.02	.15			.50	.01	10
11	.10	.46		.30		.24	.01		.38		.57		11
12	.01	.06		.15	.20		.20				.32		12
13		.04				.01	.11	.16					13
14	.02	.03		.65	.02	.05	.93	.06					14
15	.01	.10			.14		.28	.52	.02			.04	15
16		.10		.35		.45	.28	.05	.24			.04	16
17						.08							17
18		.06	.01			.12	.01	1.38			.03		18
19	.02	.03	.05	.01		.15	.02	.04					19
20		.04	.46					.22	.01		.07		20
21	.15				.21			.01			.47		21
22	.34				.14						.22		22
23	.20				.68		.01				.03		23
24	.07	.01			.14	.01	.70	.56					24
25	.11			.31	.03		.14				1.57		25
26	.02	.01			.02		.40						26
27	.13	.07		.05	.50		.03				.03		27
28	.03	.08			.21		.01	.26				.08	28
29	.01				.13		.01	.08			.07	.28	29
30	.05	X	.31		.18			.06			.23		30
31	.66	X		X		X	.01	.05	X		X	.26	31
TOTAL	2.49	1.90	1.89	2.33	3.00	2.80	3.96	4.18	1.71	1.40	6.55	1.69	YEAR TOTAL 32.45
Days with .01 in. or more.	19	20	7	9	17	16	25	18	8	6	203	13	(181)
Days with .04 in. or more.	12	14	6	8	13	12	13	17	6	3	147	12	(132)

(Signed).....*Lilian Sheldon (Miss)* [P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Seamoor House, Symington
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 11 ft. 11 in.
Ground Sea Level 54 ft.

906 sent 21/3/33 suggesting amendment to September as below. Blanch & informing error in July cast.

Observer agrees our amendments of 8/11/33/27. 23/3/33 Blanch

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.26			.17		.05		.22				.05	1
2	.01			.11		.03		.02		.03	.04	.14	2
3				<u>Tr.</u>		.70		.01	.41				3
4				<u>Tr.</u>		.20	.01	.08					4
5	.01		.08						.02				5
6	.11			.08					.36	.19			6
7	.38		<u>Tr.</u>	.02	.06				.62	1.30			7
8	.05		<u>Tr.</u>	<u>Tr.</u>	.02		.02		.14	.06			8
9		.02	.25	.06									9
10	1.08			.18	.06	.06				.16			10
11	.47			.08	.13					.09		.03	11
12	.01			<u>Tr.</u>	.38					.17		.13	12
13	.43			.12	.13		.29	.75		1.04		.03	13
14	.29			.12	.38					.05	.03	.03	14
15	.09			.09	.16		.01			.03		.01	15
16	.01			.04									16
17				.01	.02		1.32		.01				17
18					.26				.05		.22		18
19	.02				.24				.08	.25			19
20				.01	1.15			.05		.62	.22	.04	20
21			.12	.06				.22		.26	.06	.16	21
22			<u>Tr.</u>				.23	.07	(1.00)	.31	.15	.02	22
23					.01		.03		✓ { .30	.40			23
24							.88		✓ + .30	.04	.02	.01	24
25			.65	.02			.04		+	.11	.01	.01	25
26			.02	.03			.06			.09	.02	.02	26
27			.50	.03	.13		.05			.22	.03	.08	27
28			.10	.34	.30	.15						.11	28
29			.45	.09	.25	.50			.85	.47	.04	.03	29
30		×	<u>Tr.</u>	.03	.03	1.65	.20	.60	.26	.13	.94	.44	30
31		×	.10	×	.24	×	.08		×	.01	×	.72	31
TOTAL	3.22	.02	2.27	1.89	3.95	3.34	3.22	2.02	(4.10)	6.03	1.78	2.06	3133.70
*Days with or in. or more.	14	1	9	20	18	8	13	9	11	22	12	18	154
*Days with or in. or more.	9		8	13	14	7	9	7	8	19	7	9	101

Section

A

for the entry of Daily Observations.

Station No.

1762

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Manor House, Lympstone
in the County of DevonDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 11 ft. in.,, Ground ,, Sea Level 54 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.52	.24	.10		.04	.19				.01			1
2	.38		.74		.76	.46					.03	1.71	2
3	.03	.10	.25		.02							.20	3
4	.17		.05		.12								4
5	.03		.30		.11					.09	.01		5
6	.01	.55			.10		.15		.02	.09			6
7		.06			.04		.01			.21		.01	7
8					.01		.02			.01			8
9		.03			.31		.11	.01		.19	.06		9
10		.08					.21			.54	.02		10
11							.13	.15	.83	.03			11
12				.25	.03	.12	.15					.02	12
13	.09				.06	.06	.09	.20		.12	.02		13
14	.03						.23	.15		.16	.18		14
15	.47	.28	.28				.46	.01		.07	.50		15
16		.88	.88			.01				.13			16
17	.01	.48	.18			.13			.06				17
18	.07		.15			.03					.02		18
19	.22		.15			.16			.03		.50	.04	19
20	.01	.03	.01			.59		.03	.03		.03		20
21		.07				.16		.05		.06			21
22				.08		.72		.24	.54				22
23		1.05		.16		.22		.01	.27	.24			23
24		.53		.22					.33	.10		.01	24
25		.98		.27		.25			.13			.14	25
26		.51		.22	.12	.01			.04	.02		.02	26
27		.02		.20	.01		.01		.01	.22	.01	.51	27
28	.01	.12		.47	.20		.55			.19		.31	28
29	.02			.03			.04		.03	.01		.07	29
30	.03	X	.07	.02			.04		.27	.06		.07	30
31	.06	X		X	.03	X			X	.01	X		31
TOTAL	2.16	4.37	3.16	1.92	1.96	3.11	2.20	.85	2.39	2.56	1.36	3.11	29.35
*Days with ".01 in. or more.	17	14	12	10	15	14	14	9	13	21	11	12	162
*Days with ".04 in. or more.	8	11	11	8	10	11	11	5	8	15	4	8	110
YEAR'S TOTAL													

Section

A

for the entry of Daily Observations.

Station No. 1762

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934. File No 814453/27

Kept at The Manor House, Symington
in the County of Devon

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 11 in.

Ground Sea Level 54 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Average 1924-1933 = 34.22

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	—	—	—	—	—	—	1.00	.05	—	.11	.56		1
2	.08	—	.04	—	—	—	—	.02	.72	.03	.25	.18		2
3	.01	—	—	—	—	—	—	.25	—	.07	.01	.34		3
4	.04	—	.06	.01	.32	—	—	.04	.12	.60	—	.40		4
5	—	—	.07	—	.24	.22	—	.83	—	.04	—	.40		5
6	.03	—	.31	.07	.31	—	—	.14	.01	.33	.03	.51		6
7	.02	—	—	—	.01	—	—	—	—	.08	—	.69		7
8	—	—	—	.01	.11	—	—	—	.02	.01	.33	.40		8
9	.01	—	.25	—	—	—	—	—	—	.04	.35	.11		9
10	.25	—	.26	.46	—	—	.01	.04	—	—	.10	.01		10
11	.59	—	.04	.56	—	—	—	.03	—	—	—	.57		11
12	.06	—	—	—	—	—	.26	.09	—	—	—	.19		12
13	.53	—	—	.47	—	—	—	—	—	—	.06	.45		13
14	.25	—	.40	.02	—	—	—	—	—	.05	.41	.29		14
15	.03	—	.08	—	.07	—	—	—	.05	.16	.14	.40		15
16	.02	—	.34	—	.02	—	—	—	—	—	—	.43		16
17	.07	—	.01	.16	—	—	—	—	.17	.03	—	.83		17
18	.06	—	.26	.86	.02	—	—	—	.07	—	—	.22		18
19	.04	—	.18	.02	—	.03	—	.01	.03	.02	—	.08		19
20	.04	—	.07	.07	—	—	.01	—	—	.30	—	.01		20
21	—	—	.12	.01	—	.11	.02	.01	—	—	—	.50		21
22	—	—	.05	—	—	—	.32	.20	.27	—	—	.77		22
23	.18	—	.02	.10	—	.92	.04	—	.19	.04	—	.48		23
24	—	.08	.04	.04	—	.19	—	—	.08	.10	—	.04		24
25	.20	.06	—	.17	—	—	—	—	—	.32	—	1.00		25
26	.02	—	.04	.01	—	.20	—	—	.05	.01	.02	.13		26
27	.01	—	.01	.01	—	.03	—	.06	.07	—	.01	.43		27
28	—	—	—	.08	—	—	—	.36	.25	—	—	.84		28
29	—	—	—	—	—	—	—	.03	.08	.05	.01	.03		29
30	.02	X	—	—	—	—	.02	.05	.08	.03	.01	.25		30
31	.02	X	—	X	—	X	.01	.01	X	.07	X	.04		31
TOTAL	2.62	.14	2.66	3.13	1.10	1.70	.69	3.17	2.31	2.38	1.84	11.08	32.82	
*Days with or in. or more.	24	2	20	18	8	7	8	17	17	20	14	31	186	
*Days with .04 in. or more.	14	2	17	11	5	5	3	11	14	14	8	28	132	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Lilian Sheldon I.O.

Section

A

for the entry of Daily Observations.

Station No. 1762

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Manor House Symington
in the County of Devon

File No 814453/27

Totals

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 11 ft. in.
Ground Sea Level 54 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.67			.31	.01		.14	.06	.08	.15		1
2		.01	.06			.01			.14	.24	.05	.07		2
3			.14		.25	.30			.05	.54	.20	.01		3
4	.04	.13		.07	.12	.29			.07	.03	.24	.14		4
5		.17	.08	.07		.03			.10	.10	.06	.03		5
6		.01		.33		.82				.21	.27	.18		6
7				.22		.04				.24	.03	.01		7
8				.31					.20	.06	.41	.02		8
9				.30		.05			.04	.60	.23	.01		9
10	.06		.23	.01		.05				.01	.01	.04		10
11	.13	.01	.08			.26			.17	.04	.52	.01		11
12	.03	.10				.25		.07	.03	.01	.14			12
13	.03			.27		.12			.03	.01	.26			13
14	.01	.05		.08		.24					.85	.25		14
15		.01	.01	.84		.10			.29		.13	.10		15
16		.02	.26	.07		.02			.40		.99	.01		16
17				.04	1.10	.24		.10	.05		.02			17
18		.01		.15	.01	.01	.17		.10		.06	.13		18
19				.03	.16	.04	.10		.01		.44			19
20		.30		.17	.38	.01	.03		.01	.11	.24			20
21		.59		.14		.01			.04	.05				21
22		.02	.01	.23					.03	.01				22
23		.05		.04	.12			.45	.08	.36		.45		23
24	.02	.65	.02	.01	.09			.83	.10	.05		.23		24
25	.11	.59		.06	.03	.12				.01		.12		25
26		.82				.01		.45	.12	.01	.01	.81		26
27		.18			.09			.02	.03	.02	.02	.57		27
28		.04						.10	.09		.01	.03		28
29	.01								.09		.04	.53		29
30	.01	×			.02	.14		.60	.04		.50	.56		30
31		×		×		×		.05	×		×	.26		31
TOTAL	.45	3.76	1.56	3.44	2.37	3.47	.31	2.67	2.45	3.56	5.78	4.72	34.54	
*Days with ".01 in. or more.	10	19	10	20	11	23	4	9	26	23	25	24	204	
*Days with ".04 in. or more.	4	12	7	17	8	16	2	8	20	14	19	16	143	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Ellean Sheldon

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1762

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *The Manor House, Lympstone*
in the County of *Devon*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *11* ft. in.,, Ground ,, Sea Level *54* ft.File No. *814453/27*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.13	.01	.17		.35	.67	.01			.02	.04		1
2		.01		.08		.14	.29	.01	.03		.10	.01		2
3				.97		.13	.15	.01	.92		.19	.01		3
4		.01	.10	.01		.07			.41		.04	.15		4
5	.65	.07	.04				.10				.01	.14		5
6	.04	.01	.04			.02	.24	.04	.19		.23			6
7	.14		.25			.03	.03		.02		.25	.04		7
8	.40		.65				.23				.45	.01		8
9	.45	.53	.17				.25		.04		.02			9
10	.10	.30					.07		.01		.20			10
11	.40	.07				.08	.12	.06	.02		.78	.11		11
12	.01			.01		.03	.16		.42		.07			12
13	.06	.01	.03			.02	.01	.01	.01	.01	.04	.85		13
14	.01	.02				.01	.46		.13	.01	.01	.46		14
15	.02	.01					.55		.07		.06	.30		15
16		.19				.34	.20				.03	.18		16
17	.11	.82				.01	.35				.01	.42		17
18	.11	.31	.22			.58	.32	.01		.04		.09		18
19	.65		.22	.07		.79	.01	.02		.01	.01	.01		19
20	.04	.28	.22	.07		.01	.01		.31					20
21		.15	.04	.72		.04	.04					.01		21
22	.08	.31	.21			.01	.18					.02		22
23	.03	.03	.02	.22	.08		.10			.09				23
24	.31	.03	.13	.07	.25		.35		.37	.23		.01		24
25	.23		.55				.13		.01	.18				25
26	.22	.03	.16				.24		.08	.02				26
27	.35	.06	.02				.28		.01	.18				27
28	.78	.02	.75			.01	.22			.02		.27		28
29	.02	.03	.02			.18	.20			.04	.09	.07		29
30	.26	X								.12		.47		30
31	.06	X	.57	X	.07	X	.02		X		X			31
TOTAL	5.55	3.43	4.42	2.39	.75	2.50	5.97	.17	3.05	.95	2.60	3.67	35.45	✓
* Days with .01 in. or more.	26	23	21	10	5	17	29	8	17	12	18	21	207	✓
* Days with .04 in. or more.	20	12	16	8	4	9	24	2	10	7	12	14	138	✓

Section



for the entry of Daily Observations.

Station No.

1762

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at *The Manor House, Symington*in the County of *Devon*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....ft. *11*.....in.,, Ground ,, Sea Level*54*.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.01	.02	.64					.05	.02	.01	.90		1
2		.44	.02	.19					.08			.02		2
3		.23	.05	.11			.01							3
4	.12	.85	.01		.02			.02				.45		4
5	.05	.02	.02	.03			.32			.01		.11		5
6	.02	.48	.50	.20	.01	.02	.23					.01		6
7		.80	.05	.01							.05	.33		7
8		.03	.01		.97		.07				.02	.08		8
9	.02	.01	.26	.15	.06		.02	.01	.65	.02		.03		9
10	.33	.01	.84	.42		.14	.02	.04	.01			.32		10
11	.04		.44	.27	.57	.06	.26					.02		11
12	.70	.29	.07	.31	.11	.37	.06	1.03	.08			.56		12
13		.02	.93	.15		.06	.05	.28	.09			.01		13
14		.01	.08	.08			.19	.04	.03			.03		14
15	.35	.05	.24	.26					.14			.11		15
16	.11	.07	.41				.01	.21	1.00		.34			16
17	.89	.07	.62					.01	.04		.26			17
18	.12	.04	.20			.29	.02		.25		.29	.11		18
19	.10	.01	.06	.05	.05						.01	.08		19
20	.50	.03	.05	.06	.07							.58		20
21	.77	.38	.15	.01			.02		.19	.03	.12	.03		21
22	.92		.05		.27	.06	.06		.17	.53	.24	.05		22
23	.32	.23			.03					.12	.60	.01		23
24	.52	.51	.10						.03	.81				24
25	.01	.73	.62		.05				.01	.48				25
26		.20	.03		.09						.01	.01		26
27	.03	.31								.48				27
28	.23	.04								.15				28
29	.02	X								.43	.10			29
30	.39	X								.01	.13			30
31	.73	X		X		X			X	.83	X			31
TOTAL	6.75	5.87	5.83	2.44	2.30	1.00	1.30	1.62	2.82	3.92	2.16	3.85	40.38	✓
* Days with .01 in. or more.	24	26	25	16	12	7	14	8	15	13	13	21	194	✓✓
* Days with .04 in. or more.	19	17	19	13	9	6	7	5	11	8	9	12	135	✓✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ... *Lilian Sheldon (Miss)* [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

1762

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ...The Manor House, Lympstone

in the County of ...Devon

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...ft. 11 in.

Ground Sea Level 5.4 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					.02	.45	.02	.14		.56	.01	.07		1
2		.03								.17	.06	.15		2
3					.15	.01	.04	.05		.32	.05	.01		3
4					.01	.06	.16	2.12		.16	.01	.08		4
5	.08					.02	.02		.02	.36				5
6	.03					.15	1.12		.05	.04		.03		6
7	.43					.03	.14		.30	.04	.01	.06		7
8	.17	.05						.07		.11		.01		8
9	.06	.02				.12						.47		9
10	.07						.02	.01				.54		10
11	.24					.03	.07	.11			.26	.62		11
12	.12				.17		.02			.17	.67	.08		12
13	.80				.21					.01	.21	.75		13
14	.11				.17		.61					.01		14
15	.08				.16		.05			.17	.19	.24		15
16		.12	.02					.01		.01	.29	.03		16
17	.13				.10					.14	.02	.06		17
18					.10	.07		.01	.08	.03	.28			18
19								.03	.29		.67			19
20									.01		.06	.01		20
21	.02							.01	.10		.15	.25		21
22				.12		.10		.45	.01	.02	.35	.05		22
23			.15					.01			.05	.03		23
24	.07	.36		.05				.07	.05	.04	.30	.01		24
25	.28	.23	.03		.16		.45				1.34	.07		25
26	.07	.02			.39	.08	.04			.05	.01	.06		26
27	.11	.05			.13	.12	.37	.63		.06	.18	.01		27
28	.09				.12			.80			.01	.04		28
29	.01				.42	.45			.16	.23	.18			29
30		X			.02				.25		.12	.02		30
31	.01	X		X	.12	X			X	.07	X	.20		31
TOTAL	2.98	.88	.20	.17	2.45	1.69	3.13	4.52	1.32	2.76	5.48	3.96	29.54	✓
* Days with .01 in. or more.	20	8	3	2	15	13	14	15	11	20	24	27	173	✓
* Days with .04 in. or more.	16	5	1	2	13	9	10	9	8	16	18	17	124	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ...Lilian Sheldon... [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1762

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *The Manor House, Lympstone*in the County of *Devon*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *11* ft.Ground Sea Level *5.4* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08		.06		.03		~~.07~~	.01	.09		.06	.01		1
2	.13		.01	.23	.01		~~.02~~	.35	.76			.05		2
3	.36		.02	.63		.04	.04	.11	.01		.18	.45		3
4	.02		.55	.13	.29		.55	.03		.57	.23	.08		4
5			.03	.08	.01		.23	.13		.40	.98	.03		5
6	.54	.01	.08	.13			.57	.04		.13	.20			6
7	.01	.23	.01				.01	.03		.01	.43	.37		7
8		.23			.06		.04	.04		1.25	.43	.09		8
9	.01	.01	.03			.01		.03	.01	.13	.02	.05		9
10	.24							.15	.04	.05	.02	.12		10
11	.01	.02	.05							.08	.02	.01		11
12		.04	.01	.03					.01	.11	.01			12
13	.03			.09		.04	.33		.12	.97	.03			13
14	.85			.02		.06	.30		.01	.05	.19			14
15	.38				.11	.55	.20				.16	.03		15
16	.19			.06	.01		.05			.01	.08			16
17	.75	.01		.01	.03	.05	.38				.02			17
18	.01				.01	.29	.60				.54	.15		18
19	.28						.09	.26			.01	.09		19
20	.38				.01	.32	.16	1.75				.08		20
21	.07	.25			.02	.30	.11	.01						21
22	.39	.41	.20			.59	.15				.12			22
23	.04		.05	.17			.05				.95			23
24	.87		.46	.08		.45	.15			.03	.01			24
25	.57		.01	.10			.06	.07		.04	.10			25
26	.02	.10		.25		.17	.01	.11		.10	.14	.01		26
27		.22		.02		.09		.48			.07			27
28		.03		.12		.06	.05			.28	.20	.01		28
29	.01			.07		.24	.11	.10		.50				29
30		~~X~~	.03	.35		.04		.05		.36	.01			30
31		~~X~~	.05	~~X~~		~~X~~	.10		~~X~~	.55	~~X~~			31
TOTAL	6.26	1.56	1.65	2.57	.59	3.30	4.34	3.75	1.05	5.62	5.21	1.63	37.53	✓
* Days with .01 in. or more.	24	12	16	18	11	16	23	18	8	19	26	16	207	✓
* Days with .04 in. or more.	16	7	8	14	3	15	20	13	4	16	17	10	144	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *Lilian Sheldon* [P.T.O.]

REGISTRATION

Kept at *The Lymington Light*
in the County of *Dorset*

Diameter of Funnel of Gauge *8.79*
Height of top of Gauge above Ground
,, Ground ,, Sea Level

1763
LYMPSTONE, TAETANKS
1931 — 33

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>1.5</i>	<i>.5</i>	<i>-</i>	<i>.67</i>	<i>.11</i>	<i>-</i>	<i>.08</i>	<i>-</i>	<i>.66</i>	<i>-</i>	<i>1.1</i>	<i>1.02</i>	1
2	<i>.37</i>	<i>.01</i>	<i>1.69</i>	<i>.59</i>	<i>-</i>	<i>1.1</i>	<i>-</i>	<i>-</i>	<i>.25</i>	<i>-</i>	<i>.16</i>	<i>.1</i>	2
3	<i>.08</i>	<i>-</i>	<i>.17</i>	<i>.1</i>	<i>.18</i>	<i>.02</i>	<i>.18</i>	<i>-</i>	<i>-</i>	<i>1.11</i>	<i>.02</i>	<i>-</i>	3
4	<i>1.35</i>	<i>.11</i>	<i>.03</i>	<i>1.1</i>	<i>.01</i>	<i>.11</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.09</i>	<i>-</i>	<i>-</i>	4
5	<i>1.04</i>	<i>-</i>	<i>-</i>	<i>.18</i>	<i>.16</i>	<i>.23</i>	<i>-</i>	<i>-</i>	<i>.12</i>	<i>.14</i>	<i>.58</i>	<i>-</i>	5
6	<i>1.11</i>	<i>-</i>	<i>-</i>	<i>.18</i>	<i>-</i>	<i>.39</i>	<i>.01</i>	<i>.02</i>	<i>.01</i>	<i>.74</i>	<i>.04</i>	<i>-</i>	6
7	<i>1.11</i>	<i>-</i>	<i>.04</i>	<i>-</i>	<i>.06</i>	<i>.04</i>	<i>1.1</i>	<i>-</i>	<i>-</i>	<i>.49</i>	<i>1.02</i>	<i>-</i>	7
8	<i>1.04</i>	<i>1.1</i>	<i>1.03</i>	<i>1.1</i>	<i>.03</i>	<i>1.1</i>	<i>1.17</i>	<i>-</i>	<i>-</i>	<i>.52</i>	<i>-</i>	<i>-</i>	8
9	<i>.08</i>	<i>.42</i>	<i>1.1</i>	<i>1.1</i>	<i>-</i>	<i>.18</i>	<i>1.17</i>	<i>-</i>	<i>-</i>	<i>.09</i>	<i>1.1</i>	<i>-</i>	9
10	<i>1.04</i>	<i>.01</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>1.1</i>	<i>.26</i>	<i>.17</i>	<i>.01</i>	<i>-</i>	<i>-</i>	<i>-</i>	10
11	<i>.01</i>	<i>.11</i>	<i>1.1</i>	<i>1.1</i>	<i>.09</i>	<i>-</i>	<i>-</i>	<i>.35</i>	<i>1.1</i>	<i>.35</i>	<i>.02</i>	<i>-</i>	11
12	<i>1.09</i>	<i>1.1</i>	<i>.01</i>	<i>.01</i>	<i>.12</i>	<i>.01</i>	<i>.21</i>	<i>1.31</i>	<i>-</i>	<i>-</i>	<i>1.16</i>	<i>1.1</i>	12
13	<i>1.01</i>	<i>.04</i>	<i>.04</i>	<i>.19</i>	<i>-</i>	<i>.16</i>	<i>1.1</i>	<i>.01</i>	<i>1.18</i>	<i>1.1</i>	<i>.63</i>	<i>1.1</i>	13
14	<i>.01</i>	<i>.03</i>	<i>.35</i>	<i>-</i>	<i>1.1</i>	<i>-</i>	<i>1.18</i>	<i>-</i>	<i>-</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	14
15	<i>.11</i>	<i>-</i>	<i>-</i>	<i>.2</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>1.8</i>	<i>.01</i>	<i>1.1</i>	<i>-</i>	<i>-</i>	15
16	<i>.32</i>	<i>.01</i>	<i>-</i>	<i>.06</i>	<i>.11</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.8</i>	<i>.01</i>	<i>1.1</i>	<i>-</i>	16
17	<i>.2</i>	<i>1.1</i>	<i>-</i>	<i>.17</i>	<i>-</i>	<i>.01</i>	<i>.09</i>	<i>-</i>	<i>-</i>	<i>.32</i>	<i>-</i>	<i>-</i>	17
18	<i>1.1</i>	<i>1.1</i>	<i>.56</i>	<i>.77</i>	<i>.01</i>	<i>.68</i>	<i>.45</i>	<i>-</i>	<i>-</i>	<i>.01</i>	<i>1.1</i>	<i>-</i>	18
19	<i>.19</i>	<i>1.1</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>1.1</i>	<i>-</i>	<i>1.1</i>	<i>-</i>	<i>1.1</i>	<i>.49</i>	<i>1.1</i>	19
20	<i>.02</i>	<i>.01</i>	<i>1.26</i>	<i>.16</i>	<i>-</i>	<i>.4</i>	<i>-</i>	<i>-</i>	<i>1.1</i>	<i>.39</i>	<i>1.1</i>	<i>1.1</i>	20
21	<i>.11</i>	<i>.07</i>	<i>-</i>	<i>-</i>	<i>.63</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>1.1</i>	<i>.69</i>	<i>1.1</i>	<i>1.1</i>	21
22	<i>.03</i>	<i>.07</i>	<i>1.1</i>	<i>1.1</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>1.1</i>	<i>1.1</i>	<i>.08</i>	<i>1.1</i>	22
23	<i>.01</i>	<i>X</i>	<i>.34</i>	<i>1.1</i>	<i>.11</i>	<i>-</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>.09</i>	<i>.24</i>	<i>1.1</i>	23
24	<i>.07</i>	<i>X</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	<i>1.1</i>	24
25	<i>1.1</i>	<i>X</i>	<i>.06</i>	<i>X</i>	<i>.13</i>	<i>X</i>	<i>1.1</i>	<i>X</i>	<i>1.1</i>	<i>X</i>	<i>.26</i>	<i>1.1</i>	25
26	<i>1.1</i>	<i>X</i>	<i>.06</i>	<i>X</i>	<i>.13</i>	<i>X</i>	<i>1.1</i>	<i>X</i>	<i>1.1</i>	<i>X</i>	<i>.26</i>	<i>1.1</i>	26
27	<i>1.1</i>	<i>X</i>	<i>.06</i>	<i>X</i>	<i>.13</i>	<i>X</i>	<i>1.1</i>	<i>X</i>	<i>1.1</i>	<i>X</i>	<i>.26</i>	<i>1.1</i>	27
28	<i>1.1</i>	<i>X</i>	<i>.06</i>	<i>X</i>	<i>.13</i>	<i>X</i>	<i>1.1</i>	<i>X</i>	<i>1.1</i>	<i>X</i>	<i>.26</i>	<i>1.1</i>	28
29	<i>1.1</i>	<i>X</i>	<i>.06</i>	<i>X</i>	<i>.13</i>	<i>X</i>	<i>1.1</i>	<i>X</i>	<i>1.1</i>	<i>X</i>	<i>.26</i>	<i>1.1</i>	29
30	<i>1.1</i>	<i>X</i>	<i>.06</i>	<i>X</i>	<i>.13</i>	<i>X</i>	<i>1.1</i>	<i>X</i>	<i>1.1</i>	<i>X</i>	<i>.26</i>	<i>1.1</i>	30
31	<i>1.1</i>	<i>X</i>	<i>.06</i>	<i>X</i>	<i>.13</i>	<i>X</i>	<i>1.1</i>	<i>X</i>	<i>1.1</i>	<i>X</i>	<i>.26</i>	<i>1.1</i>	31
TOTAL	<i>1.62</i>	<i>2.12</i>	<i>1.77</i>	<i>2.85</i>	<i>2.92</i>	<i>2.69</i>	<i>3.1</i>	<i>3.18</i>	<i>1.71</i>	<i>0.24</i>	<i>5.87</i>	<i>1.42</i>	YEAR'S TOTAL <i>29.47</i>
*Days with or in. or more.													
*Days with or in. or more.													

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at The Sands, Lynmington
in the County of Devon
Diameter of Funnel of Gauge 8.79 in.
Height of top of Gauge above Ground 5 ft.
Ground Sea Level 4 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>Tr</u>	<u>.5</u>	<u>-</u>	<u>.67</u>	<u>.11</u>	<u>-</u>	<u>.08</u>	<u>-</u>	<u>.66</u>	<u>-</u>	<u>Tr</u>	<u>Tr</u>	1
2	<u>.37</u>	<u>.01</u>	<u>Tr</u>	<u>.59</u>	<u>-</u>	<u>Tr</u>	<u>-</u>	<u>-</u>	<u>.25</u>	<u>-</u>	<u>.16</u>	<u>.1</u>	2
3	<u>Tr</u>	<u>Tr</u>	<u>.69</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.09</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>1.11</u>	<u>.02</u>	3
4	<u>.08</u>	<u>-</u>	<u>.17</u>	<u>Tr</u>	<u>.1</u>	<u>.18</u>	<u>.02</u>	<u>.18</u>	<u>-</u>	<u>Tr</u>	<u>Tr</u>	<u>-</u>	4
5	<u>Tr</u>	<u>.35</u>	<u>.11</u>	<u>.03</u>	<u>Tr</u>	<u>.11</u>	<u>.01</u>	<u>.11</u>	<u>-</u>	<u>-</u>	<u>.09</u>	<u>Tr</u>	5
6	<u>Tr</u>	<u>.04</u>	<u>-</u>	<u>Tr</u>	<u>.08</u>	<u>.16</u>	<u>.23</u>	<u>-</u>	<u>-</u>	<u>.12</u>	<u>.14</u>	<u>.58</u>	6
7	<u>Tr</u>	<u>Tr</u>	<u>-</u>	<u>-</u>	<u>.18</u>	<u>.16</u>	<u>.14</u>	<u>.09</u>	<u>-</u>	<u>Tr</u>	<u>Tr</u>	<u>.08</u>	7
8	<u>Tr</u>	<u>.11</u>	<u>-</u>	<u>.18</u>	<u>-</u>	<u>.39</u>	<u>.01</u>	<u>.02</u>	<u>-</u>	<u>.01</u>	<u>.74</u>	<u>.04</u>	8
9	<u>Tr</u>	<u>.11</u>	<u>-</u>	<u>.04</u>	<u>-</u>	<u>.06</u>	<u>.04</u>	<u>Tr</u>	<u>-</u>	<u>-</u>	<u>.49</u>	<u>Tr</u>	9
10	<u>Tr</u>	<u>.04</u>	<u>Tr</u>	<u>Tr</u>	<u>.03</u>	<u>.1</u>	<u>Tr</u>	<u>.17</u>	<u>-</u>	<u>-</u>	<u>.52</u>	<u>-</u>	10
11	<u>.08</u>	<u>.42</u>	<u>Tr</u>	<u>Tr</u>	<u>-</u>	<u>.18</u>	<u>Tr</u>	<u>-</u>	<u>-</u>	<u>Tr</u>	<u>.29</u>	<u>-</u>	11
12	<u>Tr</u>	<u>.04</u>	<u>Tr</u>	<u>-</u>	<u>Tr</u>	<u>Tr</u>	<u>.17</u>	<u>-</u>	<u>-</u>	<u>.09</u>	<u>Tr</u>	<u>Tr</u>	12
13	<u>-</u>	<u>.01</u>	<u>-</u>	<u>-</u>	<u>.06</u>	<u>Tr</u>	<u>.26</u>	<u>.17</u>	<u>-</u>	<u>.01</u>	<u>-</u>	<u>-</u>	13
14	<u>.01</u>	<u>Tr</u>	<u>Tr</u>	<u>-</u>	<u>.01</u>	<u>.03</u>	<u>.74</u>	<u>.05</u>	<u>-</u>	<u>Tr</u>	<u>Tr</u>	<u>-</u>	14
15	<u>Tr</u>	<u>.11</u>	<u>Tr</u>	<u>Tr</u>	<u>.09</u>	<u>-</u>	<u>-</u>	<u>.35</u>	<u>-</u>	<u>Tr</u>	<u>.35</u>	<u>.02</u>	15
16	<u>Tr</u>	<u>.09</u>	<u>Tr</u>	<u>.01</u>	<u>Tr</u>	<u>.42</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>Tr</u>	<u>Tr</u>	16
17	<u>Tr</u>	<u>.04</u>	<u>-</u>	<u>.09</u>	<u>.12</u>	<u>.01</u>	<u>.21</u>	<u>Tr</u>	<u>-</u>	<u>-</u>	<u>Tr</u>	<u>Tr</u>	17
18	<u>Tr</u>	<u>.02</u>	<u>.01</u>	<u>Tr</u>	<u>-</u>	<u>.12</u>	<u>.01</u>	<u>1.31</u>	<u>-</u>	<u>-</u>	<u>.16</u>	<u>Tr</u>	18
19	<u>.01</u>	<u>.04</u>	<u>.04</u>	<u>.19</u>	<u>-</u>	<u>.16</u>	<u>Tr</u>	<u>.01</u>	<u>-</u>	<u>Tr</u>	<u>.63</u>	<u>Tr</u>	19
20	<u>.01</u>	<u>.03</u>	<u>.35</u>	<u>-</u>	<u>Tr</u>	<u>-</u>	<u>Tr</u>	<u>.18</u>	<u>-</u>	<u>Tr</u>	<u>.1</u>	<u>Tr</u>	20
21	<u>.11</u>	<u>Tr</u>	<u>-</u>	<u>-</u>	<u>.2</u>	<u>-</u>	<u>-</u>	<u>Tr</u>	<u>-</u>	<u>-</u>	<u>Tr</u>	<u>-</u>	21
22	<u>.32</u>	<u>.01</u>	<u>-</u>	<u>.06</u>	<u>.11</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.8</u>	<u>.01</u>	<u>Tr</u>	<u>-</u>	22
23	<u>.2</u>	<u>Tr</u>	<u>-</u>	<u>.17</u>	<u>Tr</u>	<u>-</u>	<u>.01</u>	<u>.09</u>	<u>-</u>	<u>-</u>	<u>.32</u>	<u>-</u>	23
24	<u>Tr</u>	<u>Tr</u>	<u>Tr</u>	<u>.56</u>	<u>.77</u>	<u>.01</u>	<u>.68</u>	<u>.45</u>	<u>-</u>	<u>Tr</u>	<u>.01</u>	<u>Tr</u>	24
25	<u>.19</u>	<u>Tr</u>	<u>-</u>	<u>Tr</u>	<u>.01</u>	<u>-</u>	<u>Tr</u>	<u>-</u>	<u>Tr</u>	<u>Tr</u>	<u>.19</u>	<u>Tr</u>	25
26	<u>.02</u>	<u>.01</u>	<u>Tr</u>	<u>.26</u>	<u>.16</u>	<u>-</u>	<u>.4</u>	<u>-</u>	<u>-</u>	<u>Tr</u>	<u>.39</u>	<u>Tr</u>	26
27	<u>.11</u>	<u>.07</u>	<u>-</u>	<u>-</u>	<u>.63</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>Tr</u>	<u>.09</u>	<u>Tr</u>	27
28	<u>.03</u>	<u>.07</u>	<u>Tr</u>	<u>Tr</u>	<u>Tr</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>Tr</u>	<u>Tr</u>	<u>.08</u>	28
29	<u>.01</u>	<u>X</u>	<u>.34</u>	<u>Tr</u>	<u>.11</u>	<u>-</u>	<u>Tr</u>	<u>Tr</u>	<u>Tr</u>	<u>Tr</u>	<u>.09</u>	<u>.24</u>	29
30	<u>.07</u>	<u>X</u>	<u>-</u>	<u>-</u>	<u>Tr</u>	<u>-</u>	<u>Tr</u>	<u>Tr</u>	<u>Tr</u>	<u>Tr</u>	<u>Tr</u>	<u>-</u>	30
31	<u>see</u>	<u>X</u>	<u>.06</u>	<u>X</u>	<u>.13</u>	<u>X</u>	<u>Tr</u>	<u>X</u>	<u>X</u>	<u>Tr</u>	<u>X</u>	<u>.26</u>	31
TOTAL	<u>1.62</u>	<u>2.12</u>	<u>1.77</u>	<u>2.85</u>	<u>2.9</u>	<u>2.69</u>	<u>3.1</u>	<u>3.18</u>	<u>1.71</u>	<u>0.24</u>	<u>5.87</u>	<u>1.42</u>	YEAR'S TOTAL <u>29.47</u>
*Days with or in. or more.													
*Days with or more.													

40-9999

*See Instruction 2 (f) on other side.

(Signed) Thomas Lees.

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

1763
1763

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1932. (File 662391/26)

Kept at The Lakes, Lympstone
in the County of DevonDiameter of Funnel of Gauge 8.79 in.Height of top of Gauge above Ground 1 ft 5 in.,, Ground ,, Sea Level 4 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>Tr</u>	<u>Tr</u>	<u>-</u>	<u>.14</u>	<u>.04</u>	<u>-</u>	<u>Tr</u>	<u>.27</u>	<u>Tr</u>	<u>Tr</u>	<u>.03</u>	<u>Tr</u>	1
2	<u>Tr</u>	<u>-</u>	<u>Tr</u>	<u>-</u>	<u>-</u>	<u>.02</u>	<u>.02</u>	<u>Tr</u>	<u>.19</u>	<u>Tr</u>	<u>Tr</u>	<u>.14</u>	2
3	<u>Tr</u>	<u>-</u>	<u>.01</u>	<u>.23</u>	<u>-</u>	<u>.78</u>	<u>.01</u>	<u>-</u>	<u>Tr</u>	<u>.03</u>	<u>Tr</u>	<u>Tr</u>	3
4	<u>Tr</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.15</u>	<u>Tr</u>	<u>.09</u>	<u>-</u>	<u>-</u>	<u>.25</u>	<u>.06</u>	4
5	<u>.1</u>	<u>Tr</u>	<u>.07</u>	<u>-</u>	<u>Tr</u>	<u>-</u>	<u>Tr</u>	<u>Tr</u>	<u>Tr</u>	<u>Tr</u>	<u>-</u>	<u>.01</u>	5
6	<u>.41</u>	<u>-</u>	<u>Tr</u>	<u>.09</u>	<u>Tr</u>	<u>-</u>	<u>.06</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	6
7	<u>.06</u>	<u>-</u>	<u>.01</u>	<u>.05</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>1.05</u>	<u>-</u>	<u>-</u>	7
8	<u>Tr</u>	<u>Tr</u>	<u>.21</u>	<u>Tr</u>	<u>.23</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	8
9	<u>Tr</u>	<u>.01</u>	<u>Tr</u>	<u>-</u>	<u>Tr</u>	<u>-</u>	<u>-</u>	<u>Tr</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	9
10	<u>1.4</u>	<u>-</u>	<u>Tr</u>	<u>.27</u>	<u>.05</u>	<u>.05</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	10
11	<u>.01</u>	<u>-</u>	<u>-</u>	<u>.04</u>	<u>.12</u>	<u>-</u>	<u>-</u>	<u>Tr</u>	<u>-</u>	<u>.33</u>	<u>-</u>	<u>.1</u>	11
12	<u>.4</u>	<u>-</u>	<u>Tr</u>	<u>-</u>	<u>.33</u>	<u>-</u>	<u>.05</u>	<u>-</u>	<u>-</u>	<u>.16</u>	<u>Tr</u>	<u>.02</u>	12
13	<u>.08</u>	<u>-</u>	<u>Tr</u>	<u>.13</u>	<u>-</u>	<u>.07</u>	<u>.21</u>	<u>.69</u>	<u>-</u>	<u>.96</u>	<u>-</u>	<u>.29</u>	13
14	<u>.29</u>	<u>-</u>	<u>-</u>	<u>.1</u>	<u>.41</u>	<u>Tr</u>	<u>Tr</u>	<u>Tr</u>	<u>-</u>	<u>-</u>	<u>.02</u>	<u>.02</u>	14
15	<u>Tr</u>	<u>-</u>	<u>Tr</u>	<u>.08</u>	<u>.12</u>	<u>Tr</u>	<u>.03</u>	<u>-</u>	<u>-</u>	<u>.04</u>	<u>.05</u>	<u>.01</u>	15
16	<u>Tr</u>	<u>Tr</u>	<u>-</u>	<u>.06</u>	<u>-</u>	<u>-</u>	<u>1.46</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>Tr</u>	16
17	<u>.11</u>	<u>-</u>	<u>-</u>	<u>Tr</u>	<u>.01</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>Tr</u>	<u>-</u>	<u>-</u>	17
18	<u>Tr</u>	<u>Tr</u>	<u>Tr</u>	<u>-</u>	<u>.22</u>	<u>-</u>	<u>-</u>	<u>Tr</u>	<u>-</u>	<u>-</u>	<u>.2</u>	<u>-</u>	18
19	<u>.01</u>	<u>-</u>	<u>-</u>	<u>Tr</u>	<u>.23</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>1.61</u>	<u>.22</u>	<u>Tr</u>	<u>Tr</u>	19
20	<u>Tr</u>	<u>-</u>	<u>-</u>	<u>Tr</u>	<u>.12</u>	<u>-</u>	<u>Tr</u>	<u>.05</u>	<u>Tr</u>	<u>.61</u>	<u>.2</u>	<u>.11</u>	20
21	<u>.01</u>	<u>-</u>	<u>.1</u>	<u>.14</u>	<u>-</u>	<u>-</u>	<u>.02</u>	<u>.21</u>	<u>.08</u>	<u>.24</u>	<u>.04</u>	<u>.13</u>	21
22	<u>Tr</u>	<u>-</u>	<u>Tr</u>	<u>-</u>	<u>Tr</u>	<u>-</u>	<u>Tr</u>	<u>.04</u>	<u>.89</u>	<u>Tr</u>	<u>.14</u>	<u>.01</u>	22
23	<u>-</u>	<u>Tr</u>	<u>-</u>	<u>Tr</u>	<u>Tr</u>	<u>.02</u>	<u>.1</u>	<u>Tr</u>	<u>.03</u>	<u>.66</u>	<u>-</u>	<u>.17</u>	23
24	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.81</u>	<u>-</u>	<u>-</u>	<u>.02</u>	<u>.01</u>	<u>Tr</u>	24
25	<u>Tr</u>	<u>-</u>	<u>.68</u>	<u>.02</u>	<u>Tr</u>	<u>-</u>	<u>.04</u>	<u>Tr</u>	<u>.28</u>	<u>.11</u>	<u>.01</u>	<u>Tr</u>	25
26	<u>-</u>	<u>-</u>	<u>.03</u>	<u>.02</u>	<u>Tr</u>	<u>-</u>	<u>Tr</u>	<u>-</u>	<u>-</u>	<u>.05</u>	<u>Tr</u>	<u>.01</u>	26
27	<u>-</u>	<u>-</u>	<u>.43</u>	<u>.31</u>	<u>-</u>	<u>-</u>	<u>.04</u>	<u>-</u>	<u>-</u>	<u>.21</u>	<u>.05</u>	<u>Tr</u>	27
28	<u>-</u>	<u>-</u>	<u>.07</u>	<u>.01</u>	<u>.3</u>	<u>.06</u>	<u>Tr</u>	<u>Tr</u>	<u>Tr</u>	<u>Tr</u>	<u>Tr</u>	<u>.15</u>	28
29	<u>-</u>	<u>-</u>	<u>.39</u>	<u>.09</u>	<u>.21</u>	<u>.5</u>	<u>Tr</u>	<u>.56</u>	<u>.62</u>	<u>.48</u>	<u>.05</u>	<u>.39</u>	29
30	<u>Tr</u>	<u>X</u>	<u>Tr</u>	<u>-</u>	<u>.02</u>	<u>1.61</u>	<u>.23</u>	<u>-</u>	<u>1.00</u>	<u>.1</u>	<u>.81</u>	<u>Tr</u>	30
31	<u>Tr</u>	<u>X</u>	<u>.08</u>	<u>X</u>	<u>.21</u>	<u>X</u>	<u>.04</u>	<u>-</u>	<u>X</u>	<u>.02</u>	<u>X</u>	<u>.81</u>	31
TOTAL	<u>2.88</u>	<u>.01</u>	<u>2.08</u>	<u>1.78</u>	<u>3.7</u>	<u>3.26</u>	<u>3.12</u>	<u>1.91</u>	<u>4.25</u>	<u>5.26</u>	<u>1.89</u>	<u>2.43</u>	YEAR'S TOTAL <u>32.57</u>
* Days with ".01 in. or more.													
* Days with ".04 in. or more.													

40-9999

* See Instruction 2 (f) on other side.

(Signed)

H. Lees

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

1763

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1933.

Kept at

Lymington

in the County of

Devon.

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.21	.23	.20	—	.05	.17	—	—	—	—	h	1.92		1
2	.36	h	.73	—	.75	.42	—	—	—	—	h	—		2
3	.05	.09	.23	—	.01	—	—	—	—	—	h	—		3
4	.16	h	.06	—	.10	—	—	—	—	—	h	—		4
5	.01	h	.25	h	.04	—	—	—	—	.08	.01	—		5
6	—	.50	h	—	—	—	.14	—	—	.06	—	—		6
7	h	.05	h	h	.08	—	h	—	—	—	—	—		7
8	h	h	.03	—	.07	—	.01	—	—	.18	—	—		8
9	h	.03	—	—	.23	.02	.15	—	—	.16	.04	cop		9
10	h	.09	—	h	—	—	.27	—	h	.41	.07	h		10
11	.08	h	—	h	—	h	.03	—	—	h	—	h		11
12	h	h	h	.22	.06	.11	.13	.78	.77	—	h	—		12
13	h	h	—	—	—	.07	.07	—	—	.12	.02	h		13
14	—	h	—	—	.01	—	.27	h	h	—	.16	—		14
15	.47	h	.25	—	—	—	.35	.11	h	.09	.55	—		15
16	.01	h	.78	—	—	h	h	—	—	.04	—	.41		16
17	.02	.06	.11	—	—	—	h	—	.04	—	—	.03		17
18	.05	—	—	—	—	.09	h	—	—	—	—	.06		18
19	.22	—	.31	h	—	.15	—	—	.04	—	.5	.03		19
20	h	.07	h	—	—	.31	—	.07	.07	—	.03	h		20
21	—	.04	—	—	h	.16	—	—	h	—	h	—		21
22	—	—	—	.07	—	.46	—	—	.57	.07	—	—		22
23	—	.99	—	—	—	.21	—	—	—	.29	h	—		23
24	—	.45	—	.29	h?	.03	h	—	.48	.02	—	—		24
25	—	1.34	—	.25	h	.19	h	—	.1	.07	—	—		25
26	—	.25	—	.16	.10	—	h	—	h	.07	—	—		26
27	—	.01	—	h	—	—	—	.17	.07	.25	h	—		27
28	h	—	—	.36	.16	—	—	—	—	—	—	—		28
29	.02	x	h	—	—	—	—	h	.02	.16	—	—		29
30	.02	x	.06	.06	—	—	—	—	.23	h	—	—		30
31	.05	x	.04	x	.02	x	—	—	x	.04	x	—		31
TOTAL	1.73	4.14	3.05	1.41	1.62	2.02			2.24	2.05	1.32	?	Year's Total	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

v/s Devon/b

Kept at *The Sands, Lynmptone*
in the County of *Devon* *Comwall.*

1933 imp

Diameter of Funnel of Gauge *8.79* in.
Height of top of Gauge above Ground *1* ft. *5* in.
,, Ground ,, Sea Level *4* ft.*Total imp. for year*
11/3/35

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										<i>h</i>	<i>1</i>			1
2										<i>.01</i>	<i>.24</i>	<i>.65</i>		2
3										<i>.56</i>		<i>.29</i>		3
4									<i>-</i>	<i>.09</i>	<i>h</i>	<i>.35</i>		4
5									<i>-</i>	<i>.13</i>	<i>.01</i>	<i>.36</i>		5
6											<i>h</i>	<i>.44</i>		6
7									<i>.11</i>		<i>.24</i>	<i>.6</i>		7
8										<i>.32</i>	<i>.42</i>	<i>.41</i>		8
9									<i>.01</i>	<i>.03</i>	<i>.42</i>	<i>.41</i>		9
10									<i>h</i>	<i>h</i>	<i>.02</i>	<i>.02</i>		10
11									<i>h</i>	<i>h</i>	<i>.08</i>	<i>.49</i>		11
12									<i>-</i>	<i>-</i>	<i>-</i>	<i>.17</i>		12
13									<i>h</i>		<i>.06</i>	<i>.36</i>		13
14									<i>-</i>	<i>.04</i>	<i>.29</i>	<i>.3</i>		14
15										<i>.12</i>	<i>.12</i>			15
16									<i>.11</i>	<i>h</i>	<i>h</i>	<i>.75</i>		16
17									<i>.03</i>	<i>.02</i>	<i>-</i>	<i>.28</i>		17
18									<i>.06</i>	<i>h</i>	<i>h</i>	<i>.22</i>		18
19									<i>.06</i>	<i>h</i>	<i>h</i>	<i>.08</i>		19
20									<i>.03</i>		<i>-</i>	<i>h</i>		20
21									<i>h</i>	<i>.31</i>	<i>-</i>	<i>.42</i>		21
22									<i>.23</i>	<i>.03</i>	<i>.01</i>	<i>.66</i>		22
23									<i>.24</i>	<i>.04</i>	<i>-</i>	<i>.17</i>		23
24									<i>h</i>	<i>.1</i>				24
25									<i>-</i>	<i>.23</i>	<i>h</i>	<i>.91</i>		25
26										<i>-</i>	<i>.01</i>	<i>.19</i>		26
27									<i>.07</i>		<i>h</i>	<i>.37</i>		27
28									<i>.22</i>		<i>h</i>	<i>.68</i>		28
29										<i>.03</i>	<i>h</i>			29
30		<i>x</i>							<i>.12</i>	<i>.03</i>	<i>h</i>	<i>.28</i>		30
31		<i>x</i>		<i>x</i>		<i>x</i>			<i>x</i>	<i>.06</i>	<i>x</i>	<i>.04</i>		31
TOTAL									<i>imp</i>	<i>2.15</i>	<i>1.58</i>	<i>9.49</i>	<i>imp</i>	
*Days with ".01 in. or more.														
*Days with ".04 in. or more.														

Kept at Oakhayes, bar
in the County of Denton

1764
WOODBURY, OAKHAYES
1931 — 40

Diameter of Funnel of Gauge.....
Height of top of Gauge above Grou.....
,, Ground ,, Sea

780308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	1/2	0	44	12	1 1/2	1	0	22	1 1/2	0	0	1
2	29	2	0	74	0	0	0	0	53	0	17	11	2
3	4	0	74	0	0	0	8	0	12	0	129	1	3
4	0	0	13	0	7	7	23	41	13	0	2	0	4
5	0	41	9	4	0	57	0	65	0	0	7	17	5
6	0	7	0	0	10	1 1/2	28	0	0	1 1/2	16	50	6
7	0	2	0	0	22	20	47	12	0	3	64	8	7
8	0	22	0	27	40	43	1 1/2	8	0	1	19	5	8
9	1	11 1/2	0	0	0	5	6	4	0	0	40	5	9
10	0	5	0	0	6	15	1 1/2	8	63	0	59	0	10
11	9	48	0	0	0	23	5	0	2	0	22	0	11
12	3	5	0	0	0	0	20	0	12 1/2	11	0	0	12
13	0	11	0	0	8	1	15	17	6	3	0	0	13
14	2	5	0	0	0	8	97	6	0	0	45	0	14
15	1	10	0	0	13	46	0	45	0	0	0	2	15
16	0	14	0	5	10	0	0	5	9	0	0	0	16
17	0	5	0	13	0	18	41	0	0	0	0	0	17
18	1	0	1/2	10	0	10	4	115	0	0	18	0	18
19	2	7	5	8	0	20	1	4	8	0	49	0	19
20	1	7	30	0	0	0	0	26	0	0	19	0	20
21	16 1/2	0	3	0	18	0	0	0	0	0	0	0	21
22	25	0	0	8	14	0	0	0	0	0	0	0	22
23	16	2	0	19	67	0	2	56	0	0	38	0	23
24	8	0	0	60	10	0	69	0	0	0	2	0	24
25	23	2	0	32	0	0	17	0	0	0	21	0	25
26	0	0	0	19	1	0	32	0	0	0	56	0	26
27	11	12	0	0	47	0	4	0	0	0	11	0	27
28	10	13 1/2	8	0	9	0	0	0	0	3	0	0	28
29	3	X	11	0	13	0	1 1/2	18	0	0	11	29	29
30	8	X	0	0	3	0	0	6	2 1/2	1	0	0	30
31	63 1/2	X	3 1/2	X	7	X	1/2	0	X	0	X	36	31
TOTAL	237	23 1/2	157	323	277	287 1/2	425	436	203	37	64 1/2	164	342 1/2
*Days with "or in. or more.	20	20	9	13	18	15	21	16	11	8	20	10	18 1/2
*Days with "04 in. or more.	12	16	7	13	16	13	15	16	9	2	18	8	14 1/2

Section

A

for the entry of Daily Observations.

1764
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Oakhayes, Woodbury, Exeter
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	1/2	0	44	12	1 1/2	1	0	22	1 1/2	0	0	1
2	29	2	0	74	0	0	0	0	53	0	17	11	2
3	4	0	74	0	0	0	8	0	12	0	129	1	3
4	0	0	13	0	7	7	23	41	13	0	2	0	4
5	0	41	9	4	0	57	0	65	0	0	7	17	5
6	0	7	0	0	10	1 1/2	28	0	0	13 1/2	16	50	6
7	0	2	0	0	22	20	47	12	0	3	64	8	7
8	0	22	0	27	40	43	1 1/2	8	0	1	19	5	8
9	1	11 1/2	0	0	0	5	6	4	0	0	40	5	9
10	0	5	0	0	6	15	1 1/2	8	63	0	59	0	10
11	9	48	0	0	0	23	5	0	2	0	22	0	11
12	3	5	0	0	0	0	20	0	12 1/2	11	0	0	12
13	0	11	0	0	8	1	15	17	6	3	0	0	13
14	2	5	0	0	0	8	97	6	0	0	45	0	14
15	1	10	0	0	13	46	0	45	0	0	0	2	15
16	0	14	0	5	10	0	0	5	9	0	0	0	16
17	0	5	0	13	0	18	41	0	0	0	0	0	17
18	1	0	1/2	10	0	10	4	115	0	0	18	0	18
19	2	7	5	8	0	20	1	4	8	0	49	0	19
20	1	7	30	0	0	0	0	26	0	0	19	0	20
21	16 1/2	0	3	0	18	0	0	0	0	0	0	0	21
22	25	0	0	8	14	0	0	0	0	0	0	0	22
23	16	2	0	19	67	0	2	56	0	0	38	0	23
24	8	0	0	60	10	0	69	0	0	0	2	0	24
25	23	2	0	32	0	0	17	0	0	0	21	0	25
26	0	0	0	19	1	0	32	0	0	0	56	0	26
27	11	12	0	0	47	0	4	0	0	0	11	0	27
28	10	13 1/2	8	0	9	0	0	0	0	3	0	0	28
29	3	X	11	0	13	0	1 1/2	18	0	0	11	29	29
30	8	X	0	0	3	0	0	6	2 1/2	1	0	0	30
31	63 1/2	X	3 1/2	X	7	X	1/2	0	X	0	X	36	31
TOTAL	237	222 1/2	157	323	277	287 1/2	425	436	203	37	64 1/2	164	3424
*Days with "or in. or more.	20	20	9	13	18	15	21	16	11	8	20	10	181
*Days with "04 in. or more.	12	16	7	13	16	13	15	16	9	2	18	8	145

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P. S. Chattercock

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Oakhayes, Broadway, Exeter*
in the County of *Devon*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *—* in.
Ground Sea Level *200* ft.

1764
780308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
9

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	0	0	20	0	0	4	18	0	0	4	0	1
2	1	0	2	29	0	0	0	0	2	0	2	25	2
3	0	0	0	0	0	75	9	0	47	6	2	9	3
4	3	0	0	0	0	14	1	10	0	0	30	0	4
5	10	0	11	0	0	0	4	0	4	0	0	0	5
6	47	0	0	16	0	0	6	0	23	0	0	0	6
7	5	0	0	9	11	0	1	0	55	114	0	0	7
8	0	0	38	3	12	0	0	0	23	7	0	0	8
9	121	1	0	12	4	0	0	1	0	0	0	0	9
10	43	0	0	20	3	4	0	0	0	26	0	0	10
11	44	0	0	0	12	0	0	0	0	8	0	10	11
12	21	0	0	10	35	0	0	0	2	23	0	3	12
13	0	0	0	13	6	6	34	67	0	106	0	29	13
14	33	0	0	16	20	0	0	1	0	4	4	2	14
15	1	0	0	7	15	0	10	0	0	2	3	1	15
16	14	0	0	3	0	0	82	0	0	0	0	0	16
17	1/2	0	0	0	0	0	0	0	2	3	0	0	17
18	0	0	0	0	30	0	0	0	10	0	18	0	18
19	5	0	0	11	23	0	0	0	4	30	0	0	19
20	0	0	0	25	124	0	0	6	3	53	27	16	20
21	2	0	10	1	0	0	0	15	8	24	6	11	21
22	0	0	0	0	2	0	5	10	65	27	17	0	22
23	0	0	0	0	0	3	38	0	10	40	3	18	23
24	0	0	0	3	0	0	72	0	30	14	0	0	24
25	0	0	62	0	0	0	5	0	7	15	1	4	25
26	0	0	3	4	18	0	8	0	0	8	8	0	26
27	0	0	41	36	0	0	6	0	0	22	4	10	27
28	0	0	11	3	33	2	0	0	0	0	0	9	28
29	0	0	38	13	38	44	0	56	54	50	6	47	29
30	0	X	3	6	2	141	28	0	86	15	89	0	30
31	0	X	7	X	24	X	13	0	X	4	X	78	31
TOTAL	332	01	226	251	422	289	326	184	435	601	224	272	35-13
*Days with "01 in. or more.	14	1	11	21	18	8	17	9	18	22	16	15	170
*Days with "04 in. or more.	8	0	8	15	15	6	15	7	14	20	11	12	131

Section

A

for the entry of Daily Observations.

Station No.

1764

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.Kept at Oakhayes, Broadway, Exeter
in the County of DevonDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 200 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	44	21	10	0	4	16	0	0	0	0	2	165	1
2	42	0	70	0	72	40	0	0	0	0	0	17	2
3	5	11	24	0	3	0	0	0	0	0	0	0	3
4	14	0	2	0	8	0	0	0	0	0	0	0	4
5	2	0	30	0	7	0	0	0	0	10	1	0	5
6	1	52	0	0	9	0	0	0	0	7	0	0	6
7	0	10	0	0	10	0	10	0	0	16	0	0	7
8	0	0	2	0	3	0	5	0	0	3	0	0	8
9	0	4	0	0	43	4	1	1	0	9	5	0	9
10	0	14	0	0	0	0	11	2	0	61	0	0	10
11	0	0	0	0	0	35	26	15	0	0	0	0	11
12	12	0	0	25	3	13	24	0	65	3	0	7	12
13	0	0	0	0	5	16	23	17	0	9	4	0	13
14	4	0	0	0	0	11	7	13	0	39	20	0	14
15	55	0	22	0	0	10	67	2	0	8	21	0	15
16	0	1	74	0	0	0	0	0	7	18	0	0	16
17	0	7	16	0	0	0	0	0	0	0	0	0	17
18	7	0	13	0	0	0	0	0	0	0	0	0	18
19	22	0	15	0	0	13	0	0	5	0	55	2	19
20	0	2	0	0	0	42	0	0	4	0	3	1	20
21	0	0	0	0	0	6	0	6	0	2	0	0	21
22	0	0	0	9	0	54	0	31	49	0	0	0	22
23	0	92	0	16	0	18	0	0	23	28	0	0	23
24	0	52	0	16	0	0	0	2	18	4	0	0	24
25	0	112	0	26	0	35	0	0	9	0	0	12	25
26	0	42	0	29	0	0	0	0	28	2	0	0	26
27	0	2	0	0	17	0	0	0	2	31	5	55	27
28	0	7	0	42	3	0	47	0	0	20	0	28	28
29	0	0	0	3	30	0	3	0	0	0	0	7	29
30	6	X	0	1	0	0	3	0	16	2	0	12	30
31	5	X	13	X	3	X	0	0	X	4	X	0	31
TOTAL	2.19	4.29	291	167	220	3.13	226	.89	226	276	116	307	28.79
*Days with ".01 in. or more.	13	15	12	9	15	14	14	9	11	19	9	11	149
*Days with ".04 in. or more.	11	12	10	7	10	14	14	5	10	14	6	8	116

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. S. Chatterock

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 1764

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Oakhayes Woodbury, Exeter
in the County of DevonDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 20 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	5	0	0	0	0	0	0	96	3	0	10	47		1
2	9	0	6	0	0	0	0	0	72	3	29	18		2
3	2	0	0	0	0	0	0	54	0	34	0	30		3
4	9	0	6	2	31	30	0	10	9	17	0	32		4
5	4	0	9	0	20	23	0	94	0	4	3	37		5
6	0	0	30	4	27	0	0	0	2	42	0	42		6
7	3	0	0	0	0	0	0	16	0	9	4	65		7
8	2	0	0	0	13	0	0	0	1	3	22	33		8
9	0	0	29	1	0	0	0	0	0	0	37	10		9
10	18	0	25	40	0	0	0	0	0	0	14	1		10
11	54	0	6	48	0	0	0	12	0	0	0	57		11
12	8	0	0	0	0	0	0	30	0	0	0	16		12
13	38	0	0	46	0	0	0	0	0	0	5	57		13
14	24	0	36	1	0	0	0	0	0	2	45	29		14
15	4	0	8	0	12	0	0	0	3	15	12	47		15
16	2	0	25	0	0	0	0	0	6	5	0	42		16
17	6	0	1	0	0	0	0	0	8	1	0	33		17
18	8	0	26	69	0	0	0	0	8	0	0	20		18
19	3	0	17	0	0	10	0	0	6	0	0	5		19
20	0	0	7	16	0	0	0	0	1	1	0	0		20
21	0	0	10	0	0	13	0	5	0	30	0	51		21
22	0	0	7	0	0	0	37	21	27	0	0	83		22
23	14	0	2	10	0	99	0	0	26	5	0	15		23
24	0	6	3	4	0	16	5	0	6	10	0	5		24
25	19	4	0	17	0	22	0	0	1	32	0	95		25
26	2	0	4	1	0	5	0	0	6	0	0	2		26
27	0	0	0	0	0	4	0	4	6	0	3	40		27
28	0	0	0	20	0	0	0	39	25	2	0	76		28
29	0	0	0	0	0	0	0	0	7	3	0	3		29
30	2	X	0	0	0	0	3	25	8	4	0	21		30
31	0	X	0	X	0	X	4	0	X	8	X	5		31
TOTAL	2.36	10	257	279	103	192	49	4.06	2.31	230	184	10.17	31.94	
*Days with .01 in. or more.	21	2	19	14	5	8	4	12	20	20	11	30	166	
*Days with .04 in. or more.	14	2	16	10	5	8	3	12	14	13	10	26	133	

† Spare column, no entries required.

40-9999
*See Instruction 2 (f) on other side.

(Signed) P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

1764

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Oakhayes, Boddington, Exeter*
in the County of *Devon*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *—* in.,, Ground ,, Sea Level *200* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.2	0	76	0	0	34	2	0	13	4	12	13		1
2	0	2	5	0	0	0	0	0	12	24	5	13		2
3	0	0	12	0	16	32	0	0	5	92	22	3		3
4	3	19	0	6	9	22	0	0	5	4	44	15		4
5	0	15	8	8	0	3	0	0	11	17	0	0		5
6	0	0	0	31	0	72	0	0	0	5	28	26		6
7	0	0	0	29	0	3	0	0	0	26	2	2		7
8	0	0	0	29	0	0	0	0	25	5	32	5		8
9	0	0	0	29	0	4	0	0	8	59	22	0		9
10	6	0	12	4	0	3	0	0	0	0	54	4		10
11	16	0	16	0	0	21	0	8	18	0	12	0		11
12	4	11	0	0	0	24	0	8	3	0	0	0		12
13	3	0	0	16	0	10	0	6	1	0	27	0		13
14	0	7	0	52	0	23	0	0	2	0	92	20		14
15	0	0	0	78	12	15	0	0	22	0	11	12		15
16	0	0	17	9	0	34	0	0	38	0	113	0		16
17	0	0	10	3	100	27	0	14	9	0	7	0		17
18	0	4	0	17	1	0	55	0	8	5	3	17		18
19	0	0	0	2	19	5	10	0	1	12	37	0		19
20	0	27	0	16	26	0	0	0	0	0	27	0		20
21	0	52	0	10	0	0	0	0	6	0	0	0		21
22	0	0	2	17	0	0	0	0	2	9	0	0		22
23	0	6	3	4	13	0	0	48	15	42	0	48		23
24	0	55	0	0	0	18	0	76	9	21	0	17		24
25	26	0	0	7	0	0	0	0	0	0	0	15		25
26	0	67	0	0	0	0	0	35	20	0	2	81		26
27	0	12	0	0	6	0	0	0	3	2	2	56		27
28	0	6	0	0	10	0	0	10	11	5	0	3		28
29	0	0	0	0	0	0	0	0	9	0	7	46		29
30	0	X	0	0	0	14	0	57	5	2	50	51		30
31	0	X	0	X	9	X	0	4	X	82	X	23		31
TOTAL	.60	2.77	1.51	3.67	2.21	3.64	.67	2.52	2.61	4.16	6.11	4.70	35.17	
*Days with "or in. or more.	7	13	9	19	11	18	3	8	25	18	22	20	173	
*Days with ".04 in. or more.	4	12	7	17	10	15	2	8	19	16	18	17	145	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

A. S. Bhattock

[P. T. O.]

Section

A

for the entry of Daily Observations.

Station No. 1764

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936 .

Kept at Oakhayes, Woodbury Exeter
in the County of DevonDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. r, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	1	18	0	12	0	46	66	0	0	0	0	6		1
2	0	0	0	5	0	19	53	0	2	0	12	0		2
3	0	0	0	88	0	6	12	5	91	0	20	1		3
4	0	0	12	0	0	5	5	0	52	0	2	22		4
5	59	8	4	0	0	0	9	0	5	0	0	10		5
6	8	0	3	0	0	5	16	3	20	0	18	5		6
7	10	0	21	0	0	0	3	0	3	0	23	0		7
8	34	0	59	0	0	0	23	0	0	0	50	0		8
9	43	41	12	0	0	2	18	0	4	0	4	0		9
10	8	23	0	0	0	0	2	4	0	0	25	0		10
11	42	8	0	0	0	5	10	0	6	0	77	13		11
12	1	0	0	0	0	6	20	0	40	0	7	0		12
13	5	0	3	0	0	3	2	0	0	3	9	85		13
14	0	3	0	2	0	0	37	0	11	2	10	40		14
15	3	0	0	0	0	0	35	0	11	0	9	24		15
16	0	22	0	0	34	0	18	0	0	0	6	18		16
17	10	80	0	0	0	0	34	0	0	0	0	36		17
18	9	30	15	0	0	76	48	1	0	6	0	8		18
19	66	0	16	5	0	26	3	1	0	0	0	0		19
20	3	24	18	0	0	0	0	0	33	0	0	1		20
21	0	14	7	79	0	6	2	0	0	0	0	3		21
22	2	32	21	0	0	0	20	0	0	0	0	0		22
23	10	7	5	21	8	0	5	0	0	12	0	0		23
24	30	2	10	0	26	0	72	0	27	17	0	0		24
25	25	0	36	9	0	0	13	0	0	21	0	0		25
26	15	5	24	0	0	0	23	0	1	4	0	0		26
27	28	6	2	0	0	0	16	0	6	0	0	0		27
28	76	1	64	0	0	0	9	0	0	2	0	23		28
29	3	3	2	0	0	19	6	0	0	5	9	9		29
30	24	x	0	0	0	4	0	0	0	8	0	0		30
31	8	x	46	x	14	x	3	0	x	0	x	34		31
TOTAL	5.23	3.27	3.80	2.21	7.4	2.27	5.63	1.4	2.92	.80	2.81	3.38	33.20	
* Days with .01 in. or more.	25	18	20	8	3	14	29	5	15	10	15	17	179	✓
* Days with .04 in. or more.	19	14	16	7	3	12	23	2	12	7	14	14	143	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1764

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Woodburyin the County of Devon

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	5	1	2	6.4	0	0	0	0	4	5	0	75		1
2	0	39	0	19	0	0	0	0	10	0	0	0		2
3	0	22	15	7	9	0	0	0	0	0	0	0		3
4	9	74	0	0	6	0	0	0	0	0	0	49		4
5	14	0	0	1	0	0	49	0	0	0	0	0		5
6	3	49	54	17	1	0	24	0	0	0	5	0		6
7	0	78	3	3	0	2	0	0	0	0	6	33		7
8	0	2	0	0	84	0	8	0	0	0	6	0		8
9	3	0	29	17	5	0	4	0	63	2	0	0		9
10	36	0	84	41	0	13	1	8	0	0	0	26		10
11	6	0	43	23	41	7	32	0	0	0	0	0		11
12	72	31	8	31	21	22	9	90	11	0	0	51		12
13	0	5	97	15	0	4	0	25	6	0	0	0		13
14	0	1	7	7	0	0	38	20	2	0	0	5		14
15	31	1	9	33	0	0	23	0	15	0	0	15		15
16	12	9	34	1	0	0	1	21	75	0	29	0		16
17	82	6	61	0	0	0	0	0	10	0	17	0		17
18	10	9	13	0	0	27	0	0	50	0	23	16		18
19	11	0	7	0	6	0	0	0	6	0	2	5		19
20	49	10	3	0	7	0	0	0	0	0	0	64		20
21	66	38	13	10	31	0	10	0	21	2	12	3		21
22	36	2	7	0	27	8	5	0	15	47	33	0		22
23	26	23	0	0	2	0	0	0	0	24	57	3		23
24	49	44	3	0	0	0	0	0	0	76	0	5		24
25	4	61	50	0	7	0	0	0	0	41	0	0		25
26	0	21	6	0	15	0	0	0	0	0	0	0		26
27	0	28	0	2	0	0	0	0	0	53	0	0		27
28	22	19	0	0	0	0	0	0	0	17	0	0		28
29	5	X	0	0	0	0	0	0	0	52	15	0		29
30	30	X	0	0	0	0	0	0	0	1	15	0		30
31	62	X	0	X	0	X	0	0	X	73	X	0		31
TOTAL	6.43	5.73	5.42	2.91	2.62	.83	2.04	1.64	2.88	3.93	2.20	3.50	40.13	✓
* Days with .01 in. or more.	23	23	21	16	14	7	12	5	13	12	12	13	171	✓
* Days with .04 in. or more.	21	18	16	12	12	6	10	5	12	9	11	11	143	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) E. Chatterock [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1764

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Woodburyin the County of DevonDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1.....ft.....in.,, Ground ,, Sea Level ...2.02.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0	4	0	0	2	44	0	7	0	55	2	9		1
2	0	10	0	0	0	0	0	0	0	20	1	20		2
3	0	0	0	0	18	2	34	12	0	32	0	1		3
4	0	0	0	0	2	7	0	244	0	17	0	8		4
5	0	0	0	0	0	2	0	0	2	35	0	1		5
6	8	0	0	0	0	16	121	0	5	5	0	2		6
7	13	0	0	0	0	2	16	0	12	2	5	6		7
8	41	0	0	0	0	0	1	5	0	5	0	0		8
9	15	2	0	0	0	13	0	0	0	0	0	38		9
10	15	0	0	0	0	2	0	0	0	0	0	73		10
11	7	0	0	0	0	0	10	18	0	0	32	61		11
12	20	0	0	0	17	0	3	0	0	26	39	20		12
13	10	0	0	0	16	0	0	0	0	1	40	60		13
14	79	0	0	0	14	0	62	0	0	0	0	0		14
15	7	0	0	0	14	0	29	0	0	20	24	19		15
16	9	3	0	0	1	0	0	0	0	0	31	1		16
17	0	13	0	0	4	0	0	0	0	16	0	1		17
18	14	0	0	0	22	9	0	2	23	0	29	0		18
19	0	0	0	0	0	0	0	0	19	0	46	0		19
20	0	0	0	0	0	0	0	0	0	0	11	0		20
21	0	0	0	0	0	0	0	5	12	0	15	28		21
22	1	0	0	13	0	24	0	48	0	4	28	5		22
23	0	0	0	5	7	0	0	0	0	0	10	2		23
24	0	0	12	0	0	0	0	7	6	0	28	0		24
25	7	33	03	0	16	0	45	0	0	4	122	9		25
26	42	24	0	0	38	12	7	0	0	0	2	3		26
27	9	2	0	0	10	13	37	44	0	0	12	0		27
28	11	5	0	0	12	0	0	68	0	0	0	4		28
29	12	✓	0	0	35	76	0	0	21	28	20	3		29
30	2	✕	0	0	2	25	2	0	26	0	10	3		30
31	20	✕	0	✕	12	✕	0	0	✕	10	✕	18		31
TOTAL	3.42	.96	.15	.18	2.44	2.47	3.67	4.60	1.27	2.80	5.10	3.95	31.01	✓
* Days with .01 in. or more.	20	9	2	2	18	14	12	11	9	16	20	24	157	✓
* Days with .04 in. or more.	18	5	1	2	14	10	9	10	8	14	17	15	123	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) E. Chattock [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1764

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Woodburyin the County of Devon

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.9	0	.5	.6	.1	.0	.13	.4	.6	.0	.48	.0		1
2	.13	0	0	.27	.0	.0	.1	.37	.74	.0	.8	.7		2
3	.28	0	.5	.51	.0	.0	.0	.12	.0	.0	.20	.37		3
4	.2	0	.40	.18	.26	0	.57	.2	.0	.75	.20	.43		4
5	.0	0	.2	.8	.0	.0	.17	.16	.0	.30	.82	.0		5
6	.39	0	.7	.8	.0	.0	.54	.5	.0	.25	.16	.0		6
7	0	.18	.3	0	.0	.0	.0	.6	.0	.0	.47	.30		7
8	.2	.20	0	0	.2	.0	.5	.5	.0	1.47	.35	.8		8
9	0	.1	.6	0	.0	.0	.0	.0	.0	.12	.1	.6		9
10	.21	0	0	0	.0	.5	.0	.17	.5	.2	.2	.15		10
11	0	.1	.7	0	.0	.0	.0	.0	.0	.7	.1	.0		11
12	0	.9	0	.2	.0	.0	.0	.0	.0	.3	.0	.0		12
13	0	0	0	.9	.0	.6	.36	.0	.12	.87	.5	.0		13
14	.79	0	0	0	.0	.9	.24	.0	.0	.5	.20	.0		14
15	.34	0	0	.13	.9	.54	.14	.0	.0	.1	.15	.5		15
16	.12	0	0	.5	.0	.0	.17	.0	.0	.0	.10	.0		16
17	.67	0	0	.0	.0	.5	.43	.0	.0	.0	.0	.0		17
18	0	0	.5	.0	.0	.15	.87	.0	.0	.0	.54	.8		18
19	.19	0	0	.0	.0	.0	.11	.11	.0	.0	.0	.11		19
20	.27	.22	0	0	.5	.6	.3	1.81	.0	.0	.0	.20		20
21	.8	0	.2	.0	.0	.31	.2	.5	.0	.0	.0	.0		21
22	.48	.35	.21	.0	.0	.64	.24	.0	.0	.0	.25	.10		22
23	.3	0	.3	.14	.0	.0	.8	.0	.0	.3	.91	.0		23
24	.95	0	.40	.13	.0	.53	.20	.0	.0	.2	.0	.0		24
25	.63	.8	0	.5	.0	.0	.10	.11	.0	.0	.14	.0		25
26	.1	.4	0	.7	.0	.17	.0	.7	.0	.5	.17	.0		26
27	0	.19	0	.1	.0	.9	.0	.38	.0	.3	.7	.0		27
28	0	.2	0	.10	.0	.6	.4	.17	.0	.0	.25	.0		28
29	0	—	0	.5	.0	.14	.12	.0	.0	.23	.0	.0		29
30	0	~~X~~	0	.33	.0	.26	.0	.13	.0	.39	.4	.0		30
31	0	~~X~~	0	~~X~~	0	~~X~~	.0	.5	~~X~~	.59	~~X~~	.0		31
TOTAL	5.68	1.39	1.46	2.35	.43	2.30	4.62	3.92	.97	5.18	5.67	1.70	Year's Total	36.87
* Days with .01 in. or more.	18	11	13	18	5	15	21	18	4	18	23	12		176
* Days with .04 in. or more.	15	8	9	16	3	15	18	14	4	12	20	12		149

† Spare column/no entries required.

(Signed) W. Bhattock [P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 1764

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19840

Kept at Oakhays, Woodbury, Exeter

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

Ground Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0	2	0	0	13	0	0	0	0	0	17	0		1
2	0	7	0	14	38	0	0	0	0	0	59	11		2
3	8	90	0	0	0	0	0	0	0	19	71	14		3
4	1	26	0	4	0	0	6	0	0	23	12	1		4
5	4	0	0	0	0	0	0	0	0	2	37	8		5
6	28	56	0	0	0	0	3	0	0	8	3	14		6
7	6	0	0	0	0	0	12	0	0	1	0	6		7
8	0	2	0	0	0	0	1	0	0	52	20	24		8
9	0	0	0	0	0	0	64	0	0	4	59	13		9
10	0	0	0	0	0	0	32	0	5	7	20	65		10
11	0	0	0	3	0	0	17	0	0	0	42	4		11
12	0	0	16	0	0	20	22	0	53	0	13	0		12
13	0	0	28	1	0	0	1	0	3	85	1.33	0		13
14	0	6	5	10	44	0	0	0	15	31	0	47		14
15	0	0	0	9	1	0	31	0	14	20	45	2		15
16	0	1.25	35	13	0	0	6	0	5	0	0	3		16
17	0	17	47	0	0	0	5	0	2	32	26	0		17
18	14	28	36	65	0	0	0	0	0	7	0	0		18
19	0	4	17	14	0	0	0	0	54	1	12	0		19
20	0	0	1	5	0	0	0	0	0	12	3	0		20
21	0	0	0	0	25	0	6	0	0	0	36	0		21
22	0	0	8	0	0	55	0	0	10	0	0	0		22
23	6	0	22	23	2	0	0	0	0	32	0	0		23
24	0	0	0	4	0	0	40	0	0	0	0	0		24
25	13	0	19	3	4	5	0	0	0	0	0	0		25
26	49	51	0	0	45	0	7	0	0	0	0	0		26
27	15	13	5	12	28	0	0	0	0	0	0	0		27
28	23	13	0	2	1	0	0	0	0	4	0	0		28
29	10	8	12	4	10	3	0	0	0	32	0	17		29
30	1	X	0	1.06	0	0	0	0	0	27	0	12		30
31	10	X	1	X	0	X	0	0	X	68	X	61		31
TOTAL	1.88	4.48	2.72	2.91	2.11	.83	2.53	0	1.61	4.67	6.08	3.02	Year's Total 3284	
* Days with .01 in. or more.	14	15	14	16	11	4	15	0	9	20	17	16	151	
* Days with .04 in. or more.	12	13	12	13	8	3	12	0	7	17	15	13	125	

† Spare column, no entries required.

(Signed)

W. Shattock

[P.T.O.]

* See Instruction 3 (f) on other side.

Section **A** for the entry of Data
AIR MINISTRY.
FORM 1090.
" **REGISTRI**
Kept at **LITTLE ORCHARD**
near **EXETER**
in the County of **DEVON**.
Diameter of Funnel of Gauge **5**
Height of top of Gauge above Ground
" Ground " Sea Level

1765
COPY FOR OFFICIAL USE.
L ORGANIZATION.

1765
WOODBURY, LITTLE ORCHARD
1931 — 40

780308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

37-

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20	.63	.13	.03	—	.22	—	Trace	—	—	—	Trace	1
2	Trace	.08	—	.50	—	—	.02	—	.29	—	—	.10	2
3	.37	.03	Trace	.67	.12	—	.14	—	.34	—	.15	.14	3
4	.17	—	1.04	.03	—	—	—	—	.13	—	1.51	.01	4
5	Trace	—	Trace	—	.07	.05	.25	Shot Saker Thunder .47	—	.03	Trace	.01	5
6	—	—	.12	.04	—	.69	—	Thunder dist. 1.47	—	—	.08	.20	6
7	—	.06	Short Trace	Trace	.22	.13	Thunder	—	—	.13	.08	.47	7
8	—	.02	Short Trace	.13	.12	.24	.86	.18	—	.02	Thunder .81	.07	8
9	Short Trace	.23	Short Trace	Trace	—	.06	.02	Trace	—	—	Thunder Shores	—	9
10	—	.12	Short Trace	—	—	.15	.02	—	—	—	Thunder Shores	—	10
11	.02	—	—	—	.06	.23	.03	.07	Thunder .69	—	1.29	—	11
12	—	.45	—	Trace	Trace	—	—	Trace	—	—	.28	—	12
13	.19	.04	—	Trace	—	.01	.05	Trace	.08	—	—	—	13
14	—	.01	—	—	.08	.08	—	.15	.10	.14	—	—	14
15	.02	.10	—	—	—	.46	1.24	.07	.05	Trace	.42	.05	15
16	Trace	.09	—	—	—	—	—	.55	Trace	—	—	—	16
17	Trace	.13	—	.03	.55	—	—	.05	—	—	—	—	17
18	Trace	.07	—	.11	.35	.14	—	—	.05	—	Trace	—	18
19	.01	Trace	.04	.13	Thunder	—	.30	.08	—	.18	—	—	19
20	Trace	.08	—	.10	—	.26	.42	—	.09	Trace	.65	—	20
21	.02	.06	.19	.11	—	—	—	.05	—	—	.08	—	21
22	.03	Trace	.23	—	.21	—	Trace	Trace	—	.02	Trace	—	22
23	.40	—	—	.06	.81	—	.02	—	—	—	Trace	—	23
24	.15	.01	—	.20	.81	Trace	.01	—	—	—	.52	—	24
25	Trace	Trace	—	.06	.81	—	.72	.63	Trace	—	.07	—	25
26	.20	Trace	—	.89	.01	—	.19	—	Trace	—	.27	—	26
27	.02	Trace	—	.11	—	—	.35	—	—	—	.52 Akree	—	27
28	.12	Trace	—	—	.54	—	Trace	—	—	Trace	Trace	—	28
29	.08	Trace	.12	—	.05	—	.01	—	—	—	Trace	Trace	29
30	—	X	.12	—	—	—	Trace	.20	—	.02	.10	.26	30
31	.12	X	Trace	X	—	X	Trace	.06	X	Trace	X	.37	31 ^d
TOTAL	2.58	1.74	1.89	3.46	2.86	3.07	4.38	3.81	1.80	.36	6.79	1.68	34.39
*Days with "or in. or more.	16	17	9	15	15	13	18	12	10	6	18	10	159
*Days with ".04 in. or more.	10	13	8	13	14	12	10	12	10	2	16	8	120

40-9999

*See Instruction 2 (f) on other side.

(Signed) **Jessie Waters**

P.T.O.

FORM 1090.
"Kept at LITTLE ORCHARD WOODBURY
near EXETER
in the County of DEVON.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 200 ft.

corr. for WD.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

37-

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20	.63	.13	.03	—	.22	—	Trace	—	—	—	Trace	1
2	Trace	.08	—	.80	—	—	.02	—	.29	—	—	.10	2
3	.37	.03	Trace	.67	.12	—	.14	—	.34	—	.18	.14	3
4	.17	—	1.04	.03	—	—	—	—	.13	—	1.51	.01	4
5	Trace	—	gale	—	.07	.08	.28	Shut Saker Thunder .47	—	.03	Trace	.01	5
6	—	—	.12	.04	—	.69	—	Thunder obscured	—	—	.08	.20	6
7	—	.06	Shut Trace	Trace	.22	.13	Thunder	—	—	.13	—	.47	7
8	—	.02	Shut Trace	.13	.12	.24	.86	.18	—	.02	Thunder .81	.07	8
9	Shut Trace	.23	Shut Trace	Trace	—	.06	.02	Trace	—	—	Thunder Shut	—	9
10	—	.12	Shut Trace	—	—	.15	.02	—	—	—	Thunder Shut	—	10
11	.02	—	—	—	.06	.23	.03	.07	Thunder .67	—	1.29	—	11
12	—	.45	—	Trace	Trace	—	—	Trace	—	—	.28	—	12
13	.19	.04	—	Trace	—	.01	.03	Trace	.08	—	—	—	13
14	—	.01	—	—	.08	.08	—	.18	.10	.14	—	—	14
15	.02	.10	—	—	—	.46	1.24	.07	.05	Trace	.42	.06	15
16	Trace	.09	—	—	—	—	—	.55	Trace	—	—	—	16
17	Trace	.13	—	.03	—	.55	—	.05	—	—	—	—	17
18	Trace	.07	—	.11	.35	.14	—	—	.05	—	Trace	—	18
19	.01	Trace	.04	.13	Thunder	—	—	1.30	.08	—	.18	—	19
20	Trace	.08	—	.10	—	.26	.42	—	.09	fine	.63	—	20
21	.02	.06	.19	.11	—	—	—	.05	—	—	.08	—	21
22	.03	Trace	.23	—	.21	—	Trace	Trace	—	.02	Trace	—	22
23	.40	—	—	.06	—	—	.02	—	—	—	Trace	—	23
24	.18	.01	—	.20	.81	Trace	.01	—	—	—	.52	—	24
25	Trace	Trace	—	.06	—	—	.72	.63	Trace	—	.07	—	25
26	.20	Trace	—	.89	.01	—	.19	—	Trace	—	.27	—	26
27	.02	Trace	—	.11	—	—	.35	—	—	—	.52 Trace	—	27
28	.12	Trace	—	—	.54	—	Trace	—	—	Trace	Trace	—	28
29	.08	Trace	.12	—	.05	—	.01	—	—	—	Trace	Trace	29
30	—	X	.12	—	—	—	Trace	.20	—	.02	.10	Shut .26	30
31	.12	X	Trace	X	—	X	Trace	.06	X	Trace	X	.37	31 d
TOTAL	2.58	4.11	1.89	3.46	2.86	3.07	4.38	3.81	1.80	.36	6.79	1.68	YEAR'S TOTAL 34.39
*Days with "or in. or more.	16	17	9	15	X15	13	X18	18	10	X6	18	10	159
*Days with ".04 in. or more.	10	13	8	13	X14	13	10	12	10	2	16	8	120

Section

A

for the entry of Daily Observations.

Station No. 1765

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at LITTLE ORCHARD WOODBURY, N. EXETER.
in the County of DEVON.Diameter of Funnel of Gauge FIVE in.Height of top of Gauge above Ground ONE ft. in.,, Ground ,, Sea Level 200 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

8.6.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.37	-	-	.09	.06	.87	.02	.45	.74	.86	-	1.1	1
2	-	-	-	.03	-	.02	-	-	-	-	.03	-	2
3	Trace	-	-	.45	.03	Trace	.02	-	-	-	-	-	3
4	-	-	-	-	.13	.73	.01	-	-	-	-	-	4
5	.05	-	-	-	-	.19	.07	-	-	-	-	-	5
6	-	-	-	-	.10	-	.03	-	-	-	.32	Shr	6
7	-	-	-	-	-	-	-	-	-	1.14	-	Trace	7
8	.42	-	.35	.35	-	-	-	-	-	-	-	Trace	8
9	.03	SNOW	.01	.01	.02	-	-	-	-	-	-	.09	9
10	1.35	SNOW	-	.05	-	.03	-	-	-	-	-	Trace	10
11	.37	-	-	SNOW	.04	-	-	-	-	-	-	Trace	11
12	.04	-	-	SNOW	.02	-	-	-	-	-	-	Trace	12
13	.54	-	-	Trace	.50	-	-	.94	-	-	-	.02	13
14	-	-	-	-	-	-	.33	-	-	-	-	.42	14
15	.16	-	-	-	-	-	Trace	-	-	-	-	.02	15
16	-	-	-	.23	.54	-	Trace	-	-	-	Trace	Trace	16
17	.06	-	-	Trace	-	-	.73	-	-	-	-	Trace	17
18	Trace	-	-	-	-	-	.10	-	-	-	.06	-	18
19	-	-	-	.07	.30	-	-	-	-	-	.22	-	19
20	-	-	-	-	.26	-	-	-	-	-	-	1.	20
21	.07	-	-	Trace	1.16	.04	-	.23	-	-	.28	-	21
22	.01	Trace	.10	.03	-	-	-	-	-	-	.02	.26	22
23	.01	-	-	Trace	.01	-	-	-	-	-	-	-	23
24	-	-	-	.15	Trace	-	.23	-	-	-	Trace	-	24
25	-	-	-	Trace	Trace	-	Thunder	.83	-	-	.01	-	25
26	-	.01	-	-	Trace	-	Trace	-	-	-	.26	-	26
27	-	-	.06	-	.10	-	.10	-	-	-	.01	-	27
28	-	-	.43	.03	.20	-	-	-	-	-	-	1.12	28
29	-	-	.13	.65	.36	-	.05	-	-	-	-	-	29
30	-	X	-	.13	-	1.58	-	-	.86	-	-	Trace	30
31	-	X	.01	.06	.82	.02	.45	.74	X	-	.10	Trace	31
TOTAL	3.10	.05	1.18	2.02	4.60	2.21	2.95	4.35	4.35	6.01	2.21	3.81	34.84
*Days with .01 in. or more.	17	2	8	19	19	7	13	8			15	17	126
*Days with .04 in. or more.	8	1	6	14	15	4	10	8			10	11	87

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Jesse Waters

P.T.O.

3.10 .05 1.18 2.02 4.60 2.21 2.95 4.35 4.35 6.01 2.21 3.81 34.84

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 1765

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Little Orchard South Croft
in the County of X Woodbury (South Croft) X
Devon

Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. — in.
Ground Sea Level 200 ft.

Totals Jan - Sept covered
found from this station after
adjustment for W.O. & accumulations
This is a continuation record & should be
printed with footnote.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										.13	.11			1
2										.08	.09			2
3										.22	.02			3
4										.18	.14			4
5										Tn	.03	Tn		5
6										.05	.22	.23		6
7										.23	.02	.02		7
8										.02	.34	.02		8
9										.55	.23	Tn		9
10										—	Tn	.03		10
11										.01	.52	.01		11
12										.01	.12	—		12
13										—	.24	—		13
14										—	.91	.20		14
15										—	.12	.07		15
16										Tn	1.01	Tn		16
17										—	.04	—		17
18										.02	.04	.16		18
19										.10	.54	—		19
20										—	.26	Tn		20
21										.07	Tn	—		21
22										.02	—	—		22
23										.47	—	.53		23
24										.10	—	.26		24
25										—	Tn	.16		25
26										—	.01	.81		26
27										.02	.02	.55		27
28										.03	.01	.03		28
29										Tn	.04	.52		29
30		X								.03	.45	.54		30
31		X		X		X			X	.79	X	.22		31
TOTAL	.44	2.59	.80	4.05	2.19	2.92	.45	2.58	2.98	3.88	5.78	4.72	Year's Total (33.38)	
* Days with .01 in. or more.	27	1014	57	1420	511	514	4	78	1821	1920	24	21	136 (171)	
* Days with .04 in. or more.	45	912	57	1216	510	59	4	78	1516	1112	19	15	111 (133)	

40-9999

Footnote

Gauge formerly at Little Orchard

Same column, no entries required

* See Instruction 2 (f) on other side. moved 100 yds N. 51x135.

(Signed)

H. G. T. C. FRASER

H. G. T. C.

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at LITTLE ORCHARD WOODBURY N. EXETER.in the County of DEVONDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft in.,, Ground ,, Sea Level 200 ft.

W.D.

Adjusted for W.D. and
AccumulationQTS
23/3

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	—	.10	—	—	—	.12	—	.05	.15	—	—		1
2	Trace	.01	x	.02	—	x	.14	—	.15	.39	—	—		2
3	—	—	x	—	—	x	—	—	.10	—	—	—		3
4	—	Gale	x	Trace	x	1.83	—	—	x	.97	—	—		4
5	—	Gale	x	x	x	x	—	—	x	—	—	—		5
6	—	Gale	x	x	—	x	—	—	x	—	—	—		6
7	—	.15	—	.40	—	x	—	—	.05	—	—	—		7
8	—	—	.25	.26	—	—	—	—	—	—	—	—		8
9	—	—	—	Gale	—	.25	—	—	.25	—	—	—		9
10	.09	—	—	Star	x	1.66	—	—	—	—	—	—		10
11	x	x	.35	.70	—	—	—	—	—	—	—	—		11
12	x	.13	—	.01	—	x	—	.08	.27	—	—	—		12
13	—	—	—	—	—	x	—	—	.02	—	—	—		13
14	—	.18	—	Gale	—	.67	—	—	.01	—	—	—		14
15	.13	Trace	.15	Gale	—	—	—	—	.26	—	—	—		15
16	—	—	—	Gale	x	—	—	—	.02	—	—	—		16
17	—	—	—	x	—	—	—	.14	.41	—	—	—		17
18	—	.18	—	x	x	—	—	—	.09	—	—	—		18
19	—	—	—	1.62	1.66	.05	.25	—	.09	—	—	—		19
20	—	—	—	—	x	—	.04	—	Trace	—	—	—		20
21	—	x	—	—	.18	Trace	—	—	—	—	—	—		21
22	—	.25	—	x	.04	—	—	—	.15	—	—	—		22
23	.19	x	—	.49	—	—	—	—	—	—	—	—		23
24	—	.05	.05	.04	—	—	—	.45	x	—	—	—		24
25	—	x	—	—	.06	—	—	.80	x	.32	—	—		25
26	—	.75	—	.04	—	—	—	—	—	—	—	—		26
27	.05	x	—	—	—	—	—	—	.18	—	—	—		27
28	—	x	—	—	x	.26	—	x	.40	x	—	—		28
29	—	1.10	—	—	—	—	—	—	.66	.15	—	—		29
30	—	x	—	—	.26	—	—	x	—	—	—	—		30
31	—	.10	—	x	—	.72	—	.05	x	—	x	—		31
TOTAL	.44	2.59	.80	4.05	2.19	2.92	.43	2.58	2.98	—	—	—	Year's Total	
*Days with *0.1 in. or more.	7	14	7	20	11	14	4	8	21	—	—	—		
*Days with *0.4 in. or more.	2	12	7	16	10	9	4	8	16	—	—	—		

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Station No. 1765



AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at South Croft, Woodbury
in the County of Devon

Diameter of Funnel of Gauge.....five in.
Height of top of Gauge above Ground one ft — in.
 Ground Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.16	<u>T_a</u>	.13	—	.37	.66	<u>T_a</u>	—	—	.01	.03		1
2	<u>T_a</u>	<u>T_a</u>	—	.07	—	.12	.51	<u>T_a</u>	.21	—	.11	.01		2
3	—	—	—	.89	—	.05	.12	.04	<u>.71</u>	—	.18	.01		3
4	<u>T_a</u>	—	.12	<u>T_r</u>	—	.05	<u>T_r</u>	—	.31	—	.03	.13		4
5	.59	.07	.02	—	—	—	.10	<u>T_r</u>	.03	—	.01	.13		5
6	.08	<u>T_a</u>	.04	—	—	.03	.18	.02	.21	—	.18	<u>T_r</u>		6
7	.10	—	.35	—	—	<u>T_r</u>	.01	—	.01	—	.23	.03		7
8	.36	—	.57	—	—	—	.24	—	—	—	.47	.01		8
9	.45	.38	.10	—	—	.01	.16	—	.03	—	.02	—		9
10	.09	.34	—	—	—	—	.01	.05	<u>T_r</u>	—	.21	—		10
11	.41	.05	—	—	<u>T_a</u>	.09	.13	—	.05	—	.85	.10		11
12	<u>T_a</u>	—	—	.01	—	.02	.20	—	.42	<u>T_r</u>	.07	.02		12
13	.04	<u>T_a</u>	.03	—	—	.03	.01	—	—	.02	.08	.78		13
14	—	.02	—	.01	—	<u>T_r</u>	.41	<u>T_r</u>	.10	.02	<u>T_r</u>	.43		14
15	.02	.01	—	—	.01	—	.31	—	.04	—	.09	.22		15
16	<u>T_a</u>	.26	—	—	.30	—	.23	—	—	—	.06	.18		16
17	.07	<u>.92</u>	—	.02	.01	—	.41	—	—	.01	<u>T_r</u>	.32		17
18	.10	.30	.16	—	—	.73	.30	.01	—	.05	—	.11		18
19	.74	<u>T_a</u>	.17	.04	—	.10	.02	.03	—	—	—	—		19
20	.03	.31	.18	.07	—	.01	<u>T_r</u>	—	.36	—	—	.01		20
21	—	.12	.12	.80	—	.05	.01	—	<u>T_r</u>	—	—	—		21
22	.08	.31	.16	—	—	—	.20	—	<u>T_r</u>	—	—	.03		22
23	.05	.06	.07	.20	.08	—	.05	—	<u>T_r</u>	.08	—	—		23
24	.30	.02	.12	—	.22	—	.53	—	.23	.19	—	.01		24
25	.28	—	.41	.08	—	—	.09	—	<u>T_r</u>	.18	—	—		25
26	.18	.03	.19	<u>T_a</u>	<u>T_r</u>	—	.21	—	.03	.02	—	—		26
27	.30	.06	.02	—	—	—	.14	—	.05	.18	—	—		27
28	<u>.90</u>	.02	.72	<u>T_r</u>	—	.01	.09	—	—	.01	.01	.27		28
29	.01	.02	.01	—	—	.20	.01	—	—	.05	.07	.09		29
30	.23	✕	<u>T_a</u>	—	—	.04	<u>T_r</u>	—	—	.08	<u>T_r</u>	<u>T_r</u>		30
31	.07	✕	.52	✕	.16	✕	.02	—	✕	—	✕	.37		31
TOTAL	5.49	3.46	4.08	2.32	.78	1.91	5.36	0.15	2.79	0.89	2.68	3.29	Year's Total. 33.20	✓
* Days with .01 in. or more.	24	19	20	11	6	16	28	4	15	12	17	21	193	✓
* Days with .04 in. or more.	20	13	16	8	4	10	21	2	11	7	12	12	136	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. 1765

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at South Croft, Woodbury
in the County of Devon
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. — in.
„ Ground „ Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.01	.01	.86	—	—	—	—	.13	.01	.01	.69		1
2	<u>T_n</u>	.40	.02	.23	—	—	—	—	—	<u>T_n</u>	—	.03		2
3	—	.22	.17	.09	.12	—	.01	—	.05	—	<u>T_n</u>	—		3
4	.13	.80	.01	<u>T_n</u>	.04	—	—	.01	—	—	—	.44		4
5	.10	<u>T_n</u>	.02	.02	<u>T_n</u>	—	.61	—	—	—	—	.08		5
6	.03	.67	.53	.17	.01	—	.02	—	—	<u>T_n</u>	—	<u>T_n</u>		6
7	<u>T_n</u>	.75	.02	.03	—	.02	—	—	—	—	.09	.26		7
8	—	.01	<u>T_n</u>	—	.12	—	.08	—	—	—	.06	.07		8
9	.02	—	.34	.18	.02	—	.03	.01	.60	.01	—	.04		9
10	.32	.01	.83	.34	.11	.14	.02	.09	—	—	—	.22		10
11	.03	—	.58	.25	.30	.07	.25	<u>T_n</u>	—	—	—	.02		11
12	.71	.34	.03	.31	.34	.25	.09	.98	.09	—	—	.48		12
13	<u>T_n</u>	.04	.96	.16	—	.03	—	.25	.06	—	—	.01		13
14	—	.01	.09	.09	—	—	.74	.17	.01	—	—	.02		14
15	.31	.04	.24	.31	—	—	.16	—	.04	—	—	.14		15
16	.08	.07	.35	<u>T_n</u>	—	—	<u>T_n</u>	.21	.82	—	.40	<u>T_n</u>		16
17	.87	.06	.59	—	—	—	<u>T_n</u>	.01	<u>T_n</u>	—	.21	—		17
18	.07	.08	.18	—	—	.27	—	—	.44	—	.25	.17		18
19	.11	.01	.06	.04	.09	—	<u>T_n</u>	—	.04	—	.01	.70		19
20	.43	.07	.04	.06	.04	—	.12	—	.01	—	—	—		20
21	.67	.35	.15	.01	.37	—	—	—	.33	.02	.13	.02		21
22	.30	.01	.06	—	.27	.07	.04	—	.13	.50	.43	.06		22
23	.29	.27	<u>T_n</u>	—	.01	—	—	—	<u>T_n</u>	.26	.49	.01		23
24	.47	.47	.01	—	—	—	—	—	.02	.88	<u>T_n</u>	<u>T_n</u>		24
25	.07	.61	.55	—	.12	—	—	—	.02	.52	—	<u>T_n</u>		25
26	.01	.20	.02	—	.06	—	—	—	—	<u>T_n</u>	—	.01		26
27	.02	.27	—	<u>T_n</u>	—	—	—	—	—	.48	—	—		27
28	.18	.03	—	—	—	—	—	—	—	.16	.01	—		28
29	.02	~~X~~	—	—	—	—	—	—	—	.58	.17	—		29
30	.38	~~X~~	—	—	—	<u>T_n</u>	—	—	<u>T_n</u>	<u>T_n</u>	.16	—		30
31	.58	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.80	~~X~~	—		31
TOTAL	6.24	5.80	5.86	3.15	3.02	0.85	2.17	1.73	2.79	4.22	2.42	3.47	Year total 41.72	✓
* Days with .01 in. or more.	25	25	24	16	15	7	12	8	15	11	13	19	190	✓
* Days with .04 in. or more.	19	18	16	13	12	5	8	5	11	8	10	12	137	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

T. D. W. W. W.
Lt. Col. / A.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1765

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *South Croft Woodbury*
in the County of *Devon*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
" Ground " Sea Level *200* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.04	Tr	—	.01	.40	.06	.06	—	.54	.01	.07		1
2	—	.04	—	—	—	—	Tr	Tr	—	.16	.01	.18		2
3	—	Tr	—	—	.17	.02	.07	.22	—	.30	.03	.01		3
4	Tr	—	—	—	.03	.07	—	2.12	—	.17	Tr	.08		4
5	—	—	—	Tr	—	.02	.01	Tr	.03	.32	—	.01		5
6	.07	—	—	—	—	.19	1.34	—	.02	.03	.01	.02		6
7	.11	—	—	—	—	.03	.14	—	.11	.03	.02	.06		7
8	.40	Tr	—	—	—	.01	.06	.05	—	.06	—	.01		8
9	.12	.03	—	—	—	.08	Tr	—	—	—	—	.41		9
10	.14	.03	—	—	—	Tr	.02	—	—	—	—	.82		10
11	.07	Tr	—	—	—	.01	.08	.14	—	—	.31	.76		11
12	.23	—	—	—	.16	—	Tr	—	—	.24	.60	.20		12
13	.11	—	—	—	.14	—	—	—	—	Tr	.18	.66		13
14	.79	Tr	—	—	.13	—	.57	—	—	—	Tr	Tr		14
15	.09	—	—	—	.15	—	.30	Tr	—	.22	.27	.23		15
16	.06	Tr	—	—	Tr	—	.01	—	—	Tr	.37	.01		16
17	—	.12	.01	—	.07	—	—	—	—	.13	.01	.02		17
18	.13	—	—	—	.08	.08	—	.02	.25	.01	.28	—		18
19	Tr	—	—	—	—	—	—	.04	.22	—	.50	Tr		19
20	—	—	—	—	—	—	—	—	.01	—	.08	Tr		20
21	.01	—	—	—	—	—	—	.02	.08	—	.15	.36		21
22	—	—	—	.11	—	.11	—	.42	Tr	.03	.31	.04		22
23	—	—	—	.05	—	—	—	.01	—	Tr	.08	.02		23
24	.01	—	.13	Tr	.08	—	—	.06	.05	—	.29	Tr		24
25	.07	.34	.01	—	.13	—	.48	Tr	.01	.04	1.22	.07		25
26	.32	.23	—	—	.37	Tr	.07	—	—	.08	.01	.07		26
27	.10	.01	—	—	.08	.07	.34	.46	—	.01	.13	Tr		27
28	.09	.05	—	—	.12	.07	Tr	.74	.01	—	.01	.03		28
29	.08	X	Tr	—	.37	.01	—	Tr	.23	.28	.18	.02		29
30	.02	X	—	—	.01	.64	.01	—	.14	Tr	.08	.02		30
31	.19	X	—	X	.11	X	—	—	X	.09	X	.19		31
TOTAL	3.21	.89	.15	.16	2.21	1.81	3.56	4.36	1.16	2.74	5.14	4.37	Year's Total	
* Days with .01 in. or more.	21	9	3	2	17	15	15	13	12	18	24	25	29.76	✓
* Days with .04 in. or more.	18	6	—	2	14	9	11	10	7	13	16	15	174	✓
													121	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 1765

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at South Croft

in the County of Woodbury Devon

Diameter of Funnel of Gauge fine in.

Height of top of Gauge above Ground one ft. in.

Ground Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	—	.06	.03	.02	—	.11	.05	.04	—	.47	.01		1
2	.10	—	Tr	.28	Tr	—	.01	.36	.83	—	.06	.06		2
3	.30	—	.02	.56	—	—	.05	.10	Tr	—	.20	.37		3
4	.03	—	.46	.16	.29	—	.55	Tr	—	.73	.16	.11		4
5	Tr	Tr	.02	.09	—	—	.17	.10	—	.27	.92	.01		5
6	.52	Tr	.08	.08	—	—	.50	.04	—	.31	.15	—		6
7	Tr	.20	.03	Tr	—	Tr	Tr	.05	—	—	.52	.37		7
8	Tr	.22	Tr	—	.03	—	.02	.07	—	1.63	.46	.05		8
9	Tr	Tr	.04	—	—	—	—	.10	—	.06	.02	.05		9
10	.29	—	Tr	—	—	.05	—	.07	.04	.02	.02	.13		10
11	—	.01	.06	—	—	—	—	Tr	—	.07	.01	Tr		11
12	—	.07	—	.03	—	.01	—	—	.02	.02	Tr	—		12
13	.02	—	—	.09	Tr	.05	.35	—	.09	.91	.03	—		13
14	.86	—	—	.15	Tr	.08	.25	—	.01	.04	.22	.01		14
15	.39	—	Tr	Tr	.08	.56	.17	—	—	.01	.13	.04		15
16	.12	—	—	.05	Tr	—	.17	—	—	Tr	.08	Tr		16
17	.76	—	—	—	.03	.05	.56	—	—	—	.03	—		17
18	Tr	Tr	.04	—	.01	.18	.82	—	—	—	.49	.08		18
19	.25	—	—	—	—	.04	.08	.09	—	—	Tr	.10		19
20	.28	—	—	—	.01	.10	.04	1.89	—	—	—	.09		20
21	.04	.22	.02	—	—	.39	.11	.04	—	—	—	—		21
22	.43	.35	.14	Tr	—	.60	.15	—	—	—	.24	—		22
23	.01	Tr	.03	.12	—	.01	.09	—	—	—	.84	—		23
24	1.26	—	.36	.14	—	.50	.14	—	—	.03	—	Tr		24
25	.46	.07	Tr	.08	—	—	.07	.12	—	.02	.12	Tr		25
26	.02	.02	—	.08	—	.14	—	.09	—	.06	.12	—		26
27	Tr	.19	—	.02	—	.08	.01	.49	—	.02	.06	—		27
28	Tr	.02	—	.09	—	.08	.03	Tr	—	—	.25	—		28
29	—	~~X~~	—	.04	—	.16	.13	—	—	.24	Tr	—		29
30	—	~~X~~	.03	.30	—	.44	Tr	.15	—	.56	.01	.02		30
31	—	~~X~~	—	~~X~~	—	~~X~~	Tr	.03	~~X~~	.43	~~X~~	.01		31
TOTAL	6.22	1.37	1.39	2.39	.47	3.52	4.58	3.84	1.03	5.43	5.61	1.51	Year's Total 37.36	37.36
* Days with .01 in. or more.	19	10	14	18	7	18	23	17	6	18	24	16	190	190
* Days with .04 in. or more.	15	7	8	15	2	16	19	16	4	12	18	11	143	143

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) T. D. ... 1/1/40 [P.F.O.]

Section



for the entry of Daily Observations

Station No. 1765

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19840

Kept at *South Croft, Woodbury*
in the County of *Devon*
Diameter of Funnel of Gauge *five* in.
Height of top of Gauge above Ground *one* ft. in.
„ Ground „ Sea Level *200* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.02	—	.01	.43	Tr	Tr	—	—	—	.15	—		1
2	—	.09	—	.16	—	—	—	—	—	—	.60	.09		2
3	.07	.86	—	.01	—	—	—	—	—	.20	.66	.15		3
4	.02	.19	—	.02	—	—	.06	—	—	.12	.13	.01		4
5	.04	Tr	—	—	—	—	—	—	—	.02	.41	.09		5
6	.29	.63	—	—	—	—	.04	—	—	.08	.02	.10		6
7	.07	.01	—	—	—	—	.15	—	Tr	.01	—	.05		7
8	.01	.02	—	.01	—	—	.03	Tr	—	.53	—	.25		8
9	—	—	—	—	—	—	.52	.01	.01	.05	.50	.14		9
10	—	—	—	.03	—	—	.29	Tr	.05	.07	.15	.52		10
11	—	—	.03	—	—	—	.14	—	—	Tr	.42	.02		11
12	—	—	.15	.02	—	.20	.21	—	.52	—	.12	Tr		12
13	—	Tr	.33	.07	—	—	.02	—	.01	.29	1.30	.42		13
14	—	.05	.01	.07	.43	—	.01	—	.15	.87	Tr	.26		14
15	Tr	Tr	—	.13	.01	—	.29	—	.13	.20	.46	.01		15
16	.04	1.29	.66	.01	—	—	.06	—	.02	.30	.18	Tr		16
17	—	.21	.40	.72	—	—	.05	—	Tr	Tr	.06	—		17
18	.17	.28	.28	.13	—	—	Tr	—	.02	.08	.01	.02		18
19	—	.04	.13	—	—	—	.08	.02	.61	.01	.10	Tr		19
20	—	Tr	.01	.01	—	—	Tr	—	Tr	.13	.02	—		20
21	—	—	Tr	—	.22	Tr	Tr	—	Tr	—	.33	—		21
22	—	—	.08	.20	—	.55	—	—	.06	—	Tr	—		22
23	—	.05	.20	.06	.02	—	.03	—	—	.35	Tr	.01		23
24	.02	Tr	Tr	Tr	.04	—	.35	—	—	—	—	Tr		24
25	.16	—	.20	Tr	.21	.04	Tr	—	—	—	—	—		25
26	.50	.46	—	.12	.24	Tr	.06	—	—	—	Tr	—		26
27	.22	.11	.04	.02	.35	Tr	—	—	—	—	—	.01		27
28	.16	.14	—	.05	.02	—	—	—	—	—	—	.01		28
29	.12	.07	.10	1.10	—	.04	—	—	—	.05	—	.18		29
30	.02	~~X~~	Tr	.06	.09	—	—	—	—	Tr	Tr	.13		30
31	.09	~~X~~	.01	~~X~~	—	~~X~~	—	—	~~X~~	1.04	~~X~~	.70		31
TOTAL	2.00	4.52	2.63	3.01	2.06	.83	2.39	.03	1.58	4.40	5.62	3.17	32.24	
* Days with .01 in. or more.	16	17	15	21	11	4	17	2	10	18	18	20	169	
* Days with .04 in. or more.	12	14	11	12	8	4	13	—	2	15	15	13	123	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

H. W. A. 1/1/41

[R.F.O.]

Section **A** for the entry of
AIR MINIST
FORM 1090
REGI
Kept at **SHILLINGFORD**
in the County of **Devon**
Diameter of Funnel of Gauge.....
Height of top of Gauge above G
Ground " S
THE MORNING MEASU

1766/3
SHILLINGFORD RECTORY
1938-40

766/3 Station No. **766/3**
FALL ORGANIZATION
338 **766/3** 157683/32
with station 90 29/3

780308

OUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1								.14	-	.54	.03	.13		1
2								h	-	.17	.01	.13		2
3								.30	-	.34	.03	h		3
4								1.19	-	.15	-	.06		4
5								h	h	.35	h	.01		5
6								h	.10	-	-	.01		6
7								.07	.01	.05	h	.15		7
8								.05	-	.05	-	h		8
9								h	-	-	.03	.54		9
10								.03	-	-	-	.47		10
11								.08	.17	-	-	.34	1.04	11
12								h	h	-	.27	.62	.02	12
13								h	h	-	-	.26	.71	13
14								.40	-	.01	-	.01		14
15								h	-	-	.17	.30	.27	15
16								-	.01	-	h	.24	.02	16
17								-	h	h	.18	h	.04	17
18								-	-	.25	.05	.27	h	18
19								-	.03	.08	-	.66	-	19
20								-	-	.01	-	.14	-	20
21								-	-	.17	-	.14	.09	21
22								-	.55	h	.02	.22	.02	22
23								-	.01	h	h	.10	.01	23
24								h	.03	.03	-	.34	-	24
25								h.27	-	.04	.02	.96	.03	25
26								.03	-	-	.18	.03	.08	26
27								.32	.33	-	.03	.13	-	27
28								h.33	.57	-	h	.01	.01	28
29								h-	-	.14	.18	.13	.01	29
30								-	-	.23	h	.08	.02	30
31								-	-	h	.10	h	.15	31
TOTAL								(2.63)	3.45	1.07	2.85	5.07	4.03	17.60
* Days with .01 in. or more.								h	13	11	17	22	24	93
* Days with .04 in. or more.								h	9	7	14	16	13	63

* See Instruction 3 (f) on other side.

REV C.L. OFERRALL

† Spare column, no entries required.

(Signed)

C.L. OFERRALL

[P.F.O.]

Section



for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

File No. 157683/32

Kept at S. HILLINGFORD Rectory

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

Ground Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1								.14	-	.54	.03	.13		1
2								h	-	.17	.01	.13		2
3								.30	-	.34	.03	h		3
4								1.19	-	.15	-	.06		4
5								h	h	.35	h	.01		5
6								h	.10	-	-	.01		6
7								.07	.01	.05	h	.15		7
8								.05	-	.05	-	h		8
9								h	-	-	.03	.54		9
10								.03	-	-	-	.47		10
11								.08	.17	-	-	.34	1.04	11
12								h	h	-	.27	.62	.02	12
13								h	h	-	-	.26	.71	13
14								.40	-	.01	-	.01		14
15								h	-	-	.17	.30	.27	15
16								-	.01	-	h	.24	.02	16
17								-	h	h	.18	h	.04	17
18								-	-	.25	.05	.27	h	18
19								-	.03	.08	-	.66	-	19
20								-	-	.01	-	.14	-	20
21								-	-	.17	-	.14	.09	21
22								-	.55	h	.02	.22	.02	22
23								-	.01	h	h	.10	.01	23
24								h	.03	.03	-	.34	-	24
25								h.27	-	.04	.02	.96	.03	25
26								.03	-	-	.18	.03	.08	26
27								.32	.33	-	.03	.13	-	27
28								h.28	.37	-	h	.01	.01	28
29								h-	-	.14	.18	.13	.01	29
30		h						-	-	.23	h	.08	.02	30
31		h		h		h		-	-	h	.10	h	.15	31
TOTAL								1.13	3.45	1.07	2.85	3.07	4.03	17.60
* Days with .01 in. or more.								13	11	17	22	24	93	
* Days with .04 in. or more.								9	7	14	16	13	63	

† Spare column, no entries required.

(Signed)

B. J. FERRALL

[P.O.]

* See Instruction 3 (f) on other side.

REV C. L. OFERRALL

Section



for the entry of Daily Observations

Station No. 1766/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

File No. 157683/32

Kept at Shillingford S. George Rectory

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

Ground Sea Level 200 ft.

f 157683/32

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.19	-	.21	.02	.02	-	.03	.04	-	-	1.21	.01		1
2	.24	-	-	.37	-	-	-	.28	.51	-	.13	.03		2
3	.19	-	.01	.31	-	-	-	.08	.04	-	.33	.35		3
4	.02	-	.61	.50	.28	-	.49	.01	-	.78	.14	.15		4
5	t.	-	.03	.09	-	-	.35	.01	-	.29	.88	.02		5
6	.40	-	.06	.22	-	-	.46	.01	-	.22	.18	-		6
7	t.	.10	t.	-	-	-	.01	.01	-	.01	.29	.27		7
8	-	.21	.02	t.	.02	-	.02	.03	t.	1.20	.39	.04		8
9	.01	t.	.02	-	-	-	-	.02	-	.11	.03	.03		9
10	.17	-	-	-	-	-	-	.12	.01	.15	t.	.23		10
11	.03	.01	.07	-	-	-	-	t.	-	.05	.01	-		11
12	.01	.04	t.	.05	-	t.	-	-	.01	.01	.01	-		12
13	t.	t.	-	.06	-	t.	.27	-	.11	.76	.03	-		13
14	1.01	-	-	-	.01	t.	.32	-	.03	.07	.18	.04		14
15	.70	-	-	.03	.03	.50	.64	-	-	.03	.11	.02		15
16	.15	-	-	.05	t.	-	.31	-	-	t.	.10	-		16
17	.66	-	-	t.	-	.07	.20	-	-	-	.02	-		17
18	.01	.01	.03	-	.01	t.	1.61	-	-	-	.64	.12		18
19	.17	t.	-	-	t.	-	.16	.26	-	-	t.	.12		19
20	.32	-	-	-	.01	.20	.03	.91	-	-	-	.09		20
21	.04	.35	.04	-	.01	.33	.13	.05	-	-	-	-		21
22	.51	.27	.19	.01	t.	.63	.14	-	t.	-	.12	.01		22
23	.01	.14	.05	.21	-	t.	.07	-	-	.01	.83	-		23
24	.91	-	.41	.07	-	.51	.14	.08	-	.10	t.	.01		24
25	.58	t.	t.	.04	-	-	.04	-	-	.15	.12	-		25
26	.01	-	-	.12	-	.01	t.	.16	-	.20	.21	.01		26
27	-	.09	-	.02	-	.17	t.	.01	-	-	.06	-		27
28	-	.11	-	.11	-	.02	.01	-	-	.19	.18	.02		28
29	-	X	.02	.06	-	.08	.20	-	-	.40	-	-		29
30	-	X	-	.27	-	.04	t.	.08	-	-	-	-		30
31	-	X	-	X	-	X	t.	.10	X	.53	X	.01		31
TOTAL	5.34	1.33	1.77	2.61	.39	2.56	5.63	2.26	.71	5.26	6.20	1.58	35.64	Year's Total
* Days with .01 in. or more.	22	10	14	19	8	11	21	18	6	19	23	19	190	
* Days with .04 in. or more.	15	8	8	15	1	9	16	11	3	15	18	9	128	

REV. C. L. O'FERRALL

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

C. L. O'Ferrall

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1766/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

File No. 157683/32

Kept at Shillingford St. George Rectoryin the County of DevonDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 8 in.,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.07	h	.05	.43	-	-	-	-	-	.26	-		1
2	-	.17	-	.13	h	-	-	-	-	-	.69	.08		2
3	.07	1.08	-	h	-	-	h	h	-	.12	.80	.17		3
4	.01	.24	-	.11	-	-	.09	h	-	.08	.11	-		4
5	.03	.17	-	-	-	-	.01	-	-	.01	.01	.12		5
6	.32	.75	-	-	-	-	.01	-	-	.07	.78	.21		6
7	.06	h	-	h	-	-	.04	-	h	-	-	.02		7
8	h	.01	-	-	-	-	.01	-	-	.52	.23	.23		8
9	-	-	-	-	-	-	.50	h	h	.02	.72	.14		9
10	-	-	-	-	-	-	.18	h	.03	.15	.15	.77		10
11	-	.01	.03	.02	-	-	.25	-	-	-	.52	.07		11
12	-	-	.14	h	-	.46	.22	-	.53	-	.18	h		12
13	-	h	.33	-	-	-	-	-	h	.80	1.05	.42		13
14	-	.03	.02	.07	.20	-	.01	h	.28	.45	.04	.43		14
15	.01	h	-	.14	h	-	.60	-	.09	.08	.65	.01		15
16	.05	1.19	.55	.17	-	-	.07	-	.01	.27	.17	h		16
17	-	.27	.55	.03	-	-	.05	-	-	h	.06	-		17
18	.31	.29	.35	.42	.01	-	-	.01	.13	.20	.06	.05		18
19	-	.04	.20	.19	-	-	.25	-	.29	h	.10	-		19
20	-	-	.01	.03	-	-	-	.05	-	.16	h	h		20
21	-	h	.02	-	.18	-	-	-	h	.01	.52	-		21
22	-	h	.06	.03	.03	.66	h	-	.09	.03	h	h		22
23	-	.08	.22	.03	.11	h	.01	-	-	.43	h	-		23
24	.03	-	h	-	.06	h	.45	-	-	h	h	-		24
25	.11	-	.30	.01	.12	.10	h	-	-	-	-	-		25
26	.41	.55	h	.10	.43	.04	.13	-	-	-	-	-		26
27	.38	.11	.08	.52	.15	h	-	-	-	-	-	-		27
28	.33	.07	.01	.09	.01	-	-	h	-	-	-	.01		28
29	.17	.14	.06	1.36	h	.02	-	-	-	.03	-	.16		29
30	.06	~~x~~	-	.13	.01	-	-	-	-	.49	h	.15		30
31	.04	~~x~~	h	~~x~~	-	~~x~~	-	-	~~x~~	.70	~~x~~	.71		31
TOTAL	2.39	5.27	2.93	3.63	1.74	1.26	2.88	.06	1.45	4.62	6.10	3.75	Year's Total 36.10	
* Days with .01 in. or more.	16	18	16	19	12	5	17	2	8	19	19	17	168	
* Days with .04 in. or more.	12	15	11	13	8	4	12	1	6	14	18	14	128	

† Spare column, no entries required.

(Signed)

E. L. Fennell

[P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of
AIR MINISTR

FORM 1090.

REGIS

Kept at Altamira Tol
in the County of Deer

Diameter of Funnel of Gauge.....
Height of top of Gauge above Groun
,, Ground ,, Sea I

1767
FOR OFFICIAL USE.
FALL ORGANIZATION.
31.

1767
TOPSHAM, ALTAHIRA
1931 ——— 38

780306

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	.70	.11	.11	.09	-	.19	-	-	-	1
2	.34	.01	-	.66	-	-	.10	-	.53	-	-	.18	2
3	.11	-	.82	-	-	-	-	-	-	-	1.33	-	3
4	.03	-	.18	.04	.06	.11	.24	.28	-	-	-	-	4
5	.01	.47	.08	-	-	.59	.01	.14	.17	-	.07	.14	5
6	-	.09	-	-	.09	.20	.22	-	-	.15	-	.46	6
7	-	.02	-	-	-	.09	.09	-	-	-	.83	-	7
8	-	.13	-	.24	.20	.38	.02	.13	-	-	.55	.08	8
9	-	-	-	.01	-	.04	-	-	.10	-	.17	-	9
10	-	.10	-	-	.04	.05	-	-	-	-	.40	-	10
11	.06	.31	-	-	-	.22	.25	.12	-	-	.47	-	11
12	.01	.83	-	-	-	.5	.23	-	.15	.13	.23	-	12
13	.02	.01	-	-	.06	-	-	-	-	-	.01	-	13
14	.01	.03	-	-	.01	.07	.93	.10	-	-	.44	-	14
15	-	.08	-	-	-	-	-	.08	.10	-	-	-	15
16	-	.09	-	.02	.16	.35	-	.55	.08	-	-	-	16
17	-	.05	-	.11	-	.04	.31	.10	-	-	-	-	17
18	-	.05	-	.10	-	.09	.03	-	-	-	.16	-	18
19	-	.06	.07	-	-	-	.01	.95	.07	-	-	-	19
20	-	.04	.38	-	-	-	-	.04	-	-	.10	-	20
21	.15	-	-	-	.15	-	-	.17	-	-	.50	-	21
22	.39	-	-	-	-	-	-	-	-	-	.06	-	22
23	.15	-	-	.21	-	-	.02	-	-	-	.30	-	23
24	.08	-	-	.60	.59	.15	.65	.58	-	-	-	-	24
25	.12	-	-	.22	.08	-	.13	-	-	-	.28	-	25
26	-	.02	-	.07	.02	-	.29	-	-	-	-	-	26
27	.12	.02	-	-	-	-	.05	-	-	-	.58	-	27
28	-	.05	-	-	.52	-	-	-	-	-	-	-	28
29	.06	.4	-	-	.29	-	-	-	-	-	.31	-	29
30	.08	X	-	-	-	-	.03	.21	-	-	-	-	30
31	.49	X	-	X	.04	X	-	.07	X	-	X	.36	31
TOTAL	2.23	1.80	1.52	3.06	2.52	2.5	37.0	3.52	1.29	.28	4.78	1.52	28.72
*Days with or in. or more.	17	19	5	13	15	14	19	14	8	2	17	7	150
*Days with .04 in. or more.	12	11	5	11	13	14	14	14	8	2	16	7	127

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Alhambra, Tolham
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 ft.
Ground Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	.70	.11	.11	.09	-	.19	-	-	-	1
2	.34	.01	-	.66	-	-	.10	-	.53	-	-	.78	2
3	.11	-	.82	-	-	-	-	-	-	-	1.33	-	3
4	.03	-	.18	.04	.06	.11	.24	.28	-	-	-	-	4
5	.01	.47	.08	-	-	.59	.01	.14	.17	-	.07	.14	5
6	-	.09	-	-	.09	.20	.22	-	.17	.15	-	.46	6
7	-	.02	-	-	-	.09	.09	-	-	-	.83	-	7
8	-	.13	-	.24	.20	.38	.02	.13	-	-	.55	.08	8
9	-	-	-	.01	-	.04	-	-	.10	-	.17	-	9
10	-	.10	-	-	.04	.05	-	-	-	-	.40	-	10
11	.06	.31	-	-	-	.22	.25	.12	-	-	.47	-	11
12	.01	.83	-	-	-	.5	.23	-	.15	.13	.23	-	12
13	.02	.01	-	-	.06	-	-	-	-	-	.01	-	13
14	.01	.03	-	-	.01	.07	.93	.10	-	-	.44	-	14
15	-	.08	-	-	-	-	-	.08	.10	-	-	-	15
16	-	.09	-	.02	.16	.35	-	.55	.08	-	-	-	16
17	-	.05	-	.11	-	.04	.31	.10	-	-	-	-	17
18	-	.05	-	.10	-	.09	.03	-	-	-	.16	-	18
19	-	.06	.06	.07	-	-	.01	.95	.07	-	-	-	19
20	-	.04	.38	-	-	-	-	.04	-	-	.10	-	20
21	.15	-	-	-	.15	-	-	.17	-	-	.50	-	21
22	.39	-	-	-	-	-	-	-	-	-	.06	-	22
23	.15	-	-	.21	-	-	.02	-	-	-	.30	-	23
24	.08	-	-	.60	.59	.15	.65	.58	-	-	-	-	24
25	.12	-	-	.22	.08	-	.13	-	-	-	.28	-	25
26	-	.02	-	.07	.02	-	.29	-	-	-	-	-	26
27	.12	.02	-	-	-	-	.05	-	-	-	.58	-	27
28	-	.05	-	-	.52	-	-	-	-	-	-	-	28
29	.06	-	-	-	.29	-	-	-	-	-	-	.31	29
30	.08	X	-	-	-	-	.03	.21	-	-	-	-	30
31	.48	X	-	X	.04	X	-	.07	X	-	X	.36	31
TOTAL	2.23	1.80	1.52	3.06	2.52	2.50	37.0	3.52	1.29	.28	4.78	1.52	28.72
*Days with or in. or more.	17	19	5	13	15	14	19	14	8	2	17	7	150
*Days with .04 in. or more.	12	11	5	11	13	14	14	14	8	2	16	7	127

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

REGISTER OF RAINFALL IN 1932.

Kept at ALTAMIRA, TOPSHAM
in the County of DEVON

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 9 in.
Ground Sea Level 120 ft.

Jan 1st 1932
Jan 1st 1932
Di Sea 10/3/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02			.10			.04	.05			.05		1
2											.03	.12	2
3			.03	.26		.79	.10	.04	.13		.03	.09	3
4	.02					.16	.03				.23		4
5			.07										5
6				.09					.04				6
7	.37		.03		.12				.14	1.44			7
8			.28	.03	.15				.39	.09			8
9	1.08			.13	.04				.17				9
10	.32											.42	10
11				.11	.12							.12	11
12	.28			.06					.01	.16		.03	12
13	.04				.32	.08	.34	.62		1.06		.14	13
14	.30			.21	.05					.05			14
15				.22	.32					.04			15
16	.12			.05	.11		.93						16
17				.06				.10					17
18									.17		.31		18
19					.33				.06	.22			19
20					.19			.05		.52	.17		20
21			.08	.13	1.05		.02		.10	.25	.06	.44	21
22				.01	.02		.02	.07		.31	.16	.01	22
23							.12		.73	.37		.20	23
24							.60		.03	.06	.02		24
25			.56				.05		.09	.13	.01	.03	25
26			.05						.03	.09	.06		26
27			.07	.47	.11					.18			27
28			.10		.19							.06	28
29			.33		.19	.36		.45	.64	.44	.07	.57	29
30	.04	X	.10	.17	.02	1.71	.35		.91	.06	1.20		30
31		X	.05	X	.16	X	.12		X		X	.81	31
TOTAL	2.59		2.15	2.10	3.49	3.10	2.83	1.38	3.94	5.66	2.40	2.62	30.96
*Days with .01 in. or more.	10		12	15	17	5	12	7	16	19	13	13	139
*Days with .04 in. or more.	8		10	13	15	5	9	7	12	19	9	10	117

Section

A

for the entry of Daily Observations.

Station No. 1767

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.Kept at ALTAMIRAin the County of DEVONDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 4 9 in.,, Ground ,, Sea Level 120 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40	.18	.18		.06	-						1.75	1
2	.36	-	.73		.70	.49						.07	2
3	.13	.12			.02	-							3
4	.17	-			.10	-							4
5	-	.57	.38		.32	-							5
6	-					-							6
7	-	-			.02	-				.06			7
8	-	-			.02	-	.50						8
9	-	.06			.33	.03	.60			.21			9
10	.05	.07	.07		-	-	-			.56			10
11	-					-							11
12	-			.24	.05	.12	.19	.15	.60				12
13	-					.11	.04			.20			13
14	-					-	.02	.14					14
15	.47		.15			-	.35	.07		.06			15
16	-					-				.08			16
17	-		.09			.08			.07				17
18	-		.14			.03			.16				18
19	.25		.12			.00							19
20						.31							20
21				.26		.21							21
22				.17		.45		.07	.40		.23		22
23		1.73		.16		.18		.26	.16				23
24				.21				.03	.52				24
25		.96							.10			1.16	25
26		.23			.11				.16	.37			26
27		.03			.26				-	.21		.57	27
28		.09		.45			.37		-	.15		.22	28
29				.08							.27	.08	29
30		X	.04	.10			.02		.15			.24	30
31	.10	X	.02	X	.03	X			X	.06	X	-	31
TOTAL	1.93	4.04	2.99	1.67	2.02	2.40	2.09	7.2	2.41	1.96	5.03	.09	YEAR'S TOTAL 25.82
*Days with .01 in. or more.	8	(19)	(12)	8	(12+3)	11	8	6	9	11	2	7	104
*Days with .04 in. or more.	8	(9)	(11)	8	(18)	9	6	5	9	11	2	7	93

*40-9999

*See Instruction 2 (f) on other side.

(Signed)

William W. Imbush

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1767

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at ALTADIRA TOPSHAMin the County of DEVONDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 9 ft. in.,, Ground ,, Sea Level 120 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03							.89	.05		.10	.47		1
2	.06								.20		.23	.13		2
3	.01							.35		.49		.33		3
4			.06		.35				.05			.51		4
5			.14		.22	.19		.80		.11		.35		5
6			.24		.29					.04		.36		6
7										.32		.99		7
8				.05					.01	.06	.38			8
9			.31					.11				.17		9
10			.34	.53							.05			10
11	.72		.10	.59								.71		11
12	.05						.03	.10				.14		12
13	.57		.43	.45				.13				.68		13
14	.17										.34	.43		14
15	.03		.08		.15					.07	.13	.38		15
16			.32		.02						.02	.35		16
17			.02						.18	.03		.33		17
18	.13		.28	.77					.14			.22		18
19			.17	.03		.05			.06			.06		19
20			.07	.06										20
21						.13				.31		.35		21
22			.15				.27		.05			.67		22
23	.12			.12		.75						.21		23
24			.04	.03		.17	.03		.31	.14	.03			24
25	.41	.09		.17								1.04		25
26		.06	.02	.01		.16			.04			.22		26
27				.01		.03			.06			.28		27
28				.20				.47	.23			.74		28
29									.08			.03		29
30		X						.48		.05		.16		30
31		X		X		X	.08		X	.03	X	.05		31
TOTAL	2.30	.15	2.77	2.02	1.03	1.48	.41	3.33	2.15	1.65	1.28	10.16	29.73	
*Days with ".01 in. or more.	11	2	16	13	5	7	4	8	13	11	8	28	126	
*Days with ".04 in. or more.	9	2	14	9	4	6	2	8	12	9	6	25	108	

† Spare column, no entries required.

(Signed) *W. H. S. Smith*

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1767

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ALTAMIRA TOPSHAM

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 9 in.

Ground Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	-	.22				.01			.07	-	.08		1
2	-	-	-			.37			.15		-	.05		2
3	-	-	.17		.18	.15			.04	.15	.29			3
4	-	-	-		.07	.13			.16	.69				4
5	.03	.34	.07			.16			.12	.04				5
6	-		-			.65			-	.13	.27			6
7	-		-						-	.21	.04			7
8	-		-	.23					.20	.14	.21			8
9	-		-	.26		.12			.10	.16	.28			9
10	-		.13	.29		.06				.43				10
11	-		.09	.04		.20			.17		.10			11
12	.14	.09				.19		.09	.04			.61		12
13	.04					.26			.03					13
14	-								.02					14
15	-				.70	.22			.20					15
16	-	.08	.28	.13					.36		.78			16
17	-			.06	.94	.24		.10	.08					17
18	-			.20			.35				.07			18
19	-				.13				.09		.35			19
20	-	.29		.19	.53		.05							20
21	-	.47							.20					21
22	-			.16										22
23	-	.07	.04	.04				.51				.75		23
24	-	.57				.12		.35				.10		24
25	.10	.68		.08								.12		25
26		.64							.24		.03	.68		26
27		.07							.07			.52		27
28														28
29								.53						29
30		X				.11				.72	.41	1.06		30
31	.32	X		X		X			X		X	.27	30.17	31 "A"
TOTAL	.64	3.30	1.50	3.70	1.95	2.08	.41	1.58	3.27	3.20	8.30	4.31	28.32	
* Days with .01 in. or more.	6	10	7	18	6	14	3	5	18	19	12	13	10	122
* Days with .04 in. or more.	4	10	7	17	6	14	2	5	15	16	12	12	10	114

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

Ellen M. Imbush

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **1767**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.Kept at **ALTAMIRA TOPSHAM**in the County of **DEVON**Diameter of Funnel of Gauge **5** in.Height of top of Gauge above Ground **ft. 9** in.,, Ground ,, Sea Level **120** ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.10		.14		.25						.03		1
2			.08			.15	2.53	.03			.08			2
3	.10		.03				.43				.17	.01		3
4			.03	.95							.06	.12		4
5	.40		.04			.05	.20		.06			.10		5
6	.41		.18			.03			.20		.31			6
7	.15		.56				.15				.22	.04		7
8	.04		.04				.17				.35			8
9	.44	.73	.19				.16		.04		.03			9
10	.32	.33							.06		.17			10
11	.06	.15				.09	.05	.05			.79	.07		11
12				.08		.04	.17		.33		.73			12
13							.45		.12		.10	.91		13
14	.41	.08	.05				.31		.14		.07	.45		14
15									.06		.07	.27		15
16		.17		.29	.27							.12		16
17	.04	1.03					.03					.25		17
18	.09	.20	.17			.44						.09		18
19	.11	.04	.15			.39	.43							19
20	.15	.28	.09	.07	.06			.02	.22					20
21		.36	.05	.77										21
22			.25				.16							22
23		.03	.04	.12	.06		.08			.06				23
24	.22	.04	.12		.25		.56		.06					24
25	.30			.08			.13		.12	.17				25
26	.32	.03	.15				.23			.02				26
27		.03	.04				.53							27
28	.83		.65				.26			.10		.30		28
29	.02	.06				.43	.14				.08	.16		29
30	.25	X					.09			.07				30
31	.08	X	.46	X	.26	X			X	.02	X			31
* TOTAL	4.80	3.65	3.37	2.53	.90	1.87	7.21	.11	2.42	1.44	2.13	2.93	33.36	✓
* Days with .01 in. or more.	21	16	20	8	5	9	21	3	12	6	14	14	149	✓
* Days with .04 in. or more.	19	13	18	8	5	8	20	1	12	5	13	12	134	✓

Year's Total.

Section



for the entry of Daily Observations

Station No.

1767

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ALCAMIRA TOPSTAM

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 9 ft.

Ground Sea Level 120 ft.

Wet Days only
Con for B.A.S.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	1.40	1.03	1.02	1.56	-	-	-	-	1.08	-	1.61	1.80		1
2	1.05	1.30	-	1.16	-	-	1.03	-	1.08	1.04	1.03	-		2
3	1.05	1.33	-	1.05	1.10	-	-	-	-	-	-	-		3
4	1.07	1.74	-	1.00	1.03	-	-	-	-	-	-	1.30		4
5	1.02	1.00	1.04	1.02	-	-	1.38	-	-	-	-	1.12		5
6	1.03	1.42	1.41	1.19	-	-	-	-	-	-	-	-		6
7	1.02	1.93	1.04	1.05	-	1.02	-	-	-	-	-	1.16		7
8	-	-	-	-	1.64	-	1.03	-	-	-	-	1.05		8
9	1.09	-	1.06	1.16	1.12	-	1.02	-	-	-	1.08	1.03		9
10	1.13	-	1.03	1.32	-	1.00	-	-	1.63	1.01	-	1.25		10
11	1.05	-	1.30	1.23	1.44	1.07	1.22	-	-	-	-	1.03		11
12	1.07	1.33	1.06	1.15	1.10	1.25	1.00	1.75	-	-	-	-		12
13	-	1.04	1.16	1.17	-	1.04	-	1.20	1.09	-	-	1.37		13
14	-	-	1.07	1.05	-	-	1.09	-	1.06	-	-	1.03		14
15	1.34	1.05	1.08	1.31	-	-	1.11	-	-	-	-	1.03		15
16	1.14	1.06	1.73	1.06	-	-	-	1.18	1.00	-	-	1.12		16
17	1.07	1.06	1.63	-	-	-	-	-	1.09	-	1.28	-		17
18	1.16	1.05	1.18	-	-	1.35	-	-	1.02	-	1.12	1.14		18
19	1.18	1.02	1.03	1.05	1.06	-	-	-	1.71	-	1.14	1.20		19
20	1.64	1.04	1.14	1.06	1.09	-	-	-	1.06	-	1.02	1.12		20
21	1.54	1.37	1.13	-	1.25	-	1.04	-	-	1.05	-	1.03		21
22	1.33	-	1.03	-	1.31	1.08	1.02	-	1.20	1.00	1.14	1.04		22
23	1.30	1.18	-	-	1.13	-	-	-	1.05	1.09	1.35	-		23
24	1.34	1.42	1.05	-	-	-	-	-	-	1.51	1.52	-		24
25	1.17	1.65	1.59	-	-	-	-	-	1.09	1.24	-	1.07		25
26	-	1.52	1.06	-	1.15	-	-	-	-	-	-	-		26
27	-	1.19	-	-	-	-	-	-	-	1.41	-	-		27
28	1.09	1.05	-	-	-	-	-	-	-	1.09	1.02	-		28
29	1.06	-	-	-	-	-	-	-	-	1.41	1.10	-		29
30	1.31	-	-	-	-	-	-	-	-	-	1.14	-		30
31	1.42	-	-	-	-	-	-	-	-	1.65	-	-		31
TOTAL	6.58	5.73	3.81	25.9	24.2	2.9	10.3	11.3	3.09	32.3	26.4	29.13	36.09	
* Days with .01 in. or more.	24	21	21	16	12	7	10	3	13	11	13	18	16	
* Days with .04 in. or more.	23	19	16	8	11	6	6	3	12	10	10	12	14	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. A. H. Smith

[P.T.O.]

Section **A** for the entry of Daily Observations Station No. 1767
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Altamira Tapahan
 in the County of Devon
 Diameter of Funnel of Gauge.....in.
 Height of top of Gauge above Ground.....ft.....in.
 „ Ground „ Sea Level.....ft.

BA

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	0.3	-	-	-									1
2	-	0.5	-	-	-									2
3	-	-	-	-	0.16									3
4	-	-	-	-	0.3									4
5	-	-	-	-	-									5
6	0.7	-	-	-	-									6
7	0.7	-	-	-	-									7
8	0.4	-	-	-	-									8
9	1.1	0.5	-	-	-									9
10	0.9	-	-	-	-									10
11	0.7	-	-	-	-									11
12	0.6	-	-	-	-									12
13	1.6	-	-	-	0.18									13
14	0.9	-	-	-	0.10									14
15	0.6	-	-	-	0.17									15
16	0.6	-	-	-	0.14									16
17	-	0.1	-	-	-									17
18	0.3	-	-	-	0.0									18
19	-	-	-	-	0.33									19
20	-	-	-	-	-									20
21	-	-	-	-	-									21
22	-	-	-	0.04	-									22
23	-	-	-	0.8	-									23
24	-	-	0.13	-	-									24
25	0.10	0.33	0.04	-	-									25
26	0.05	0.15	-	-	-									26
27	0.25	0.02	-	-	-									27
28	0.4	0.06	-	-	-									28
29	0.7	-	-	-	-									29
30	0.2	0.1	-	-	-									30
31	0.16	X	X	X	X				X		X			31
TOTAL	3.36	0.80	0.17	0.12	(wp)								Year's Total	
* Days with .01 in. or more.	19	8	2	2										wp in complete
* Days with .04 in. or more.	18	7	2	2										sp 11/4/39

Moved to Exmouth (Little Combe) 1767/3

1768.

TROOD HOUSE EXMINSTER

1931-40.

No. 1768

89729/29

COPY FOR OFFICIAL USE.

OFFICE.—BRITISH RAINFALL ORGANIZATION.

INFALL IN 1931.

ED TO THE PREVIOUS DAY.

reading made on January 1st of the following

Jan. 1, following

year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
<i>hundredths of</i> in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	01	—	47	09	—	10	—	19	6	—	—	1
2	31	01	6	74	6	—	6	—	28	6	34	22	2
3	12	—	86	6	—	—	06	—	13	6	1.96	02	3
4	02	—	23	—	03	04	19	25	09	<i>Greenland</i> 6	13	6	4
5	—	28	36	04	05	52	01	03	—	—	05	18	5
6	—	18	—	6	05	19	23	—	—	20	09	42	6
7	—	03	—	—	20	22	24	10	—	02	1.17	05	7
8	<i>6 snow</i>	11	—	14	6	44	01	06	—	01	24	04	8
9	01	10	6	6	—	04	03	—	—	—	38	6	9
10	—	06	—	6	05	07	01	01	22	—	60	—	10
11	21	49	—	—	<i>6</i> 23	06	—	01	—	—	24	6	11
12	6	09	—	—	—	—	19	—	04	13	6	—	12
13	—	04	—	—	07	<i>6</i> 21	15	—	08	—	—	—	13
14	02	04	—	—	01	22	69	14	02	—	47	—	14
15	6	14	—	6	26	—	6	48	—	—	—	04	15
16	—	17	—	07	09	36	—	04	07	—	—	—	16
17	01	06	—	06	—	01	36	—	6	—	01	—	17
18	01	—	01	15	—	07	38	80	—	—	23	—	18
19	01	09	08	<i>summer</i> 07	—	40	03	04	11	—	39	6	19
20	01	06	32	—	—	—	—	35	—	—	29	—	20
21	13	02	02	—	15	—	6	—	—	01	6	—	21
22	44	—	01	09	17	—	—	03	—	—	—	—	22
23	23	01	—	35	64	—	02	—	—	—	39	—	23
24	13	01	—	22	13	20	58	51	—	—	02	—	24
25	24	—	—	32	04	—	10	—	—	—	29	—	25
26	01	02	—	18	—	<i>6</i> 34	—	6	—	—	49	6	26
27	12	15	—	6	29	—	07	—	—	—	28	—	27
28	08	12	06	01	02	02	—	02	—	06	6	10	28
29	02	X	09	—	16	—	01	31	—	6	08	18	29
30	11	X	—	—	03	—	—	03	01	—	6	—	30
31	65	X	08	X	09	X	02	—	X	—	X	35	31
TOTAL	2.89	2.29	2.12	3.48	3.27	3.03	3.94	3.35	1.17	0.46	8.04	1.60	YEAR'S TOTAL 35.64
*Days with .01 in. or more.	21	23	11	14	20	15	23	17	11	7	21	10	193
*Days with .04 in. or more.	12	16	8	13	16	13	15	12	8	3	19	9	144

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Thomson

P.T.O.

6th January 1932

FORM 1090.

REGISTER OF RAINFALL IN 1931 .


Kept at TROOD HOUSE, EXMINSTER
in the County of DEVON

Diameter of Funnel of Gauge. 5 in.
Height of top of Gauge above Ground. 1 ft. 0 in.
Ground Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.



Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
<i>hundredths</i> 1 in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	01	—	47	04	—	10	—	19	6	—	—	1
2	31	01	6	74	6	—	6	—	28	6	34	22	2
3	12	—	86	6	—	—	06	—	13	6	1.96	02	3
4	02	—	23	—	03	04	19	25	09	6	13	6	4
5	—	28	36	04	05	52	01	03	—	—	05	18	5
6	—	18	—	6	05	19	23	—	—	20	09	42	6
7	—	03	—	—	20	22	24	10	—	02	1.17	05	7
8	6 snow	11	—	14	6	44	01	06	—	01	24	04	8
9	01	10	6	6	—	04	03	—	—	—	38	6	9
10	—	06	—	6	05	07	01	01	22	—	50	—	10
11	21	49	—	—	6 mist	23	06	—	01	—	24	6	11
12	6	09	—	—	—	—	19	—	04	13	6	—	12
13	—	04	—	—	07	6 mist	21	15	—	03	—	—	13
14	02	04	—	—	01	22	69	14	02	—	47	—	14
15	6	14	—	6	26	—	6	48	—	—	—	04	15
16	—	17	—	07	09	36	—	04	07	—	—	—	16
17	01	06	—	06	—	01	36	—	6	—	01	—	17
18	01	—	01	15	—	07	38	80	—	—	23	—	18
19	01	09	08	07 summer	—	40	03	04	11	—	39	6	19
20	01	06	32	—	—	—	—	35	—	—	29	—	20
21	13	02	02	—	15	—	6	—	—	01	6	—	21
22	44	—	01	09	17	—	—	03	—	—	—	—	22
23	23	01	—	35	64	—	02	—	—	—	39	—	23
24	13	01	—	28	13	20	58	51	—	—	02	—	24
25	24	—	—	32	04	—	10	—	—	—	29	—	25
26	01	02	—	13	—	6 dew	34	—	6	—	49	6	26
27	12	15	—	6	99	—	07	—	—	—	28	—	27
28	08	12	06	01	02	02	—	02	—	06	6	10	28
29	02	X	09	—	16	—	01	31	—	6	08	18	29
30	11	X	—	—	03	—	—	03	01	—	6	—	30
31	65	X	08	X	09	X	02	—	X	—	X	35	31
TOTAL	2.09	2.29	2.12	3.48	3.27	3.03	3.94	3.35	1.17	0.46	8.04	1.60	YEAR'S TOTAL 35.64
*Days with "or in. or more.	21	23	11	14	20	15	23	17	11	7	21	10	193
*Days with "04 in. or more.	12	16	8	13	16	13	15	12	8	3	19	9	144

Section

A

for the entry of Daily Observations.

Station No. 1768

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at TROOD HOUSE, EXMINSTER

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'02	-	-	'20	tr	-	'01	'19	-	-	'01	tr	1
2	-	-	tr	13	-	-	02	01	'10	G. Time tr	01	'08	2
3	tr	-	'03	-	-	76	06	-	41	'02	02	08	3
4	02	tr	-	-	-	21	03	09	-	-	24	tr	4
5	14	tr	08	-	'01	-	01	tr	05	-	tr	-	5
6	59	-	tr	16	02	-	03	-	12	-	-	-	6
7	05	-	02	08	05	-	01	-	58	1'37	-	-	7
8	tr	-	32	tr	15	-	-	-	09	06	-	-	8
9	1.66	tr	tr	12	02	-	-	tr	tr	tr	-	-	9
10	35	-	tr	20	01	01	-	-	-	22	-	-	10
11	04	-	-	10	10	-	tr	-	-	16	-	16	11
12	38	tr	-	01	32	-	02	-	tr	24	-	03	12
13	05	-	-	20	03	04	26	50	-	1.14	-	13	13
14	58	-	-	07	34	-	tr	01	-	02	02	01	14
15	01	-	-	03	09	-	01	-	-	01	14	tr	15
16	26	-	-	04	-	-	39	-	01	-	tr	-	16
17	tr	-	-	01	01	-	-	-	04	01	-	-	17
18	-	-	-	-	35	-	-	-	21	01	26	tr	18
19	01	-	-	02	25	-	-	-	05	17	01	-	19
20	01	-	-	-	89	-	-	03	04	56	20	23	20
21	02	-	08	11	tr	-	01	46	09	27	04	32	21
22	-	-	tr	01	01	tr	03	13	65	41	16	01	22
23	-	04	-	-	-	tr	10	tr	tr	40	02	19	23
24	-	-	-	-	01	-	83	-	05	05	01	01	24
25	-	-	'59	01	01	-	06	tr	04	19	07	01	25
26	tr	-	07	02	-	-	08	-	tr	13	08	-	26
27	-	-	41	43	11	-	04	-	-	22	-	03	27
28	-	-	11	01	14	tr	tr	-	-	tr	tr	04	28
29	01	-	47	11	14	31	-	41	64	64	06	61	29
30	01	X	04	11	01	1.59	27	-	98	17	1.53	02	30
31	-	X	05	X	17	X	19	-	X	01	X	57	31
TOTAL	4.21	.04	2.27	2.18	3.24	2.92	2.46	1.83	4.15	6.48	2.88	2.53	35.12
*Days with '01 in. or more.	18	1	12	22	23	6	20	9	17	23	17	17	185
*Days with '04 in. or more.	10	1	10	14	13	5	10	6	16	17	10	10	122

40-9999

*See Instruction 2 (f) on other side.

(Signed)

The Commissioner

P.T.O.

Station Number 1768.

File Number 897129/29

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1768

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at TROODHOUSE EXMINSTER
in the County of DEVON

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground one ft. — in.
Ground Sea Level 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
<i>100° F</i>	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	52	18	12	-	08	06	-	-	-	tr	01	1.36		1
2	01	tr	82	-	98	46	-	-	-	-	09	07		2
3	23	10	22	-	02†	-	-	-	-	-	tr	-		3
4	22	-	01	-	16	-	-	-	-	-	-	-		4
5	03	tr	48	-	13	-	-	-	tr	02	tr	tr		5
6	02	45	tr	-	21	-	08	-	tr	10	-	-		6
7	-	10	-	fog 01	03	-	02	-	-	10	-	-		7
8	tr	tr	04	-	02	-	14	tr	-	Greenwich 01 Time	-	-		8
9	-	08	tr	Summer - Time	43	03	14	tr	-	41	04	-		9
10	02	09	-	-	01	-	23	07	tr	1.00	01	-		10
11	05	-	-	01	-	tr	05	23	-	tr	-	-		11
12	fog tr	tr	-	21	03	13	16	01	63	-	-	snow 03		12
13	tr	-	-	-	11	26	03	49	tr	20	04	-		13
14	08	-	-	-	-	tr	22	10	-	01	07	-		14
15	46	-	31	-	-	-	st. within 49	-	-	05	31	-		15
16	-	tr	99	-	-	-	-	-	tr	07	tr	-		16
17	03	03	12	-	-	09	-	-	07	tr	-	-		17
18	10	-	14	-	-	04	tr	-	fog tr	-	01	-		18
19	27	-	12	-	-	14	-	02	12	-	55	01		19
20	tr	02	01	-	-	29	-	01	03	-	tr	01		20
21	-	04	-	-	-	40	-	06	-	13	tr	tr		21
22	-	-	-	07	-	03	-	29	38	01	tr	-		22
23	-	rain & snow 1.26	-	13	-	14	-	01	13	32	tr	-		23
24	-	r. & s. 27	-	13	-	-	-	tr	39	05	-	-		24
25	-	r. & s. 80	-	23	-	23	-	01	07	tr	-	07		25
26	-	27	-	23	10	-	-	-	15	04	-	fog 01		26
27	-	02	-	05	tr	-	-	-	01	25	-	42		27
28	-	11	-	27	23	-	25	-	-	30	-	15		28
29	03	-	-	37*	-	-	03	-	03	tr	-	04		29
30	05	×	06	64	-	-	02	-	14	03	-	09		30
31	12	×	10	×	04	×	-	-	×	04	×	tr		31
TOTAL	2.24	3.82	3.54	2.35	2.58	2.30	1.86	1.30	2.15	3.14	1.13	2.26	Year's Total 28.67	
*Days with .01 in. or more.	16	15	14	12	15	13	13	11	12	19	9	11	160	
*Days with .04 in. or more.	11	12	12	10	10	11	9	6	9	14	6	7	117	

40-9999

*See Instruction 2 (f) on other side.

* Thunder Storm † Thunder Storm ‡ Spare column, no entries required.

(Signed)

T. Driscoll

[P.T.O.]

Section **A** for the entry of Daily Observations.

Station No. 1768

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at TROOD HOUSE, EXMINSTERin the County of DEVONDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 10½ in.,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01	-	-	-	-	-	-	95	11	6	16	50		1
2	04	-	01	-	-	-	-	6	55	02	26	11		2
3	01	6	-	-	-	-	-	22	6	33	6	39		3
4	06	-	09	01	33	21	-	10	05	13	-	53		4
5	6	-	11	6	26	-	-	82	-	06	06	34		5
6	6	-	25	06	30	-	-	6	01	26	6	44		6
7	04	-	6	6	6	-	-	13	-	10	26	71		7
8	6	-	-	-	08	-	-	-	09	6	26	56		8
9	01	-	44	01	-	-	-	-	-	04	24	18		9
10	49	-	31	51	-	-	-	14	-	6	04	02		10
11	56	-	07	46	-	-	6	03	6	-	6	70		11
12	06	6	6	6	-	-	6	10	-	-	-	20		12
13	59	-	-	48	-	-	-	-	-	6	01	58		13
14	39	-	53	6	-	-	-	-	-	12	33	51		14
15	06	6	11	-	17	6	6	-	-	14	10	55		15
16	01	6	35	-	6	-	6	-	6	-	01	37		16
17	12	-	03	09	03	-	04	-	30	02	-	31		17
18	14	-	38	84	6	6	-	-	12	01	-	30		18
19	01	-	17	6	6	01	-	02	04	01	-	09		19
20	6	-	06	08	-	-	06	-	01	-	-	01		20
21	6	-	11	6	6	10	02	07	-	25	02	61		21
22	01	6	07	-	-	-	61	04	23	-	6	93		22
23	06	6	01	08	-	102	6	-	25	07	-	19		23
24	6	09	01	05	-	30	02	-	6	09	-	07		24
25	29	08	-	21	-	06	6	-	-	37	-	77		25
26	01	-	04	01	-	13	-	-	03	6	01	12		26
27	6	-	-	01	-	05	-	6	06	6	01	27		27
28	-	-	-	01	-	01	-	29	29	6	01	68		28
29	-	-	-	-	-	-	-	6	07	04	02	02		29
30	02	X	-	-	-	-	6	20	08	05	6	14		30
31	-	X	-	X	-	X	05	03	X	01	X	05		31
TOTAL	2.99	.17	3.15	2.91	1.17	1.89	.80	3.14	2.29	2.12	1.58	11.25	33.46	Year's Total
* Days with .01 in. or more.	21	2	19	15	6	9	6	14	16	19	16	31	174	
* Days with .04 in. or more.	13	2	15	10	5	7	4	11	13	14	9	28	131	

Section

A

for the entry of Daily Observations.

Station No. 1768

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at TROOD HOUSE, EXMINSTER
in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10½ in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02	6	69	-	-	09	6	-	12	05	09	23		1
2	6	01	06	-	-	08	6	-	17	14	01	09		2
3	6	6	11	6	23	12	-	-	13	86	15	02		3
4	03	21	6	11	07	17	-	6	03	04	08	14		4
5	01	19	07	10	6	04	-	-	10	20	05	04		5
6	-	6	6	27	Jubilee 80	-	-	-	-	02	02	21		6
7	-	-	-	20	-	15	-	-	-	27	02	01		7
8	-	-	-	27	-	6	-	-	17	04	19	03		8
9	-	-	-	47	-	05	-	-	05	56	27	-		9
10	03	-	snar 15	03	-	05	-	-	01	01	6	02		10
11	16	6	01	6	-	23	-	-	15	01	64	6		11
12	03	06	-	-	-	21	-	88	01	6	08	-		12
13	03	02	-	17	-	08	-	-	01	-	49	-		13
14	6	03	-	43	02	22	-	-	05	-	141	26		14
15	-	6	-	93	08	64	-	-	15	-	26	15		15
16	-	04	19	15	6	02	-	-	39	6	86	6		16
17	-	-	6	08	99	24	-	14	07	-	02	-		17
18	-	01	-	16	6	-	44	02	11	02	04	11		18
19	-	02	6	06	14	03	13	-	01	29	56	6		19
20	-	33	01	29	57	-	04	-	01	6	19	-		20
21	-	55	01	29	-	63 6	6	-	05	06	6	-		21
22	-	03	04	17	-	-	-	-	03	02	-	-		22
23	-	09	04	03	07	-	-	38	12	31	-	62		23
24	-	64	-	6	09	17	-	53	04	07	-	17		24
25	23	71	-	06	01	09	-	01	-	-	-	12		25
26	6	68	-	-	-	03	-	15	16	-	02	94		26
27	-	09	01	-	-	-	-	01	01	04	02	52		27
28	6	05	-	-	6	-	-	09	09	03	01	03		28
29	-	X	-	-	-	6	-	-	12	-	15	69		29
30	01	X	-	-	05	13	-	55	09	03	59	51		30
31	-	X	-	X	02	X	-	01	X	61	X	23		31
TOTAL	55	376	139	427	275	364	61	277	245	368	622	514	3723	
* Days with .01 in. or more.	9	18	12	19	12	21	3	11	27	21	24	21	198	
* Days with .04 in. or more.	2	12	8	17	9	18	3	7	19	14	17	16	142	

Section

A

for the entry of Daily Observations

Station No. 1768

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at TROOD HOUSE EXMINSTER

in the County of DEVON

Diameter of Funnel of Gauge... FIVE in.

Height of top of Gauge above Ground... 1 ft. 10½ in.

,, Ground ,, Sea Level ... 7.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02	08	5	08	-	26	68	5	5	-	01	04		1
2	5	01	-	05	-	16	33	-	22	-	10	01		2
3	5	5	5	88	-	08	10	-	68	-	10	01		3
4	5	-	12	01	-	14	5	-	20	-	09	20		4
5	49	08	07	-	-	5	12	-	06	-	02	14		5
6	04	-	01	-	-	02	12	5	14	-	30	-		6
7	07	-	16	-	-	01	02	-	02	-	29	02		7
8	34	-	37	-	-	-	23	-	5	-	55	5		8
9	60	57	39	-	-	-	13	-	02	-	02	-		9
10	01	snow 47	5	-	-	03	03	-	-	-	28	-		10
11	snow 38	01	-	-	06	07	05	04	14	-	79	07		11
12	5	-	-	04	-	5	16	5	24	02	05	5		12
13	10	5	02	5	-	-	01	-	5	02	09	1.22		13
14	5	07	-	-	03	-	58	-	14	5	5	43		14
15	01	59	-	-	-	-	24	-	36	-	09	33		15
16	-	18	-	12	32	-	18	-	02	-	04	15		16
17	19	1.25	-	-	01	-	39	-	-	01	01	44		17
18	06	35	10	-	-	32	28	01	-	05	-	10		18
19	69	01	14	08	-	07	02	02	-	-	-	5		19
20	05	39	15	03	-	5	01	-	39	-	-	02		20
21	01	18	20	84	-	03	-	-	del 5	-	-	5		21
22	06	23	06	5	-	-	17	-	del 01	-	-	01		22
23	01	01	16	19	05	-	02	-	-	06	-	del 5		23
24	28	01	12	5	17	-	48	-	03	20	-	-		24
25	23	-	45	05	5	-	11	-	01	20	-	-		25
26	29	03	12	01	-	-	51	-	05	05	-	-		26
27	31	06	02	-	-	-	20	-	02	25	-	-		27
28	79	5	70	-	-	01	13	-	-	02	01	31		28
29	02	04	5	-	-	2.22	07	-	-	01	07	16		29
30	24	✕	-	-	-	01	-	-	-	16	5	5		30
31	11	✕	46	✕	03	✕	02	-	✕	5	✕	48		31
TOTAL	5.40	4.03	3.82	2.38	0.67	3.43	5.39	0.07	2.75	1.05	2.91	4.14	Year's Total 36.04	
* Days with .01 in. or more.	25	19	19	12	7	14	28	3	18	12	18	18	193	
* Days with .04 in. or more.	19	13	16	9	4	8	21	1	11	7	13	13	135	

† Spare column, no entries required.

(Signed) T. Drimiston [P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 1768

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at TROOD HOUSE EXMINSTER

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1.10.2 in.

Ground Sea Level 7.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	'09	'01	'02	.75	—	—	—	—	'03	'08	'01	'80		1
2	01	43	tr	14	—	—	—	—	04	tr	tr. fog	tr.		2
3	tr	47	tr	03	23	—	02	tr.	—	—	—	—		3
4	12	63	—	tr	03	—	—	tr	—	—	—	45		4
5	12	01	01	02	tr.	—	50	—	—	—	—	23		5
6	04	57	35	26	tr	—	07	—	—	tr.	—	—		6
7	tr	50	03	06	—	01	—	—	—	—	04	22		7
8	—	02	—	tr	75	—	02	—	—	—	01	02		8
9	02	tr	snow 33	14	01	—	tr.	tr.	69	01	—	—		9
10	25	01	81	66	—	11	01	14	tr.	—	—	32		10
11	06	—	26	24	49	06	25	05	—	—	tr. fog	04		11
12	60	31	06	41	61	40	06	58	09	—	—	83		12
13	tr	02	64	20	tr.	01	tr	28	07	—	—	01		13
14	tr. fog	tr.	05	04	—	—	16	10	02	—	—	05		14
15	48	05	40	39	—	—	01	tr.	27	—	—	10		15
16	21	07	33	tr.	—	—	02	17	70	—	38	tr.		16
17	1.02	08	72	—	—	—	tr.	01	02	—	17	—		17
18	04	07	19	—	—	40	—	—	27	—	16	12		18
19	16	01	02	04	07	—	01	—	07	—	03	07		19
20	61	06	03	08	04	—	—	—	03	tr. fog	tr.	65		20
21	65	41	03	01	46	—	03	tr	05	07	28	01		21
22	26	—	snow 02	—	32	04	02	—	09	58	53	04		22
23	37	21	tr	—	08	—	—	tr. fog	tr.	12	38	—		23
24	56	42	07	—	tr.	—	tr.	—	05	1.50	tr.	—		24
25	tr.	1.11	55	tr.	07	—	—	—	02	18	tr. fog	—		25
26	tr.	15	snow 01	—	05	—	—	—	tr.	tr.	—	tr.		26
27	tr.	snow 36	—	—	—	—	—	tr.	—	55	tr.	—		27
28	snow 21	06	—	—	—	—	—	—	—	18	tr.	—		28
29	snow 07	X	—	—	—	—	—	—	—	23	12	—		29
30	26	X	—	—	—	—	—	—	02	04	12	—		30
31	61	X	—	X	—	X	—	—	X	73	X	—		31
TOTAL	6.82	6.04	4.93	3.47	3.21	1.03	1.18	1.33	2.53	4.27	2.23	3.96	41.00	
* Days with .01 in. or more.	23	24	21	16	13	7	13	7	17	12	12	16	181	
* Days with .04 in. or more.	21	18	13	13	11	5	5	6	11	11	9	13	136	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Thomson

[P.T.O.]

1.1.1938

Section



for the entry of Daily Observations

Station No. 1768

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at TROOD HOUSE, EXMINSTER.

in the County of DEVON

Diameter of Funnel of Gauge FIVE in.

Height of top of Gauge above Ground 1 ft. 10 1/2 in.

,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	07	—	—	—	66	20	12	—	51	03	16		1
2	—	01	tr	tr	—	tr	tr	tr	—	16	tr	22		2
3	—	tr	tr	—	18	03	02	26	—	37	02	tr		3
4	—	—	tr	—	01	03	18	1.96	—	14	tr	06		4
5	tr	—	tr (fog)	—	—	01	07	tr	03	42	—	02		5
6	11	—	tr (fog)	—	—	10	1.48	—	07	04	—	02		6
7	05	tr	—	—	—	tr	25	14	01	03	—	09		7
8	64	01	—	—	—	—	tr	04	—	09	—	01		8
9	21	04	—	—	—	24	—	tr	—	tr	01	60		9
10	08	01	—	Summer time	—	02	03	—	—	—	tr	43		10
11	06	01	—	—	—	tr	08	18	—	—	35	83		11
12	27	—	—	—	17	tr	tr	tr	—	29	68	04		12
13	10	tr (sun)	—	—	16	—	—	—	—	tr	27	79		13
14	1.01	tr (sun)	tr	—	15	—	42	—	tr	—	tr	01		14
15	12	tr	—	—	26	—	tr	tr	—	19	25	30		15
16	07	01	—	—	02	—	—	02	—	tr	15	01		16
17	tr	09	tr	—	13	—	—	—	tr	18	tr	02		17
18	15	tr	—	—	22	04	—	tr	35	04	26	—		18
19	tr	—	—	—	—	—	—	02	12	tr	62	—		19
20	—	—	—	—	—	—	—	—	01	—	11	—		20
21	tr	—	01	—	—	tr	—	—	20	—	14	09 (sun)		21
22	tr	—	—	01	—	03	—	59	tr	02	22	02		22
23	—	—	—	07	—	tr	—	tr	—	tr	11	01		23
24	01	—	15	tr	tr	—	—	02	02	—	30	06		24
25	06	41	02	tr	15	—	22	—	tr	03	96	05		25
26	36	20	tr	—	54	tr	14	—	—	13	01	05		26
27	10	01	—	—	17	05	38	25	—	03	14	tr		27
28	15	06	—	01	08	11	tr	61	—	tr	01	tr		28
29	14	X	tr	—	31	01	—	—	—	17	13	tr		29
30	01	X	—	—	06	34	tr	—	20	tr	08	02		30
31	31	X	—	X	10	X	—	—	X	11	X	17		31
TOTAL	4.01	0.93	0.18	0.09	2.71	1.67	3.47	4.21	1.01	2.95	4.85	4.08	Year's Total 30.16	average for 13 years 34.95
* Days with .01 in. or more.	20	12	3	3	16	13	12	12	9	18	21	24	1623	
* Days with .01 in. or more.	18	6	1	1	14	7	10	9	5	14	16	15	116	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

Thomson

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1768

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at TROOD HOUSE EXMINSTER

in the County of DEVON

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft. 10 1/2 in.

„ Ground „ Sea Level 7.5.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15	-	.15	.02	.01	-	.08	.01	.05	-	.65	.03		1
2	.22	-	.6	.31	-	-	-	.33	.50	-	.17	.05		2
3	.18	-	.02	.46	-	-	-	.08	.03	-	.28	.42		3
4	.02	-	.59	.28	.26	-	.47	.6	.6	.43	.17	.16		4
5	.6	.6	.06	.09	.6	-	.44	.05	-	.29	.94	.02		5
6	.40	.6	.06	.16	-	.5	.45	.01	-	.29	.17	-		6
7	.6	.11	.6	-	-	.6	.6	.01	.6	.01	.38	.30		7
8	.6	.23	.01	.6	.01	-	.01	.01	.6	1.25	.27	.05		8
9	.01	.01	.02	-	.6	-	-	.02	.6	.08	.03	.06		9
10	.21	.6	.6	-	.6	.03	-	.14	.06	.14	.01	.19		10
11	.02	.01	.06	-	-	-	-	.01	.6	.07	.01	.6		11
12	.6	.02	-	.05	-	-	-	-	.01	.02	.6	-		12
13	.6	.6	-	.09	.01	.03	.29	-	.13	.76	.04	.6		13
14	1.06	-	-	.01	.01	.07	.25	-	.6	.06	.21	.01		14
15	.72	-	.6	-	.03	.40	.48	-	-	.03	.15	.02		15
16	.15	-	-	.06	-	-	.24	-	-	.6	.10	-		16
17	.69	.01	-	-	.6	.04	.25	-	-	-	.01	-		17
18	.6	.6	.03	.6	-	.06	1.17	-	-	-	.58	.14		18
19	.18	-	-	-	-	.01	.21	.10	-	-	.6	.09		19
20	.26	-	-	-	.01	.20	.12	.14	-	-	-	.06		20
21	.07	.33	.03	.6	.6	.6	.12	.01	-	-	-	-		21
22	.55	.30	.20	.01	-	.32	.10	.6	-	-	.17	-		22
23	.02	.6	.05	.18	-	.67	.13	-	-	.01	.83	-		23
24	.78	-	.51	.10	-	.44	.17	-	-	.04	.6	.6		24
25	.51	.11	-	.01	-	-	.06	.08	-	.10	.18	-		25
26	.01	.02	-	.10	-	.07	.6	.07	.6	.11	.24	-		26
27	-	.17	-	.02	-	.19	.6	.01	-	.6	.04	-		27
28	-	.04	-	.13	-	.02	.6	.01	-	-	.21	.01		28
29	-	X	-	.05	-	.08	.21	.6	-	.17	.6	-		29
30	-	X	.02	.31	-	.06	.6	.10	-	.36	.6	.01		30
31	-	X	-	X	-	X	.6	.09	X	.47	X	-		31
TOTAL	6.21	1.36	1.81	2.44	.34	2.69	5.25	2.28	.78	4.69	5.84	1.62	35.31	✓
* Days with .01 in. or more.	20	12	14	19	7	16	19	19	6	19	23	16	190	✓
* Days with .01 in. or more.	15	7	8	14	1	12	18	10	4	15	19	10	133	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) Theodor

T.O.

Section

A

for the entry of Daily Observations

Station No. 1768

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at TROOD HOUSE, EXMINSTER, (LAT. 50°41'16"N. LONG. 3°31'17"W.)

in the County of DEVON

Diameter of Funnel of Gauge FIVE in.

Height of top of Gauge above Ground 1 ft. 10 1/2 in.

Ground Sea Level 7.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	06	—	05	36	—	—	—	—	—	30	—		1
2	—	14	—	10	—	—	—	—	—	—	72	09		2
3	06	1.04	—	01	—	—	—	—	—	14	78	13		3
4	01	27	—	06	—	—	12	—	—	10	11	—		4
5	05	01	—	—	—	—	—	—	—	02	69	12		5
6	26	70	—	—	—	—	—	—	—	08	02	14		6
7	06	01	—	—	—	—	06	—	—	01	—	03		7
8	—	01	—	—	—	—	—	—	—	48	20	23		8
9	—	—	—	—	—	—	49	—	01	03	74	10		9
10	—	—	—	—	—	—	22	—	04	15	15	65		10
11	—	01	06	01	—	—	20	—	—	—	60	03		11
12	—	—	10	—	—	29	20	—	52	—	15	—		12
13	—	—	33	—	—	—	—	—	—	74	1.15	41		13
14	—	05	—	06	20	—	—	—	26	54	01	35		14
15	—	01	01	11	—	—	53	—	10	10	60	01		15
16	03	1.09	62	14	—	—	08	—	04	27	15	01		16
17	—	21	54	—	—	—	04	—	—	—	07	—		17
18	30	28	38	50	—	—	—	20	11	14	05	04		18
19	—	04	18	19	—	—	18	—	27	—	10	—		19
20	—	—	01	02	—	0	—	04	—	15	01	—		20
21	—	—	01	—	17	02	—	—	—	01	58	—		21
22	—	—	07	06	—	70	—	—	08	02	—	—		22
23	—	11	18	02	13	—	01	—	—	46	—	—		23
24	02	—	—	—	03	—	38	—	—	—	01	—		24
25	12	—	28	01	22	11	—	—	—	—	—	—		25
26	42	51	—	07	33	—	11	—	—	—	—	—		26
27	35	11	05	20	16	—	—	—	—	—	—	—		27
28	23	08	—	06	02	—	—	—	—	—	—	—		28
29	17	09	06	1.30	—	01	—	—	—	02	—	20		29
30	03	—	—	07	06	—	—	—	—	57	—	16		30
31	05	—	—	—	—	—	—	—	—	79	—	67		31
TOTAL	2.16	4.83	2.88	3.04	1.68	1.13	2.62	0.04	1.43	4.82	7.19	3.37	Year's Total	35.19
* Days with .01 in. or more.	15	20	15	18	10	5	13	1	9	20	21	17		164
* Days with .04 in. or more.	11	15	12	14	8	3	12	1	8	14	17	13		128

† Spare column, no entries required.

(Signed)

The Observer

[P.T.O.]

* See Instruction 3 (f) on other side.

1.1.1941

File No. 529798/36

EXETER (COUNTRESS WEAR)
Section **A** for the entry of
AIR MINISTR

FORM 1090.

REGIS

at Countress Wear Round about
Kept at L. RYDON LANE, COUN

in the County of Devon

Diameter of Funnel of Gauge.....

Height of top of Gauge above Gro

Ground Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						.19	.67	-	TR	-	.02	.04		1
2						.10	.38	.01	.04	-	.06	.02		2
3						.12	.14	.01	.90	-	.12	.01		3
4						.12	TR	-	.30	-	.08	.18		4
5						-	.11	TR	.04	-	.01	.17		5
6						.02	.18	.01	.16	-	.26	TR		6
7						-	.01	-	.01	-	.25	.03		7
8						-	.21	-	-	-	.47	TR		8
9						.04	.13	-	.02	-	.03	-		9
10						-	.02	-	-	-	.21	-		10
11						.07	.08	.04	.12	-	.78	.06		11
12						.01	.23	TR	.23	TR	.06	.01		12
13						-	.01	-	-	.02	.11	.94		13
14						-	.54	-	.19	.01	-	.40		14
15						-	.03	-	.08	-	.07	.24		15
16						-	.17	-	.01	-	.08	.14		16
17						-	.34	-	-	.01	.01	.26		17
18						.46	.24	.01	-	-	-	.15		18
19						.19	.10	.02	-	.07	-	TR		19
20						TR	.01	-	.35	-	-	.02		20
21						.04	-	-	TR	-	-	-		21
22						-	.22	-	.01	-	-	.02		22
23						-	.04	-	-	.05	-	-		23
24						-	.42	-	.04	.20	TR	TR		24
25						-	.21	-	TR	.23	-	-		25
26						-	.38	-	.02	.06	-	-		26
27						-	.13	-	.01	.29	-	-		27
28						.01	.32	-	-	.01	TR	.34		28
29						1.67	.11	-	-	.03	.08	TR .13		29
30		X				.02	-	-	-	.13	-	TR		30
31		X		X		X	.02	-	X	-	X	.36		31
TOTAL						3.06	5.45	.10	2.53	1.11	2.70	3.52	Year total	
* Days with .01 in. or more.						14	28	6	17	12	17	19		
* Days with .04 in. or more.						10	22	1	11	7	13	13		

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) N. Taylor [P.T.O.]

X N. TAYLOR ESQ X



FORM 1090.

REGISTER OF RAINFALL IN 1936.

Let Countess Wear Round about

Kept at ... RYDON LANE, COUNTRESS WEAR, EXETER

in the County of ... Devon

Latitude 50° 42' N.
Longitude 3° 29' W.

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....ft....10 in.

Ground Sea Level 73 ft. 2 in.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						.19	.67	—	TR	—	.02	.04		1
2						.10	.38	.01	.04	—	.06	.02		2
3						.12	.14	.01	.90	—	.12	.01		3
4						.12	TR	—	.30	—	.08	.18		4
5						—	.11	TR	.04	—	.01	.17		5
6						.02	.18	.01	.16	—	.26	TR		6
7						—	.01	—	.01	—	.25	.03		7
8						—	.21	—	—	—	.47	TR		8
9						.04	.13	—	.02	—	.03	—		9
10						—	.02	—	—	—	.21	—		10
11						.07	.08	.04	.12	—	.78	.06		11
12						.01	.23	TR	.23	TR	.06	.01		12
13						—	.01	—	—	.02	.11	.94		13
14						—	.54	—	.19	.01	—	.40		14
15						—	.03	—	.08	—	.07	.24		15
16						—	.17	—	.01	—	.08	.14		16
17						—	.34	—	—	.01	.01	.26		17
18						.46	.24	.01	—	—	—	.15		18
19						.19	.10	.02	—	.07	—	TR		19
20						TR	.01	—	.35	—	—	.02		20
21						.04	—	—	TR	—	—	—		21
22						—	.22	—	.01	—	—	.02		22
23						—	.04	—	—	.05	—	—		23
24						—	.42	—	.04	.20	TR	TR		24
25						—	.21	—	TR	.23	—	—		25
26						—	.38	—	.02	.06	—	—		26
27						—	.13	—	.01	.29	—	—		27
28						.01	.32	—	—	.01	TR	.34		28
29						1.67	.11	—	—	.03	.08	TR .13		29
30		X				.02	—	—	—	.13	—	TR		30
31		X	X	X		X	.02	—	X	—	X	.36		31
TOTAL						3.06	5.45	.10	2.53	1.11	2.70	3.52	Year's Total	
* Days with .01 in. or more.						14	28	6	17	12	17	19		
* Days with .04 in. or more.						10	22	1	11	7	13	13		

Section

A

for the entry of Daily Observations

Station No. 1768/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at ... 1. Rydon Lane, Countess Wear

in the County of ... Devon

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....ft. 10 in.

,, Ground ,, Sea Level 73 ft. 2"

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.09	.01	.03	.71	—	—	—	—	.04	.06	.01	.83		1
2	.01	.31	TR	.17	—	—	—	—	.06	—	.01	.03		2
3	—	.38	.03	.02	.18	—	.02	—	TR	—	—	—		3
4	.10	.58	—	—	.04	—	—	—	—	—	—	.45		4
5	.13	—	.01	.02	—	—	.45	—	—	—	—	.17		5
6	.05	.46	.34	.27	.01	—	.31	—	—	—	—	—		6
7	—	.63	.03	.07	—	.03	—	—	—	—	.02	.16		7
8	—	.01	—	—	.74	TR	.03	—	—	—	.07	.02		8
9	.01	TR	.27	.16	.02	—	TR	—	.73	—	—	.02		9
10	.26	.01	.87	.55	—	.08	.01	.24	—	—	—	.20		10
11	.04	—	.26	.23	.50	.07	.25	.03	—	—	—	.05		11
12	.66	.36	.05	.38	.26	.29	X	.65	.09	—	TR	.61		12
13	—	.04	.73	.20	—	.15	X	.32	.07	—	—	TR		13
14	TR	.01	.07	.07	—	—	X	.10	.01	—	—	.06		14
15	.47	.04	.21	.42	—	—	✓	—	.32	—	—	.17		15
16	.18	.06	.54	.01	—	—	✓	.16	.67	—	.31	—		16
17	1.05	.09	.58	—	—	—	.40	TR	.02	—	.13	—		17
18	.09	.02	.17	—	—	.37	—	—	.24	—	.17	.14		18
19	.10	.08	.01	.07	.05	—	✓	—	.08	—	.04	.09		19
20	.54	.45	.06	.09	.06	—	—	—	.05	TR	—	.76		20
21	.48	—	.06	.01	.36	—	✓	TR	.09	.04	.27	.02		21
22	.30	—	.07	—	.33	.05	✓	TR	.13	.46	.36	.04		22
23	.31	X	—	—	.12	—	—	—	TR	.23	.55	TR		23
24	.63	1.84	.06	—	—	—	—	TR	.06	1.26	.01	—		24
25	—	X	.57	—	.03	—	—	—	.03	.15	.01	TR		25
26	.01	X	.03	—	.11	—	—	—	—	—	TR	.01		26
27	.01	.31	—	—	—	—	—	TR	—	.56	—	—		27
28	.22	.08	—	—	—	—	—	—	TR	.13	—	—		28
29	.06	—	—	—	—	—	—	—	—	.36	.18	—		29
30	.26	X	—	—	—	—	—	—	.02	.02	.13	—		30
31	.52	X	—	X	—	X	—	—	X	.67	X	—		31
TOTAL	6.58	5.77	5.05	3.45	2.81	1.04	1.47	1.50	2.71	3.94	2.27	3.82	Year's Total	40.41
* Days with .01 in. or more.	25	23	22	17	14	7	13	6	17	11	15	18		188
* Days with .04 in. or more.	21	18	16	13	11	6	5	5	13	10	10	13		141

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

N. Taylor

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 1768/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at I. RYDON LANE, COUNTRESS WEAR, EXETER.....

in the County of ...DEVON.....

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....ft...1.0...in.

,, Ground ,, Sea Level 73 ft. 2"

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	—	.09	—	—	fr	<u>.67</u>	.04	.13	—	<u>.46</u>	.03	.12		1	
2	—	.04	fr	.01	fr	fr	—	—	—	.27	fr	.25		2	
3	—	—	fr	—	.19	.02	.02	.21	—	.31	.02	fr		3	
4	—	—	fr	—	.04	.03	.13	<u>2.34</u>	—	.12	—	.08		4	
5	fr	—	fr	fr	—	.03	.01	—	.02	.44	fr	.03		5	
6	.14	fr	—	—	—	.08	<u>1.05</u>	fr	.05	.02	—	.02		6	
7	.12	—	—	—	—	.01	.26	—	.06	.03	fr	.07		7	
8	.60	.01	—	—	—	—	fr	.03	—	.07	fr	fr		8	
9	.17	.07	—	—	—	.22	—	fr	—	fr	.01	.58		9	
10	.13	.01	—	—	—	.02	.02	—	—	—	—	.44		10	
11	.06	.01	fr	—	—	fr	.06	.18	—	—	.35	<u>.78</u>		11	
12	.20	—	—	—	.19	.02	.02	—	—	.29	.63	.05		12	
13	.07	—	—	—	.16	—	—	—	—	—	.18	.73		13	
14	<u>.88</u>	fr	fr	—	.17	—	.46	—	.01	—	—	.01		14	
15	.08	—	—	—	.25	—	—	fr	—	.18	.22	.35		15	
16	.06	.01	—	—	.02	—	—	.01	—	—	.26	.01		16	
17	—	.11	.01	—	.09	—	—	—	.01	.19	fr	.05		17	
18	.16	—	—	—	.32	.08	—	fr	<u>.33</u>	.02	.24	—		18	
19	—	—	—	—	—	—	—	.01	.14	—	.49	—		19	
20	—	—	—	—	—	—	—	—	fr	—	.09	fr		20	
21	—	—	—	—	—	.01	—	.01	.22	—	.15	.13		21	
22	fr	—	—	.05	—	.08	—	.55	—	.03	.23	.03		22	
23	—	—	—	<u>.12</u>	fr	—	—	.01	—	—	.12	.01		23	
24	—	—	<u>.15</u>	—	.04	—	—	.04	.03	—	.26	—		24	
25	.08	<u>.40</u>	.05	—	.20	—	.28	—	.03	.03	<u>.82</u>	.05		25	
26	.30	.24	—	—	<u>.47</u>	—	.33	—	—	.11	.01	.07		26	
27	.11	.02	—	.03	.18	.05	.39	.25	—	.11	.14	—		27	
28	.14	.07	—	—	.12	.06	—	.58	—	—	—	.02		28	
29	.15	X	—	fr	.36	.01	—	—	.12	.21	.12	.02		29	
30	.02	X	—	—	.05	.52	—	—	.22	—	.06	.05		30	
31	.26	X	—	X	.09	X	—	—	X	.10	X	.19		31	
TOTAL	3.73	1.08	0.21	0.21	2.94	1.91	3.07	4.35	1.24	2.99	4.43	4.14	Year's Total	30.30	✓
* Days with .01 in. or more.	19	12	3	4	17	16	13	13	12	18	20	24		171	✓
* Days with .04 in. or more.	18	7	2	2	16	8	9	8	7	13	16	16		122	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

N. Taylor

[P.T.O.]

Kept at *Hatfield Aerodrome*
in the County of *Devon*
Diameter of Funnel of Gauge *5*
Height of top of Gauge above Ground.
,, Ground ,, Sea Level

1769
HONGDOWN, HATFIELD
1931 — 40
780308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	04	-	57	-	-	08	-	40	-	-	-	1
2	30	-	-	63	01	-	-	-	19	01	31	17	2
3	19	-	86	-	-	-	03	-	12	-	2.08	04	3
4	-	-	32	-	01	06	15	60	20	-	05	-	4
5	-	18	19	08	-	59	02	-	-	-	06	20	5
6	-	15	-	-	04	34	09	-	-	24	10	40	6
7	-	04	-	-	20	06	15	13	-	-	1.16	-	7
8	-	12	-	25	-	42	-	03	-	03	18	10	8
9	-	13	-	-	-	03	03	-	-	-	20	13	9
10	01	07	-	-	05	06	-	02	-	-	94	03	10
11	16	54	-	-	-	19	08	-	-	-	35	-	11
12	-	14	-	-	-	-	08	-	02	28	-	-	12
13	-	02	-	-	12	-	21	18	-	-	-	-	13
14	02	07	-	-	02	25	66	08	02	-	47	-	14
15	-	14	-	-	18	-	-	47	-	-	-	09	15
16	01	14	-	-	07	32	-	14	08	-	-	-	16
17	02	06	-	06	-	-	32	-	-	-	-	-	17
18	02	-	-	03	-	11	03	79	-	-	27	-	18
19	01	12	12	15	-	16	06	07	05	-	82	-	19
20	-	05	25	08	-	-	-	53	-	-	36	-	20
21	20	03	01	-	15	-	-	-	-	-	-	-	21
22	34	-	-	-	20	-	-	-	-	-	-	-	22
23	18	02	-	-	60	-	01	-	-	-	40	-	23
24	14	01	-	60	09	27	61	51	-	-	01	-	24
25	16	-	02	95	04	-	20	-	-	-	25	-	25
26	02	04	-	10	-	-	20	-	-	-	45	-	26
27	07	17	-	19	2.16	-	11	-	-	-	33	01	27
28	06	14	-	02	09	04	-	07	-	07	-	16	28
29	04	x	08	-	4	-	01	24	-	01	09	16	29
30	12	x	-	-	12	-	-	01	02	-	-	-	30
31	86	x	11	x	07	x	03	-	x	-	x	38	31
TOTAL	2.93	2.42	1.96	3.71	4.22	2.90	3.13	3.90	1.10	6.48	8.88	1.87	YEAR'S TOTAL 37.66
*Days with "01 in. or more.	20	22	9	13	18	14	20	15	9	6	20	12	178
*Days with "04 in. or more.	13	18	7	11	15	13	13	12	6	3	19	10	140

REGISTER OF RAINFALL IN 1931.

Kept at Hulfield Langdon
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. 10 in.
Ground Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	04	-	57	-	-	08	-	40	-	-	-	1
2	30	-	-	63	01	-	-	-	19	01	31	17	2
3	19	-	86	-	-	-	03	-	12	-	2.08	04	3
4	-	-	32	-	01	06	15	60	20	-	05	-	4
5	-	18	19	08	-	59	02	-	-	-	06	20	5
6	-	15	-	-	04	34	09	-	-	24	10	40	6
7	-	04	-	-	20	06	15	13	-	-	1.16	-	7
8	-	12	-	25	-	42	-	03	-	03	18	10	8
9	-	13	-	-	-	03	03	-	-	-	20	13	9
10	01	07	-	-	05	06	-	02	-	-	94	03	10
11	16	54	-	-	-	19	08	-	-	-	35	-	11
12	-	14	-	-	-	-	08	-	02	28	-	-	12
13	-	02	-	-	12	-	21	18	-	-	-	-	13
14	02	07	-	-	02	25	66	08	02	-	47	-	14
15	-	14	-	-	18	-	-	47	-	-	-	09	15
16	01	14	-	-	07	32	-	14	08	-	-	-	16
17	02	06	-	06	-	-	32	-	-	-	-	-	17
18	02	-	-	03	-	11	03	79	-	-	27	-	18
19	01	12	12	15	-	16	06	07	05	-	82	-	19
20	-	05	25	08	-	-	-	53	-	-	36	-	20
21	20	03	01	-	15	-	-	-	-	-	-	-	21
22	34	-	-	-	20	-	-	-	-	-	-	-	22
23	18	02	-	-	60	-	01	-	-	-	40	-	23
24	14	01	-	60	09	27	61	51	-	-	01	-	24
25	16	-	02	95	04	-	20	-	-	-	25	-	25
26	02	04	-	10	-	-	20	-	-	-	45	-	26
27	07	17	-	19	2.16	-	11	-	-	-	33	01	27
28	06	14	-	02	09	04	-	07	-	07	-	16	28
29	04	x	08	-	4	-	01	24	-	01	09	16	29
30	12	x	-	-	12	-	-	01	02	-	-	-	30
31	86	x	11	x	07	x	02	-	x	-	x	38	31
TOTAL	2.93	2.42	1.96	3.71	4.22	2.90	3.13	3.90	1.10	6.48	8.88	1.87	YEAR'S TOTAL
*Days with .01 in. or more.	20	22	9	13	18	14	20	15	9	6	20	12	178
*Days with .04 in. or more.	13	18	7	11	15	13	13	12	6	3	19	10	140

Station 1769

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1769

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Ratfield Longdown
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft 10 in.
„ Ground „ Sea Level 450 ft.

Feb missing. Value OK.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	—	—	25	—	—	03	05	—	—	01	—	1
2	—	—	—	04	—	—	05	01	05	—	02	11	2
3	—	—	04	—	—	62	05	—	50	09	01	07	3
4	01	—	—	—	—	12	06	04	—	—	21	—	4
5	22	—	10	—	—	—	—	—	09	—	—	—	5
6	50	—	—	19	03	—	10	—	17	07	—	—	6
7	05	—	05	04	—	—	—	—	63	140	—	—	7
8	—	—	36	—	21	—	—	—	—	11	—	—	8
9	1.88	—	—	17	—	—	—	—	06	—	—	—	9
10	59	—	—	—	—	—	—	—	02	35	—	—	10
11	—	—	—	35	14	—	—	—	—	20	—	19	11
12	38	—	—	—	24	—	10	—	—	20	—	08	12
13	07	—	—	17	03	—	43	42	—	1.08	—	15	13
14	35	—	—	09	32	—	—	—	—	08	03	01	14
15	—	—	—	03	06	—	—	—	—	02	11	—	15
16	33	—	—	02	—	—	1.66	—	—	—	—	—	16
17	—	—	—	—	—	—	—	—	01	03	—	—	17
18	—	—	—	—	41	—	—	—	23	—	34	—	18
19	03	—	—	—	33	—	—	—	02	16	01	01	19
20	03	—	—	—	83	—	—	05	—	62	22	19	20
21	—	—	08	08	—	—	—	50	22	40	01	22	21
22	03	—	—	—	—	—	12	21	51	28	25	—	22
23	—	—	—	—	—	—	14	—	—	38	—	23	23
24	—	—	—	—	—	—	71	—	05	11	04	—	24
25	—	—	47	—	02	—	16	—	05	24	02	02	25
26	—	—	16	—	—	—	02	—	—	05	08	—	26
27	—	—	31	48	—	—	05	—	—	32	—	05	27
28	—	—	11	—	34	—	—	—	—	05	01	10	28
29	—	—	56	15	—	34	—	45	75	71	03	72	29
30	—	×	—	11	22	1.68	28	—	64	21	1.03	01	30
31	—	×	03	×	13	×	19	—	×	—	×	65	31
TOTAL	4.50	nil	2.27	2.17	3.31	2.76	4.15	1.73	4.00	7.16	2.43	2.81	YEAR'S TOTAL 37.29
*Days with "01 in. or more.	14	"	11	14	14	4	16	8	16	23	17	16	153
*Days with "04 in. or more.	9	"	10	12	11	4	14	7	13	21	8	12	121

Section

A

for the entry of Daily Observations.

Station No. 1769

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.Kept at HATFIELD, LONGDOWNin the County of DEVONDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground - ft. 10 in.,, Ground ,, Sea Level 450 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	50	20	19	-	05	06	-	-	-	01	03	117		1
2	59	-	68	-	1.03	51	-	-	-	-	-	09		2
3	05	11	23	-	01	-	-	-	-	-	-	-		3
4	33	-	01	-	16	-	-	-	-	-	-	-		4
5	03	-	54	-	28	-	-	-	-	12	-	-		5
6	01	44	02	-	40	-	06	-	-	07	-	-		6
7	-	11	-	-	06	-	02	-	-	11	-	-		7
8	-	-	05	-	02	-	16	-	-	-	-	-		8
9	-	06	-	-	54	-	16	-	-	42	03	-		9
10	-	11	-	-	-	-	19	04	-	95	04	-		10
11	09	-	-	~~16~~	~~02~~	~~15~~	05	97	-	-	-	-		11
12	01	-	-	16	02	15	16	-	50	-	-	-		12
13	-	-	-	-	14	02	14	08	-	12	07	-		13
14	07	-	-	-	-	-	-	09	-	03	09	-		14
15	41	-	27	-	-	-	34	-	-	08	20	-		15
16	-	-	91	-	-	-	-	-	-	06	-	-		16
17	04	-	24	-	-	09	-	-	13	-	-	-		17
18	12	-	16	-	-	05	-	-	-	-	03	-		18
19	23	-	13	-	-	30	-	-	05	-	58	01		19
20	-	03	-	-	-	55	-	05	11	-	-	-		20
21	-	-	-	-	-	20	-	15	-	14	01	-		21
22	-	-	-	07	-	-	-	31	34	02	-	-		22
23	-	1.39	-	15	-	15	-	02	18	39	-	-		23
24	-	12	-	10	-	-	-	02	29	06	-	-		24
25	-	87	-	08	-	11	-	-	04	-	-	07		25
26	-	48	-	24	16	-	-	-	04	02	-	-		26
27	-	02	-	-	12	-	-	-	01	31	-	34		27
28	-	23	-	35	-	-	20	-	-	27	-	13		28
29	10	x	-	09	-	-	03	-	02	-	-	03		29
30	07	x	07	29			02	-	20	06	-	09		30
31	10	x	05	x	02	x	-	-	x	02	x	-		31
TOTAL	2.75	4.17	3.55	1.53	3.01	2.19	1.53	1.73	1.91	3.26	1.08	1.93	Year's Total	28.64
*Days with "or in. or more.	16	13	14	9	14	11	12	9	12	19	9	8		146
*Days with ".04 in. or more.	13	11	12	9	10	10	9	7	10	14	5	6		116

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Beal Holman P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 1769

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at HATFIELD LONGDOWNin the County of DEVONDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground — ft. 10 in.,, Ground ,, Sea Level 450 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03	-	-	-	-	02	-	75	09	5	37	42		1
2	06	-	-	-	-	-	-	-	58	01	11	11		2
3	01	-	-	-	-	-	-	33	-	26	-	53		3
4	08	-	07	01	43	-	-	-	16	17	-	44		4
5	-	-	02	-	48	23	-	73	-	07	16	34		5
6	01	-	39	09	44	-	-	-	02	27	-	52		6
7	04	-	-	-	-	-	-	19	-	09	01	88		7
8	7	-	-	-	08	-	-	-	01	-	15	64		8
9	01	-	35	05	-	-	-	-	-	-	31	18		9
10	59	-	47	48	-	-	-	11	-	-	05	-		10
11	59	-	08	50	-	-	-	11	-	-	-	55		11
12	08	-	-	02	-	-	-	25	-	-	-	15		12
13	65	-	-	53	-	-	02	-	-	02	04	61		13
14	40	-	59	02	7	-	-	-	-	09	32	51		14
15	06	-	13	-	20	-	-	-	-	21	12	55		15
16	01	-	26	-	-	-	-	-	09	-	02	36		16
17	16	-	03	18	06	-	-	-	10	05	-	25		17
18	11	-	31	65	-	-	-	-	05	7	-	29		18
19	03	-	20	04	7	02	-	02	05	7	-	11		19
20	-	-	08	25	-	-	06	-	01	03	-	7		20
21	-	-	17	-	-	14	-	02	-	20	-	73		21
22	01	-	12	-	-	-	195	10	30	-	03	106		22
23	10	-	01	-	-	116	-	-	05	01	-	23		23
24	-	14	-	02	-	26	-	-	11	13	-	11		24
25	30	06	-	17	-	06	04	-	-	53	-	75		25
26	-	-	08	02	-	21	-	-	05	-	02	28		26
27	-	-	-	04	-	04	-	04	12	-	02	37		27
28	-	-	-	-	-	-	-	32	25	7	-	75		28
29	-	x	-	-	-	-	-	02	03	05	02	04		29
30	02	x	-	-	-	-	-	07	02	04	-	23		30
31	-	x	-	x	-	x	03	03	x	03	x	06		31
TOTAL	3.35	.20	3.36	3.07	1.69	2.14	2.10	3.09	2.09	2.26	1.75	12.05	37.15	
*Days with or in. or more.	21	2	17	16	6	9	5	15	18	18	15	29	171	
*Days with or in. or more.	13	2	14	11	6	7	3	11	13	13	9	29	131	

† Spare column, no entries required.

(Signed)

Paul Holman

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1769

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at HATFIELD, LONG DOWNin the County of DEVONDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 10 ft.Ground Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03	02	66	-	-	04	02	-	14	06	13	21		1
2	-	-	05	-	-	08	-	-	24	13	02	24		2
3	02	-	09	-	16	12	-	-	41	1.08	26	-		3
4	03	36	-	16	12	12	-	-	02	10	11	25		4
5	-	25	10	13	-	06	-	-	12	31	06	04		5
6	-	-	-	33	-	82	-	-	-	-	-	23		6
7	-	-	-	16	-	05	-	-	-	26	02	02		7
8	-	-	-	27	-	-	-	-	08	02	22	07		8
9	-	-	-	44	-	-	-	-	04	68	42	02		9
10	02	-	08	06	-	13	-	-	-	-	-	-		10
11	17	-	-	-	-	31	-	-	17	03	71	-		11
12	06	02	-	-	-	22	-	12	-	-	04	-		12
13	06	10	-	27	-	04	-	-	-	-	39	-		13
14	-	01	-	28	-	34	-	-	34	-	1.29	23		14
15	-	-	-	88	10	29	-	-	02	-	27	21		15
16	-	09	19	13	-	-	-	-	67	-	73	-		16
17	-	-	-	08	1.06	22	-	08	04	-	62	-		17
18	-	-	-	21	-	-	23	19	13	03	03	14		18
19	-	04	-	08	16	02	19	-	02	26	52	-		19
20	-	31	-	43	19	-	01	-	-	-	17	-		20
21	-	51	-	45	-	-	01	-	-	04	-	-		21
22	-	07	07	07	-	-	-	-	07	02	-	-		22
23	-	-	08	07	07	-	-	33	16	31	-	49		23
24	-	78	-	02	14	01	-	29	01	14	-	23		24
25	27	52	-	09	01	10	-	-	-	-	-	19		25
26	01	60	-	-	-	06	-	14	20	-	02	76		26
27	-	08	-	-	-	-	-	-	07	15	02	55		27
28	-	10	-	-	02	-	02	06	12	06	02	01		28
29	-	X	-	-	02	-	-	-	08	-	03	90		29
30	-	X	-	-	01	12	-	53	07	-	79	57		30
31	-	X	-	X	01	X	-	-	X	54	X	28		31
TOTAL	673.86	1.32	4.61	2.07	3.15	4.8	1.74	3.22	4.22	6.29	5.64	37.27	Year's Total.	
* Days with .01 in. or more.	9	16	8	20	13	19	6	8	22	18	23	20	182	
* Days with .04 in. or more.	4	13	8	19	8	17	2	8	18	14	15	17	143	

Section

A

for the entry of Daily Observations

Station No. 1769

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at HATFIELD, LONDON

in the County of DEVON

Diameter of Funnel of Gauge... 5 in.

Height of top of Gauge above Ground... 10 ft.

Ground Sea Level... 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01	14	03	03	—	10	76	—	—	—	01	03		1
2	—	—	—	16	—	28	58	—	48	—	09	—		2
3	—	—	—	1.21	—	04	—	—	42	—	06	01		3
4	02	—	16	—	—	07	02	—	33	—	08	22		4
5	47	11	08	—	—	—	13	—	01	—	—	14		5
6	02	—	02	—	—	02	18	—	32	—	25	—		6
7	20	—	10	—	—	—	35	—	—	—	32	03		7
8	31	—	37	—	—	—	33	—	—	—	64	02		8
9	65	59	25	—	—	—	13	—	05	—	04	—		9
10	02	44	—	—	—	—	08	—	13	—	32	—		10
11	42	11	—	—	46	08	17	03	—	—	64	09		11
12	02	—	—	02	—	—	08	—	43	06	—	—		12
13	15	—	—	—	—	—	—	—	—	08	05	1.43		13
14	—	05	—	—	—	—	70	—	17	—	—	63		14
15	—	—	—	—	02	—	04	—	45	—	11	26		15
16	—	21	—	05	30	—	14	—	—	—	05	13		16
17	27	1.43	—	—	01	—	49	—	—	—	—	43		17
18	04	33	10	—	—	16	26	01	—	08	—	15		18
19	79	—	—	04	—	24	08	02	—	—	—	—		19
20	04	52	30	06	—	01	02	—	45	—	—	02		20
21	—	22	41	95	—	—	—	—	01	—	—	—		21
22	06	20	03	—	—	—	25	—	—	—	—	—		22
23	—	05	09	20	10	03	—	—	—	03	—	—		23
24	25	01	14	—	14	—	31	—	02	26	—	04		24
25	41	—	53	10	—	—	17	—	04	16	—	—		25
26	33	02	14	—	—	—	17	—	05	08	—	—		26
27	27	14	10	—	—	—	36	—	01	32	—	—		27
28	88	—	88	—	—	02	30	—	—	—	—	28		28
29	02	—	—	—	—	29	31	—	—	—	03	26		29
30	22	—	—	—	11	—	—	—	—	24	—	23		30
31	10	—	55	—	—	—	02	—	—	—	—	10		31
TOTAL	5.97	4.57	4.28	2.82	1.14	1.34	6.43	.06	3.37	1.31	2.69	4.50	38.48	Year's Total
* Days with .01 in. or more.	24	16	18	10	7	12	26	3	16	9	14	19	173	
* Days with .04 in. or more.	18	14	15	8	5	8	23	0	12	8	12	14	137	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

G. A. Holmes [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1769

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at HATFIELD LONGDOWNin the County of DEVONDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....ft. 10 in.„ Ground „ Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	10	-	03	65	-	-	-	-	03	11	-	77		1
2	03	34	-	19	-	-	-	-	07	-	-	-		2
3	-	41	03	-	09	-	03	-	-	-	-	-		3
4	13	52	-	-	04	-	-	-	02	-	-	47		4
5	16	01	-	-	-	-	45	-	-	-	-	33		5
6	05	57	40	31	02	-	11	-	-	-	-	-		6
7	-	31	03	07	-	03	-	-	-	-	-	16		7
8	04	02	-	-	76	-	03	-	-	-	-	12		8
9	03	-	30	21	02	-	01	-	81	-	-	-		9
10	15	-	75	73	-	11	-	09	-	-	-	24		10
11	-	-	24	26	54	07	31	17	-	-	-	07		11
12	65	39	07	57	06	31	03	60	14	-	-	72		12
13	-	03	75	32	-	-	-	41	-	-	-	03		13
14	-	02	-	03	-	-	-	07	-	-	-	11		14
15	69	07	37	49	-	-	01	15	-	-	-	11		15
16	24	04	39	-	-	-	08	-	-	-	39	-		16
17	1.24	08	71	-	-	-	-	-	03	-	29	-		17
18	03	12	18	-	-	23	-	-	10	-	15	15		18
19	14	09	03	02	02	-	-	-	06	-	06	07		19
20	79	-	13	11	12	-	-	-	-	-	-	61		20
21	1.03	50	03	01	45	-	-	-	12	07	11	02		21
22	28	21	-	-	47	01	02	-	12	67	45	05		22
23	63	-	-	-	15	-	-	-	-	24	30	-		23
24	40	44	14	-	-	-	-	-	06	1.33	-	-		24
25	26	66	55	-	-	-	-	-	02	21	-	-		25
26	-	61	01	-	07	-	-	-	-	-	-	01		26
27	-	48	-	-	-	-	-	-	-	64	-	-		27
28	25	08	-	-	-	-	-	-	-	19	-	-		28
29	-	X	-	-	-	-	-	-	-	24	12	-		29
30	33	X	-	-	-	-	-	-	-	03	16	-		30
31	46	X	-	X	-	X	-	-	X	60	X	-		31
TOTAL	8.11	6.00	5.14	3.97	2.81	.76	1.08	1.49	1.58	4.33	2.15	3.92	41.34	✓
* Days with .01 in. or more.	23	22	19	14	13	6	10	6	12	11	10	16	162	✓
* Days with .04 in. or more.	20	18	13	11	10	4	4	6	8	10	10	13	127	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Geul Holman

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1769

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at HATFIELD LONGDOWNin the County of DEVONDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 10 ft.Ground Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	10	—	—	—	66	01	—	—	43	04	16		1
2	—	01	—	—	—	01	—	—	—	19	—	27		2
3	—	—	—	—	24	04	02	64	—	41	—	—		3
4	—	—	—	—	04	04	04	1.63	—	13	—	11		4
5	—	—	—	—	—	05	12	—	02	50	—	02		5
6	10	—	—	—	—	12	1.23	—	10	03	—	05		6
7	11	—	—	—	—	—	40	19	03	05	—	16		7
8	72	01	—	—	—	—	05	01	—	10	—	—		8
9	27	04	—	—	—	01	—	—	—	—	—	78		9
10	05	—	—	—	—	02	02	01	—	—	03	55		10
11	04	01	—	—	—	02	07	16	—	—	53	1.10		11
12	28	—	—	—	17	—	01	—	—	29	75	02		12
13	04	—	—	—	13	—	—	—	—	—	33	93		13
14	1.14	—	—	—	26	—	31	—	—	—	—	—		14
15	22	—	—	—	32	—	—	—	—	12	38	42		15
16	—	—	—	—	—	—	—	—	—	—	31	—		16
17	—	10	—	—	13	—	—	—	—	23	—	—		17
18	14	—	—	—	13	03	—	—	18	—	35	—		18
19	—	—	—	—	—	—	—	—	07	03	63	—		19
20	—	—	—	—	—	—	—	—	02	—	13	—		20
21	—	—	—	—	—	01	—	04	13	—	18	02		21
22	—	—	—	03	—	10	—	48	—	—	26	09		22
23	—	—	—	05	—	—	—	02	—	—	18	—		23
24	—	—	09	—	—	—	02	03	02	—	32	—		24
25	06	45	—	—	21	—	25	—	04	—	1.11	05		25
26	39	—	—	—	45	—	—	—	—	20	—	07		26
27	11	39	—	—	18	08	52	26	—	05	19	—		27
28	26	08	—	—	19	13	—	—	01	—	—	—		28
29	14	×	—	—	28	01	—	40	09	22	19	04		29
30	02	×	—	—	04	71	—	—	23	—	11	03		30
31	32	×	—	×	12	×	14	—	×	12	×	21		31
TOTAL	4.41	1.19	.09	.08	2.89	2.04	3.21	3.87	.94	3.10	6.02	5.08	Year's Total 32.92	✓
* Days with .01 in. or more.	18	9	1	2	15	16	15	12	12	16	18	19	153	✓
* Days with .04 in. or more.	17	6	1	1	15	9	10	8	7	14	17	15	120	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Cecil Holman

P.T.O.

Section **A** for the entry of Daily Observations Station No. **1769**
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939,

Kept at **"HATFIELD" LONGDOWN**
 in the County of **DEVON**
 Diameter of Funnel of Gauge **5** in.
 Height of top of Gauge above Ground **10** ft.
 „ Ground „ Sea Level **450** ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	04	-	23	04	01	-	05	09	-	-	1.66	04		1
2	33	-	-	24	-	-	T	24	49	-	05	04		2
3	15	-	-	50	-	-	T	09	-	-	35	41		3
4	-	-	48	33	28	-	49	T	-	95	17	21		4
5	-	-	02	07	-	-	37	03	-	22	1.00	-		5
6	43	-	-	20	-	-	59	-	-	13	14	-		6
7	-	08	04	-	-	12	T	02	T	1.15	35	32		7
8	-	27	02	-	-	-	02	02	-	08	50	03		8
9	-	-	02	-	-	-	-	13	-	12	01	02		9
10	22	-	-	-	-	02	-	05	06	-	04	27		10
11	02	T	07	-	-	-	-	-	-	05	02	-		11
12	01	05	-	07	-	04	-	-	-	05	02	-		12
13	-	-	-	14	-	03	24	-	13	70	08	-		13
14	99	-	-	02	T	17	37	-	-	06	25	03		14
15	63	-	-	-	03	41	97	-	-	02	18	01		15
16	24	-	-	05	01	-	13	-	-	-	20	-		16
17	84	-	-	-	-	09	52	-	-	-	02	-		17
18	03	T	-	-	-	01	1.62	-	-	-	82	12		18
19	19	-	-	-	-	-	16	01	-	-	-	12		19
20	35	-	-	-	03	13	03	59	-	-	-	03		20
21	21	43	-	04	02	24	08	T	-	-	-	-		21
22	64	27	30	02	-	51	11	-	T	-	21	-		22
23	-	-	05	14	-	-	14	-	-	01	77	-		23
24	-	-	47	07	-	53	14	-	-	12	-	-		24
25	1.55	-	-	03	-	-	02	-	-	24	31	-		25
26	-	20	-	14	-	-	T	35	-	22	35	-		26
27	-	28	-	-	-	05	-	-	-	-	09	-		27
28	-	03	-	12	-	06	-	-	-	-	22	05		28
29	-	X	-	06	-	05	15	-	-	17	T	-		29
30	-	X	02	30	-	T	01	05	-	41	T	-		30
31	-	X	-	X	-	X	T	12	X	79	X	-		31
TOTAL	6.87	1.61	1.72	2.58	.38	2.46	6.21	1.79	.68	5.49	7.81	1.70	39.30	✓
* Days with .01 in. or more.	17	8	11	19	6	15	20	13	3	18	24	14	168	✓
* Days with .04 in. or more.	14	7	7	16	1	12	16	9	3	16	20	9	130	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *Paul Rohman* P.T.O.

Section



for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at HATFIELD LONGDOWN.....

in the County of DEVON.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft. 10.....in.

,, Ground ,, Sea Level.....4.50.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	05	-	-	15	-	-	-	-	-	22	-		1
2	-	1.20	-	-	-	-	-	-	-	-	1.00	05		2
3	04	~~10~~	-	13	-	-	-	-	-	13	31	12		3
4	01	22	-	12	-	-	09	-	-	08	18	-		4
5	03	01	-	-	-	-	-	-	-	02	58	17		5
6	29	62	-	-	-	-	04	-	-	11	02	17		6
7	09	-	-	-	-	-	30	-	01	-	-	04		7
8	-	03	-	-	-	-	-	-	-	60	27	29		8
9	-	-	-	-	-	-	56	-	-	05	87	16		9
10	-	-	-	-	-	-	17	-	-	06	08	72		10
11	-	-	-	02	-	-	34	-	-	-	65	05		11
12	-	-	15	-	-	20	24	-	52	-	21	-		12
13	-	-	35	-	-	-	-	-	-	72	1.02	42		13
14	-	05	-	10	10	-	02	-	38	63	03	49		14
15	-	12	-	13	-	-	27	-	12	-	57	02		15
16	08	90	56	14	-	-	06	-	04	19	16	-		16
17	-	18	46	03	-	-	06	-	-	-	-	-		17
18	42	53	30	57	-	-	-	02	01	20	03	05		18
19	-	04	08	19	-	-	08	-	36	-	12	-		19
20	-	-	-	05	-	-	-	07	-	18	01	-		20
21	-	-	02	-	14	-	-	-	-	-	53	-		21
22	-	-	09	06	03	65	-	-	12	08	-	-		22
23	-	08	17	-	29	-	-	-	-	-	-	-		23
24	04	-	-	-	02	-	39	-	-	-	-	-		24
25	20	-	28	02	44	11	-	-	-	-	-	-		25
26	-	31	08	10	14	-	12	-	-	-	-	-		26
27	85	11	-	31	19	-	-	-	-	-	-	-		27
28	33	15	-	08	02	-	-	01	-	-	-	-		28
29	17	-	09	1.22	-	01	-	-	-	47	-	14		29
30	09	~~×~~	-	15	-	-	-	-	-	50	-	17		30
31	04	~~×~~	01	~~×~~	-	~~×~~	-	-	~~×~~	73	~~×~~	63		31
TOTAL	268	5.00	2.64	3.42	1.52	.97	2.74	10	1.56	4.75	7.30	3.69	Year's Total	36.37
* Days with .01 in. or more.	14	16	13	17	10	4	14	3	8	16	19	16		150
* Days with .04 in. or more.	12	14	11	14	7	3	13	1	6	15	16	15		127

† Spare column, no entries required.

(Signed)

Cecil Holman

[P.T.O.]

* See Instruction 3 (f) on other side.

Kept at *Rosamond*
in the County of

1770
ROSAMOND FORD
1931 — 40

Diameter of Funnel of Gauge.....
Height of top of Gauge above Groun
,, Ground ,, Sea I

790308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

03

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I				.65	.03				.28				I
2	.23			.68			.06		.59		.21	.08	2
3	.10		.79				.06		.19		1.56		3
4			.18		.09	.15	.25	.16			.18		4
5		.36	.10			.61	.11	.26			.12	.12	5
6		.16			.08	.14				.11	.12	.58	6
7					.30	.18	.42	.12		.20	.75	.07	7
8		.22		.36		.42		.03			.06	.03	8
9		.08				.02		.04			.45		9
10		.06			.09				.32		.61		10
11	.13	.24				.28	.12		.09		.26		11
12		.04					.06			.05			12
13		.04					.33	.17		.10			13
14	.03	.03			.04	.21	.74	.02	.04		.47		14
15		.08			.18			.44					15
16		.10		.05	.12	.41		.08	.04				16
17		.07		.03			.31						17
18	.03		.04	.15		.07	.02	.98			.17		18
19	.03	.10		.14		.03	.03	.05	.04		.36		19
20		.07	.35					.21			.12		20
21	.21				.20								21
22	.24			.04	.16								22
23	.24	.04		.30	.63						.34		23
24	.08			.62	.10		.65	.61			.02		24
25	.26			.30			.14				.19		25
26	.04			.23			.23				.59		26
27	.08	.16			.35		.18				.24		27
28		.10	.07		.24							.06	28
29		X	.14					.16			.06	.12	29
30	.08	X			.05				.02	.02			30
31	.62	X	.07	X	.08	X			X	.45	X	.35	31
TOTAL	2.43	2.01	1.79	3.55	2.76	2.62	3.71	3.33	1.61	.48	6.98	1.41	32.48
*Days with or in. or more.	15	17	8	12	16	11	16	14	9	5	20	8	151
*Days with .04 in. or more.	12	16	8	11	15	9	14	12	8	4	19	7	135

REGISTER OF RAINFALL IN 1931.

Kept at Rosamundford
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
Ground Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

03

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I				65	03				28				I
2	23			68			06		59		21	08	2
3	10		79				06		19		56		3
4			18		09	15	25	16			18		4
5		36	10			61	11	26			12	12	5
6		16			08	14				11	12	58	6
7					30	18	42	12		20	75	07	7
8		22		36		42		03			06	03	8
9		08				02		04			45		9
10		06			09				32		61		10
II	13	24				28	12		09		26		II
12		04					06			05			12
13		04					33	17		10			13
14	03	03			04	21	74	02	04		47		14
15		08			18			44					15
16		10		05	12	41		08	04				16
17		07		03			31						17
18	03		09	15		07	02	98			17		18
19	03	10		14		03	03	05	04		36		19
20		07	35					21			12		20
21	21				20								21
22	24			04	16								22
23	24	04		30	62						34		23
24	08			62	10		65	61			02		24
25	26			30			14				19		25
26	04			23			23				59		26
27	08	16			35		18				24		27
28		10	07		24							06	28
29		X	14					16			06	12	29
30	08	X			05				02	02			30
31	62	X	07	X	08	X			X	40	X	35	31
TOTAL	2.43	2.01	1.79	3.55	2.76	2.52	3.71	3.33	1.61	.48	6.88	1.41	32.48
*Days with or in. or more.	15	17	8	12	16	11	16	14	9	5	20	8	151
*Days with or in. or more.	12	16	8	11	15	9	14	12	8	4	19	7	135

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Parliamentary Aylesbeare*
in the County of *Devon*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *10* ft.
Ground Sea Level *220* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.
78

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	<i>.03</i>			<i>.19</i>				<i>.31</i>					I
2				<i>.21</i>				<i>.04</i>	<i>.46</i>				2
3						<i>.53</i>	<i>.16</i>						3
4						<i>.25</i>		<i>.10</i>					4
5	<i>.11</i>		<i>.05</i>	<i>.22</i>					<i>.11</i>	<i>.10</i>			5
6	<i>.32</i>						<i>.13</i>		<i>.14</i>				6
7	<i>.06</i>						<i>.06</i>		<i>.25</i>	<i>1.05</i>			7
8			<i>.47</i>		<i>.19</i>				<i>.45</i>	<i>.12</i>			8
9	<i>1.17</i>			<i>.15</i>									9
10	<i>.44</i>			<i>.14</i>		<i>.03</i>				<i>.20</i>			10
11				<i>.04</i>						<i>.05</i>			11
12	<i>.40</i>								<i>.03</i>	<i>.22</i>			12
13				<i>.17</i>	<i>.36</i>		<i>.09</i>	<i>.61</i>		<i>.94</i>	<i>.20</i>	<i>.66</i>	13
14	<i>.45</i>			<i>.18</i>	<i>.32</i>								14
15				<i>.08</i>						<i>.04</i>			15
16	<i>.20</i>			<i>.03</i>			<i>.90</i>						16
17										<i>.03</i>			17
18	<i>.04</i>				<i>.36</i>				<i>.22</i>		<i>.23</i>		18
19					<i>.23</i>				<i>.08</i>	<i>.40</i>		<i>.09</i>	19
20					<i>1.12</i>			<i>.02</i>		<i>.48</i>	<i>.25</i>	<i>.18</i>	20
21			<i>.09</i>	<i>.20</i>				<i>.14</i>	<i>.11</i>	<i>.24</i>		<i>.15</i>	21
22								<i>.06</i>	<i>.45</i>	<i>.16</i>	<i>.21</i>		22
23						<i>.06</i>	<i>.13</i>		<i>.03</i>	<i>.23</i>		<i>.16</i>	23
24							<i>.03</i>		<i>.15</i>	<i>.30</i>			24
25			<i>.56</i>				<i>.09</i>		<i>.03</i>	<i>.19</i>			25
26			<i>.10</i>				<i>.11</i>			<i>.13</i>	<i>.08</i>		26
27			<i>.36</i>	<i>.54</i>	<i>.16</i>		<i>.05</i>			<i>.19</i>		<i>.04</i>	27
28			<i>.11</i>	<i>.02</i>	<i>.23</i>		<i>.04</i>					<i>.09</i>	28
29			<i>.43</i>	<i>.15</i>	<i>.26</i>	<i>.36</i>		<i>.52</i>	<i>.66</i>	<i>.44</i>	<i>.03</i>	<i>.55</i>	29
30		<i>X</i>		<i>.05</i>	<i>.16</i>	<i>1.42</i>	<i>.26</i>		<i>.85</i>	<i>.06</i>	<i>1.04</i>	<i>.20</i>	30
31		<i>X</i>		<i>X</i>		<i>X</i>	<i>.16</i>		<i>X</i>		<i>X</i>	<i>.60</i>	31
TOTAL	<i>3.22</i>	<i>0.00</i>	<i>2.18</i>	<i>2.37</i>	<i>3.39</i>	<i>2.65</i>	<i>3.12</i>	<i>1.80</i>	<i>4.05</i>	<i>5.55</i>	<i>2.04</i>	<i>2.08</i>	<i>33.05</i>
Days with .01 in. or more.	<i>10</i>	<i>0</i>	<i>8</i>	<i>15</i>	<i>10</i>	<i>6</i>	<i>13</i>	<i>8</i>	<i>15</i>	<i>20</i>	<i>7</i>	<i>10</i>	<i>122</i>
Days with .04 in. or more.	<i>10</i>		<i>8</i>	<i>13</i>	<i>10</i>		<i>13</i>	<i>7</i>	<i>15</i>	<i>17</i>	<i>6</i>	<i>10</i>	

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Hornetfield Rectory*
in the County of *Devon*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *10* ft.
Ground Sea Level *220* ft.

1930 37.80
1931 32.48
1932 33.05

bag

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.78	.20	.13	.11	.12	.12					.08	1.64	1
2	.40		.49		.46	.33							2
3	.17	.08	.12		.01								3
4	.15		.04		.05					.22			4
5			.31		.10								5
6	.13	.52			.05		.04			.09	.06		6
7		.13			.05					.14			7
8			.04		.05								8
9					.36		.22			.16			9
10		.24					.39	.19		.57			10
11						.37		.18					11
12					.01	.04	.20		.54				12
13				.22	.06	.04	.03	.04		.26			13
14							.10						14
15	.49		.24				.40	.08		.04			15
16			.63										16
17			.24			.06			.06	.06			17
18			.20			.06					.23		18
19	.32		.16						.08		.39		19
20		.06				.44	.02						20
21						.04							21
22				.10		.98			.45				22
23		1.64		.20		.18		.33	.28	.32			23
24		.30		.14		.06			.07	.04			24
25		1.38		.26		.50				.04			25
26		.35		.40	.12				.14				26
27		.03		.11						.28	.04	1.00	27
28		.05		.29	.35		.25			.20			28
29	.06											.10	29
30		X	.11						.21				30
31	.04	X	.16	X		X			X		X		31
TOTAL	2.54	4.88	3.21	1.83	2.09	3.25	1.98	.85	1.83	2.43	.80	2.74	28.43
*Days with or in. or more.	9	12	13	9	13	13	9	5	8	13	5	3	112
*Days with .04 in. or more.	9	11	13	9	11	13	7	5	8	13	5	3	107

Section

A

for the entry of Daily Observations.

Station No. 1770

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Homestead Aylesbearein the County of DevonDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 10 ft.Ground Sea Level 220 ft.

1930	37.80
31	32.48
32	33.05
33	28.43
34	36.00

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						.13		1.04	.53		.10	.74		1
2	.12								.76		.17			2
3								.35		.03		.33		3
4			.21		.30					.26	.07	.20		4
5			.33			.14		1.16		.16		.64		5
6	.32		.10		.54					.11				6
7	.13							.13		.40		.95		7
8				.06	.11					.28		.37		8
9			.47								.27	.07		9
10			.31	.44				.18				.85		10
11	.69		.07					.13						11
12	.11			.60				.22			.17	.15		12
13	.63			.45								.56		13
14	.19										.14	.32		14
15			.62		.14					.15	.09	.42		15
16										.07		.25		16
17			.52	.22					.11			.31		17
18	.11		.11	.88								.14		18
19			.18									.35		19
20				.12			.04							20
21			.13			.20				.32		.75		21
22			.15				1.20	.26	.50			1.31		22
23	.47			.18		.81			.33	.03		.33		23
24	.03	.10		.05			.04					.17		24
25	.13					.03				.50		1.00		25
26			.06	.20		.18						.25		26
27				.17				.03				.45		27
28								.44	.12			.49		28
29								.04	.27	.04				29
30		X					.02		.07	.09		.30		30
31		X		X		X	.06		X		X	.04		31
TOTAL	3.82	0.10	3.27	3.37	1.09	1.39	1.36	3.98	2.69	2.16	1.03	11.74	36.00	
*Days with .01 in. or more.	10	1	13	11	4	6	5	11	8	13	7	26	75	
*Days with .04 in. or more.	9	1	13	11	4	4	4	10	8	11	7	26	108	

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1770

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Homestead
in the County of Aylesham, Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
Ground Sea Level 220 ft.

1930 37.80
31 32.48
32 33.05
33 28.43
34 36.00

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			.16			.35			.16	.03	.08	.18		1
2			.19			.04			.13	.17	.08	.10		2
3		.15	.1		.17	.40			.10	.44	.29	.11		3
4		.13		.12		.15				.03	.12	.15		4
5		.24		.16		.07			.15	.32				5
6				.31		.64						.23		6
7				.26						.22	.29	.05		7
8									.28		.19			8
9				.56						.57	.11			9
10						.08								10
11	.20	.05				.24			.15		.68			11
12		.15		.09		.24		.12			.04			12
13				.15		.09					.24			13
14		.07		.40					.18		1.01	.35		14
15				.90	.18	.39						.10		15
16				.17					.50		.62			16
17					.12	.29		.16			.53			17
18				.20			.12		.19			.21		18
19		.12			.22	.06	.11			.17	.59	.15		19
20		.21		.24	.24						.25			20
21		.54		.11					.08	.08				21
22		.27		.16										22
23	.03	.43			.06			.66	.20	.40		.57		23
24		.49			.05	.17		.44	.11	.04				24
25	.14	.80	.62			.13						.36		25
26		.75						.26	.10			.89		26
27												.58		27
28		.15			.21			.03	.10	.08	.05			28
29									.07			.49		29
30	.03	X				.10		.50	.04		.54			30
31		X		X		X		.03	X	.74	X	.35		31
TOTAL	.40	4.05	1.14	3.67	2.25	3.44	.23	2.20	2.56	3.29	5.72	4.86	33.79	
*Days with '.01 in. or more.	4	15	9	14	8	16	2	8	16	13	17	16	138	
*Days with '.04 in. or more.	2	15	9	14	8	16	2	6	16	11	17	16	132	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

A. P. T. O. T. L. O. R. A. M.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1770

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Hornstead
 in the County of Essex
 Diameter of Funnel of Gauge 5" in.
 Height of top of Gauge above Ground 10 ft.
 " Ground " Sea Level 220 ft.

1930 37.80
 31 32.48
 32 33.05
 33 23.48
 34 36.00
 35 3.3.79
 36 34.79

Days
total can for auto.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.18		.6		.33	.55							1
2				.10		.15	.51	.04						2
3	.04			.89					1.16					3
4			.24				.16		.38			.08		4
5	.62		.5				.23		.10			.17		5
6	.10		.3						.28		.45			6
7	.20		.31								.83			7
8	.16		.53				.20		.08		.31			8
9	.44	.69	.11				.19							9
10	.43	.33							.15		.43			10
11		.12				.19	.34		.41		.57			11
12				.7			.07				.30	.37		12
13							.04				.13	.63		13
14							.48		.25			.34		14
15							.11							15
16	.04	.34			.24		.18					.45		16
17	.18	.12					.57					.10		17
18	.89	.38	.16			.30	.26			.08		.35		18
19			.12	.6		.53	.13							19
20		.39	.15	.7					.36					20
21			.10	.80		.07								21
22	.12	.44	.33							.09				22
23		.7	.5	.23			.25							23
24	.48		.9		.18		.48		.07	.11		.05		24
25	.43	.4	.37	.12			.25			.30				25
26	.38	.7	.25				.35		.04					26
27	.40	.6	.3				.15							27
28	.89		.63				.11			.29	.82	.29		28
29	.4		.02			.08	.13				.19			29
30	.22	x									.08			30 "d"
31	.8	x	.52	x	.09	x	.05		x	.11	x	.42	35.79	31
TOTAL	6.14	4.05	4.09	2.40	.51	1.65	5.79	.04	3.28	.98	3.8	3.25	31.79	✓
*Days with .01 in. or more	19	13	19	9	3	7	23	7	11	6	10	11	132	✓
*Days with .04 in. or more	14	13	16	9	3	7	23	7	11	8	16	11	129	✓

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1770

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at

Homestead

in the County of

Aylesbeare, Devon

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 10 in.

,, Ground ,, Sea Level 220 ft.

1930 39.80
 1 32.48
 2 33.05
 3 33.43
 4 36.00
 5 33.79
 6

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

0.00

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				.90								.92		1
2		.32		.20					.06					2
3		.40	.14	.11	.10				.14					3
4	.11	.70			.04							.40		4
5	.09		.08				.62							5
6	.13	.68	.39	.17			.22							6
7		.70		.06										7
8				.23			.08				.15			8
9	.10		.10		.97			.10	.74					9
10	.13		1.10	.40	.14	.13						.50		10
11			.49	.25	.22	.10	.39							11
12	.68	.32	.05	.20	.11	.32	.10		.06			.70		12
13		.08	.93	.20				.77						13
14			.5	.06			1.22	.20	.07					14
15	.48		.30	.52					.35			.23		15
16	.20		.38				.30	.19	.61		.37			16
17	1.02		.70				.10							17
18	.04		.20						.35		.05	.20		18
19			.07	.07	.08				.07		.17			19
20	.71	.42	.02	.10	.08	.25					.05	.90		20
21	.87	.40	.18	.02	.41				.17					21
22	.16		.08		.26		.09		.11		.70			22
23	.39	.28			.02					.61				23
24	.45	.45	.03		.11				.06	.22	.42			24
25	.04	.85	.45		.09					1.65				25
26	.70	.21								.50				26
27		.24								.66				27
28		.06								.16				28
29										.43	.44			29
30	.63	x									.16			30
31	.50	x		x		x			x	.55	x			31
TOTAL	6.73	6.11	5.74	3.49	2.63	.80	3.12	1.26	2.79	4.78	2.51	3.85	43.81	✓
* Days with .01 in. or more.	18	15	19	15	13	4	9	4	12	8	9	7		
* Days with .04 in. or more.	18	15	17	14	12	4	9	4	12	8	9	7	129	ok by map

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Alfred J. Loran

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 1770

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ... Homestead ... 1930 34.80 1937-43.81in the County of ... Aylesbeare, Devon ... 1 32.48 38-33.34Diameter of Funnel of Gauge ... 5 ... in.Height of top of Gauge above Ground ... 10 ... ft.,, Ground ,, Sea Level ... 220 ... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

109

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.14				.42				.66		.05		1
2		.2				.02				.12		.18		2
3					.30			.33		.35	.7			3
4					.03	.09	.13	.17		.21		.09		4
5						.01				.22				5
6	.16					.14	.35		.13	.03				6
7	.06					.03	.24		.02	.02	.02			7
8	.50	.04					.02	.03		.07		.15		8
9	.15	.07				.14						.48		9
10	.05					.05	.04					.12		10
11	.04						.07	.50			.29	.90		11
12	.21				.13					.34	.81	.21		12
13	.15				.13							.78		13
14	.83				.14		.58							14
15	.9				.15					.25	.40	.31		15
16					.05						.56	.07		16
17		.13			.03					.11				17
18	.18				.27	.9			.05	.01	.26			18
19									.78		.53			19
20											.70			20
21						.6			.40					21
22				.7				.40			.40			22
23				.6				.50			.16			23
24								.10	.05		.20			24
25	.11	.27	.16		.28		.41	.03		.9	.07			25
26	.33	.17			.34		.06			.9				26
27	.10				.11	.10	.40	.30				.30		27
28	.15	.8			.19	.06		.61			.02			28
29	.9				.38				.32	.25	.33	.10		29
30	.5	~~x~~			.03	.28			.20	.14	.07	.05		30
31	.29	~~x~~		~~x~~	.11	~~x~~			~~x~~		~~x~~	.21	d	31
TOTAL	3.57	.82	.16	.13	2.67	1.49	3.30	4.77	1.15	4.58	5.70	5.00	33.34	✓
* Days with .01 in. or more.	18	8	~~7~~	2	16	18	10	10	8	16	16	15	133	✓
* Days with .04 in. or more.	18	8	1	2	13	10	9	8	7	13	15	15	119	✓

† Spare column, no entries required.

(Signed)

Alfred T. Loran

* See Instruction 3 (f) on other side.

(8 miles E of Exeter)

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No.

1470

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ... *Parliament*

in the County of ... *Aylesbeare Devon*

Diameter of Funnel of Gauge.....*5 in*

Height of top of Gauge above Ground.....ft. *10 in*

Ground Sea Level ...*220*...ft.

1430 37.80 1936 43.51
1 32.48 7 33.34
2 33.05 8
3 33.43 9
4 36.00 1940
5 33.79

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09		.08	.04			.10		.09		.34	.01		1
2	.08			.33				.44	.09		.15	.09		2
3	.24		.08	.61				.12			.20	.35		3
4			.49	.24	.36		.76			.85	.05	.13		4
5			.11	.12			.13	.08		.31	.90	.005		5
6	.52			.08			.54	.03		.28	.14	—		6
7		.23								1.57	.58	.27		7
8		.21			.05			.06		.05	.26	.34		8
9		.01	.04							.10	.03	.05		9
10	.29											.18		10
11			.08	.10				.16		.10	.04	.005		11
12	.10	.12		.07						.03	.02	—		12
13						.05	.35			.97	.08	—		13
14	.83				.04	.11	.30				.18	.03		14
15	.40				.05	.58	.20				.22	.04		15
16	.11			.05			.10				.16	—		16
17	.87					.04	.29				.08	—		17
18			.03			.06	.92				.66	.05		18
19	.22						.70				—	.15		19
20	.38					.10	.01	.85			—	.02		20
21		.27	.05			.14	.17	.04			—	—		21
22	.66	.38	.06			.46	.39				.29	—		22
23	.07		.07	.12			.15			.05	.61	—		23
24	.49		.33	.05		.47				.05	—	—		24
25	.03	.10		.04			.09	.10		.09	.22	—		25
26				.04				.11			.21	—		26
27		.29				.10		.07		.10	.06	—		27
28				.06		.04				.05	.39	.01		28
29				.04		.09	.14			.10	—	—		29
30		—	.04	.31		.06		.07		.40	—	—		30
31		—	—	—		—		.07	—	.68	—	—		31
TOTAL	6.38	1.81	1.46	1.10	.50	2.31	5.39	2.20	1.18	5.48	5.87	1.43	36.21	Year's Total
* Days with .01 in. or more.	16	8	12	20	4	13	17	13	2	17	23	14	154	d.
* Days with .04 in. or more.	15	7	11	15	4	13	17	12	2	16	21	10	143	

† Spare column, no entries required.

(Signed)

Alfred T. Doran

[P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No.

1770

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Homestead
 in the County of Cylesbeare Devon
 Diameter of Funnel of Gauge.....5 in.
 Height of top of Gauge above Ground.....10 in.
 „ Ground „ „ Sea Level.....22.0 ft.

1939 37.80 1935 33.49
 1 32.48 6 43.51
 2 32.05 7 33.34
 3 33.43 8 36.21
 4 36.00 1940

Feb 16 cond in accordance w. Lunn.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.02	-	.04	.07						.25			1
2	-	.09	-	.13	-						.50	.06		2
3	-	1.19	-	.01	-		.01			.12	.73	.14		3
4	0.10	.31	-	.04	-		.04			.12	.09	.01		4
5	0.04	.01	-	-	-		-			.01	.44	.08		5
6	0.29	.53	-	-	-		-			.08	.04	.22		6
7	0.04	.01	-	-	-		.09			-	-	.06		7
8	0.01	-	-	-	-		.12		-	.50	.45	.20		8
9	T	-	-	.01	-		.43		.01	.02	.43	.11		9
10	T	-	-	-	-		.38	.03	.04	.22	.09	.38		10
11			-	.02	-		.09			-	.40	-		11
12			.10	-	-	.16	.23		.23		.16	-		12
13			.24	.02	-	-	.02		.05	.53	.23	-		13
14			.07	.05	.46	-	.02		.33	.36	-	.65		14
15		(1.05)	-	.12	.05	-	.30		.15	.21	.42	.01		15
16		.25	.43	.11	-	-	.07		.05	.21	.20	.01		16
17		.05	.50	-	-	-	.07				.05	-		17
18		.36	.41	.42	-	-	.01		.01	.03	-	.63		18
19		.04	.08	.14	-	-	.04		.20	.01	.09			19
20		-	.01	.01	-	-	-	.05	-	.25	.01			20
21		-	-	-	.21	-	-				.34			21
22		-	.14	.10	-	.61	-		.13					22
23		.07	.16	.06	.04	-	-			.36				23
24		-	-	-	.02	-	.29							24
25	.18	-	.11	.09	.03	.02	-							25
26	.58	.41	-	.04	.48	-	-							26
27	.36	.11	.01	-	.20	-	.07							27
28	.23	.06	.07	.02	.04	-	-							28
29	-	.15	.01	.03	-	.11	-			.04		.20		29
30	-	×	-	.24	-	-	-			.40		.16		30
31	.04	×	.01	×	-	×	-		×	.55	×	.33		31
TOTAL	1.87	3.65	2.35	2.94	1.60	.90	2.31	.28	1.50	4.34	5.91	2.41	30.97	
* Days with .01 in. or more.	10	16	15	19	10	4	17	2	10	19	18	16	30.44	155
* Days with .04 in. or more.	9	13	11	13	8	3	13	1	8	15	17	12	12.3	Pitt

† Spare column, no entries required

(Signed)

A. J. Loran

[P.L.O.]

* See Instruction 3 (f) on other side.

Kept at *Exeter (Heavitree)*
in the County of *Devon*
Diameter of Funnel of Gauge.....
Height of top of Gauge above Gro
" Ground " Sea

Station No. *1770/5*
ALL ORGANIZATION

1770/5
EXETER (HEAVITREE)
1940

780308

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				.01	.07	-	-	-	-	-	.24	-		1
2				.07	-	-	tr	-	tr	-	.56	.03		2
3				TR	-	-	tr	tr	-	.12	.78	.14		3
4				.08	-	-	.13	tr	-	.11	.07	trace		4
5				-	-	-	tr	-	-	tr	.58	.06		5
6				-	TR	-	.03	-	-	.05	.05	.22		6
7				TR	-	-	.03	-	.01	tr	tr	.02		7
8				-	-	-	.07	tr	tr	.39	.09	.17		8
9				-	-	-	.48	.01	tr	.04	.77	.20		9
10				-	-	-	.38	.07	.05	.11	.18	.65		10
11				.01	-	-	.26	-	-	tr	.45	.11		11
12				TR	-	.46	.22	-	.49	-	.19	-		12
13				.01	-	-	tr	tr	tr	.73	.97	.13		13
14				.10	.19	-	-	tr	.23	.54	.02	.61		14
15				.13	TR	tr	.42	-	.11	.08	.47	trace		15
16				.23	-	tr	.06	-	.04	.24	.15	trace		16
17				.03	-	-	.06	-	tr	tr	.05	-		17
18				.58	-	-	.01	.02	.03	.09	.02	.03		18
19				.16	-	-	.13	-	.30	tr	.07	-		19
20				.04	-	-	-	.06	.01	.13	.01	trace		20
21				TR	.17	-	tr	tr	-	tr	.48	-		21
22				.03	-	.70	-	-	.12	.01	-	-		22
23				.05	.12	tr	tr	tr	tr	.53	.01	trace		23
24				-	.03	-	.40	tr	-	-	tr	trace		24
25				.01	.04	.10	-	-	-	-	-	-		25
26				.05	.50	-	.08	-	-	-	tr	trace		26
27				.05	.19	tr	.04	-	-	-	tr	trace		27
28				.02	.02	-	-	.01	-	-	-	trace		28
29				1.13	TR	.01	-	-	-	.01	-	.15		29
30		X		.14	TR	-	-	-	-	.38	-	.07		30
31		X	X	X	-	X	-	-	X	.66	X	.69		31
TOTAL				2.93	1.33	1.27	2.80	.17	139	4.17	6.21	328	Year's Total	aping W.H.
* Days with .01 in. or more.				20	9	4	16	5	10	17	21	15		
* Days with .04 in. or more.				13	7	3	13	2	7	15	17	12		

Section



for the entry of Daily Observations

Station No.

1770/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1934

Kept at *Exeter (Heavitree)*
in the County of *S. Devon*

B. R. O.

Inc.

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				.01	.07	-	-	-	-	-	.24	-		1
2				.07	-	-	tr	-	tr	-	.56	.03		2
3				TR	-	-	tr	tr	-	.12	.78	.14		3
4				.08	-	-	.13	tr	-	.11	.07	Trace		4
5				-	-	-	tr	-	-	tr	.58	.06		5
6				-	TR	-	.03	-	-	.05	.05	.22		6
7				TR	-	-	.03	-	.01	tr	tr	.02		7
8				-	-	-	.07	tr	tr	.39	.09	.17		8
9				-	-	-	.48	.01	tr	.04	.77	.20		9
10				-	-	-	.38	.04	.05	.11	.18	.65		10
11				.01	-	-	.26	-	-	tr	.45	.11		11
12				TR	-	.46	.12	-	.49	-	.19	-		12
13				.01	-	-	tr	tr	tr	.73	.97	.13		13
14				.10	.19	-	-	tr	.23	.54	.02	.61		14
15				.13	TR	tr	.42	-	.11	.08	.47	Trace		15
16				.23	-	tr	.06	-	.04	.24	.15	Trace		16
17				.03	-	-	.06	-	tr	tr	.05	-		17
18				.58	-	-	.01	.02	.03	.09	.02	.03		18
19				.16	-	-	.13	-	.30	tr	.07	-		19
20				.04	-	-	-	.06	.01	.13	.01	Trace		20
21				TR	.17	-	tr	tr	-	tr	.48	-		21
22				.03	-	.70	-	-	.12	.01	-	-		22
23				.05	.12	tr	tr	tr	tr	.53	.01	Trace		23
24				-	.03	-	.40	tr	-	-	tr	Trace		24
25				.01	.04	.10	-	-	-	-	-	-		25
26				.05	.50	-	.08	-	-	-	tr	Trace		26
27				.05	.19	tr	.04	-	-	-	tr	Trace		27
28				.02	.02	-	-	.01	-	-	-	Trace		28
29				1.13	TR	.01	-	-	-	.01	-	.15		29
30		X	X	.14	TR	-	-	-	-	.33	-	.07		30
31		X	X	X	-	X	-	-	X	.66	X	.69		31
TOTAL				2.93	1.33	1.27	2.80	.17	1.39	4.17	6.21	3.28	Year's Total	approx wt.
* Days with .01 in. or more.				20	9	4	16	5	10	17	21	15		
* Days with .04 in. or more.				13	7	3	13	2	7	15	17	12		

† Spare column, no entries required.

(Signed)

W. N. Louis

[P.L.O.]

* See Instruction 3 (f) on other side.

Sectic

FORM

Key

in

Dis

He

1771

DEVON + EXETER INSTITUTION

1931-40

980308

no. 1770.

4. 879026/28.

COPY FOR OFFICIAL USE.

CE.—BRITISH RAINFALL ORGANIZATION.

ALL IN 1931.

THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.02	-	.39	.10	-	.07	-	.34	-	-	-	1
2	.25	.02	.01	.70	-	-	-	-	.14	-	.22	.12	2
3	.20	-	.98	-	-	-	.02	-	.17	-	1.45	-	3
4	-	-	.22	-	.07	.08	.15	.70	.10	tr	.04	-	4
5	-	.23	.24	.03	-	.52	-	-	-	-	.04	.12	5
6	-	.15	-	-	.05	.26	.06	-	-	.18	.12	.53	6
7	-	.04	-	-	.24	.18	.26	.10	-	.14	1.06	.07	7
8	-	.15	-	.31	-	.43	.01	.06	-	-	.27	.06	8
9	-	.09	-	-	-	.03	.02	-	-	-	.32	-	9
10	.05	.09	-	-	.07	.03	-	.05	-	-	.57	-	10
11	.15	.45	-	-	-	.25	.05	-	.02	-	.30	-	11
12	.04	.11	-	-	-	-	.11	-	.03	.16	-	-	12
13	-	.05	.01	-	.08	-	.29	.14	-	tr	-	-	13
14	.02	.05	-	-	.03	.22	.45	.17	.01	-	.47	-	14
15	-	.12	-	-	.15	-	-	.54	-	-	-	.06	15
16	-	.10	-	.05	.14	.30	-	.05	.09	-	-	-	16
17	-	.06	-	.06	-	.02	.34	-	.02	-	.01	-	17
18	.02	-	.08	.12	-	.05	.03	.71	-	-	.20	-	18
19	.02	.10	.05	.07	-	.38	.05	.06	.06	-	.41	-	19
20	.02	.05	.31	-	-	-	-	.30	-	-	.40	-	20
21	.12	.01	.02	-	.16	-	-	-	-	tr	-	-	21
22	.24	.01	.02	.05	.21	-	-	.08	-	-	-	-	22
23	.34	.02	-	.35	.63	-	.01	.03	-	-	.28	-	23
24	.08	-	-	.76	-	.10	.55	.48	-	-	-	-	24
25	.24	.02	-	.22	.04	-	.21	-	-	-	.21	-	25
26	.02	.02	-	.24	-	-	.22	-	-	-	.44	-	26
27	.07	.17	-	-	1.54	-	.16	-	-	-	.18	-	27
28	.10	.12	.09	-	.05	-	-	.01	-	.05	-	.08	28
29	.05	-	.08	-	.10	-	.02	.23	.02	-	.07	.26	29
30	.10	X	-	-	.04	-	-	.03	.02	.01	-	-	30
31	.60	X	.04	X	.05	X	.02	-	X	-	X	.38	31
TOTAL	2.73	2.25	2.12	3.35	3.75	2.85	3.10	3.74	1.02	.54	7.06	1.68	YEAR'S TOTAL
*Days with ".01 in. or more.	20.	24	13	13	18	14	21	17	12	5	20	9	185.
*Days with ".04 in. or more.	20.5	17	9	13.	17	11.	14	14	6	4	19	9	148

40-9999

*See Instruction 2 (f) on other side.

(Signed)

THE LIBRARIAN.

P.T.O.

Section

AIR MINIST

no. 1770

f. 879026/28.

COPY FOR OFFICIAL USE.

CE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Devon and Exeter Institution Exeter
in the County of Devon.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 13 ft. 7 in.
Ground Sea Level 155 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.02	-	.39	.10	-	.07	-	.34	-	-	-	1
2	.25	.02	.01	.70	-	-	-	-	.14	-	.22	.12	2
3	.20	-	.98	-	-	-	.02	-	.17	-	1.45	-	3
4	-	-	.22	-	.07	.08	.15	.70	.10	tr	.04	-	4
5	-	.23	.21	.03	-	.52	-	-	-	-	.04	.12	5
6	-	.15	-	-	.05	.26	.06	-	-	.18	.12	.53	6
7	-	.04	-	-	.24	.18	.26	.10	-	.14	1.06	.07	7
8	-	.15	-	.31	-	.43	.01	.06	-	-	.27	.06	8
9	-	.09	-	-	-	.03	.02	-	-	-	.32	-	9
10	.05	.09	-	-	.07	.03	-	.05	-	-	.57	-	10
11	.15	.45	-	-	-	.25	.05	-	.02	-	.30	-	11
12	.04	.11	-	-	-	-	.11	-	.03	.16	-	-	12
13	-	.05	.01	-	.08	-	.29	.14	-	tr	-	-	13
14	.02	.05	-	-	.03	.22	.45	.17	.01	-	.47	-	14
15	-	.12	-	-	.15	-	-	.54	-	-	-	.06	15
16	-	.10	-	.05	.14	.30	-	.05	.09	-	-	-	16
17	-	.06	-	.06	-	.02	.34	-	.02	-	.01	-	17
18	.02	-	.08	.12	-	.05	.03	.71	-	-	.20	-	18
19	.02	.10	.05	.07	-	.38	.05	.06	.06	-	.41	-	19
20	.02	.05	.31	-	-	-	-	.30	-	-	.40	-	20
21	.12	.01	.02	-	.16	-	-	-	-	tr	-	-	21
22	.24	.01	.02	.05	.21	-	-	.08	-	-	-	-	22
23	.34	.02	-	.35	.63	-	.01	.03	-	-	.28	-	23
24	.08	-	-	.76	-	.10	.55	.48	-	-	-	-	24
25	.24	.02	-	.22	.04	-	.21	-	-	-	.21	-	25
26	.02	.02	-	.24	-	-	.22	-	-	-	.44	-	26
27	.07	.17	-	-	1.54	-	.16	-	-	-	.18	-	27
28	.10	.12	.09	-	.05	-	-	.01	-	.05	-	.05	28
29	.05	-	.08	-	.10	-	.02	.23	.02	-	.07	.26	29
30	.10	X	-	-	.04	-	-	.03	.02	.01	-	-	30
31	.60	X	.04	X	.05	X	.02	-	X	-	X	.38	31
TOTAL	2.73	2.25	2.12	3.35	3.75	2.85	3.10	3.74	1.02	.54	7.06	1.68	YEAR'S TOTAL
*Days with .01 in. or more.	20.	24	13	13	18	14	21	17	12	5	20	9	185.
*Days with .04 in. or more.	20.15	17	9	13.	17	11.	14	14	6	4	19	9	148

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Stephen [unclear] (Librarian)

P.T.O.

THE LIBRARIAN.

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *The Devon and Exeter Institution*
in the County of *Devon.*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *13* ft *7* in.
,, Ground ,, Sea Level *155* ft.

*NB. Change of authority from
Mr J.E. Cromber.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1 following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	-	-	.22	TR	TR	.01	.04	-	TR	.06	.02	1
2	-	-	-	.11	TR	-	.03	.01	.27	TR	TR	.10	2
3	-	TR	TR	-	-	.63	.03	-	.26	.02	.01	.06	3
4	TR	TR	.03	TR	-	.16	.03	.09	.01	TR	.19	-	4
5	.10	-	-	TR	TR	TR	TR	-	.13	-	TR	TR	5
6	.37	-	.08	.26	.02	-	.04	-	.15	-	-	TR	6
7	.08	-	TR	.12	-	-	TR	-	.43	1.36	-	-	7
8	-	-	.03	TR	.20	-	-	-	.05	.16	TR	-	8
9	1.44	-	.39	.19	TR	-	-	TR	TR	.05	TR	-	9
10	.11	-	TR	.17	-	.02	-	-	.02	.22	TR	-	10
11	.03	-	TR	.08	.07	-	-	-	TR	.10	-	.15	11
12	.24	-	-	TR	.24	-	.05	-	.01	.27	-	.08	12
13	.07	-	-	.15	.02	TR	.28	.50	TR	.97	-	.15	13
14	.37	-	-	.12	.34	-	TR	TR	-	.05	.05	TR	14
15	TR	-	-	.07	.10	-	-	TR	-	.02	.10	TR	15
16	.28	-	-	.05	-	-	1.45	-	-	TR	TR	-	16
17	TR	-	-	.01	.03	-	TR	-	.01	.02	TR	TR	17
18	TR	-	-	-	.37	-	-	-	.27	TR	.31	-	18
19	.01	-	-	-	.28	-	-	-	.04	.27	.01	TR	19
20	-	-	TR	-	.93	-	-	-	-	-	-	-	20
21	.02	-	.08	.07	-	-	-	.51	.10	.29	.06	.26	21
22	-	-	-	TR	.01	-	.05	.09	.60	.25	.22	.01	22
23	-	-	TR	-	-	-	.12	.01	.01	.40	.09	TR	23
24	-	.04	-	-	TR	-	.72	-	.03	.09	.03	-	24
25	-	TR	.49	-	.03	-	.17	TR	.06	.22	.02	TR	25
26	-	-	.10	.02	TR	-	.05	-	.02	.15	.11	.02	26
27	-	-	.27	.40	.11	TR	.08	-	-	.15	.01	.05	27
28	-	-	.09	.02	.11	-	TR	-	-	TR	TR	.04	28
29	TR	-	.44	.11	.17	.33	-	.50	.68	.55	.05	.49	29
30	-	X	.03	.08	.01	1.46	.29	.01	.72	.13	1.16	TR	30
31	-	X	TR	X	.14	X	.26	-	X	.02	X	.82	31
TOTAL	3.15	.04	2.03	2.25	3.12	2.60	3.66	1.82	3.87	6.38	2.67	2.36	33
*Days with ".01 in. or more.	13	1	11	18	18	35	16	10	20	23	17	14	166
*Days with ".04 in. or more.	9	-	8	15	12	4	12	7	16	19	12	71	125

Total
checked
and
corrected
by
1771

Section

A

for the entry of Daily Observations.

Station No. 1771

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Devon and Exeter Institution Exeter
in the County of Devon.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 13 ft 7 in.
Ground Sea Level 155 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.33	.15	.17	-	.05	.07	-	-	-	.01	.01	1.22		1
2	.36	-	.51	-	.75	.45	-	-	-	-	.04	.07		2
3	.09	.11	.13	-	.02	-	-	-	-	-	TR	-		3
4	.21	-	.04	-	.14	-	-	-	-	-	-	-		4
5	.03	TR	.32	-	.11	-	-	-	-	.03	TR	TR		5
6	.02	.37	.02	-	.17	-	.06	-	TR	.08	TR	-		6
7	TR	.16	.01	-	.01	-	.02	-	-	.09	TR	-		7
8	-	.01	.03	-	.03	-	.23	TR	-	TR	-	-		8
9	TR	.07	-	-	.62	.01	.34	-	-	.25	.03	-		9
10	.05	.10	-	-	.01	-	.09	.15	TR	.76	.03	-		10
11	.04	-	-	TR	-	.01	.01	.66	TR	TR	TR	-		11
12	-	TR	-	.16	.11	.12	.19	TR	.41	.03	TR	-		12
13	-	-	-	-	.07	.17	.10	.19	.07	.18	.05	-		13
14	.41	-	-	-	-	-	.17	.06	-	.01	.08	-		14
15	.61	-	.28	-	-	-	.68	TR	-	.07	.15	-		15
16	-	-	.81	-	-	-	.02	.01	TR	.11	-	-		16
17	.02	.04	.12	-	-	.10	TR	-	.03	TR	TR	-		17
18	.09	-	.15	-	-	.12	TR	.02	TR	TR	.03	-		18
19	.22	-	.17	-	-	.09	-	.03	-	-	.60	.01		19
20	-	.02	.01	TR	-	.26	-	.08	.16	-	TR	-		20
21	TR	.04	-	-	TR	.89	-	.25	.01	.07	TR	TR		21
22	-	TR	-	-	-	.01	-	TR	.36	TR	TR	-		22
23	-	1.20	-	.20	-	.15	-	.05	.13	.30	TR	-		23
24	-	.17	-	.09	-	TR	-	-	.34	.04	TR	-		24
25	-	.74	-	.08	-	.17	-	-	.01	TR	-	.09		25
26	-	.26	-	.26	.31	TR	-	-	.14	.17	-	.01		26
27	-	.02	-	.01	TR	-	-	-	.01	.17	-	.47		27
28	-	.19	-	.22	.37	-	.23	-	TR	.21	-	.15		28
29	.03	-	-	.19	TR	-	.01	-	.04	.04	-	.04		29
30	.04	X	.07	.45	-	-	.02	-	.14	.01	-	.08		30
31	.06	X	.65	X	.03	X	-	-	X	-	X	.01		31
TOTAL	2.01	3.65	2.89	1.66	2.80	2.62	2.17	1.50	1.85	2.63	1.02	2.15	26.95	
*Days with '.01 in. or more.	16	16	16	9	15	14	14	10	13	19	9	10	161	
*Days with '.04 in. or more.	11	13	12	8	10	10	8	7	9	14	5	7	114	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Daphne Drake

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1770

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

EXETER
Kept at Devon and Exeter Institution
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 13 ft. 7 in.
Ground Sea Level 155 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	-	-	-	-	.05	-	.77	.14	-	.31	.47		1
2	.05	-	.01	-	-	-	-	-	.59	.03	.06	.07		2
3	.02	-	-	TR	-	-	-	.35	-	.21	TR	.31		3
4	.06	-	.13	TR	.35	-	-	-	.12	.11	TR	.45		4
5	TR	-	.20	TR	.30	.24	-	.75	.01	.09	.17	.33		5
6	TR	-	.17	.06	.37	TR	-	-	TR	.32	TR	.44		6
7	.02	-	TR	-	TR	.05	-	.21	-	.10	.03	.61		7
8	-	-	TR	-	.07	.05	-	TR	TR	.01	.30	.59		8
9	.01	-	.42	.04	TR	-	-	TR	-	.01	.15	.22		9
10	.35	-	-	.47	-	-	-	.13	-	TR	.03	TR		10
11	.45	TR	.05	.49	-	-	TR	.13	-	-	TR	.5		11
12	.12	-	.01	.01	-	-	-	.27	-	-	TR	.17		12
13	.48	-	.01	.52	-	-	-	TR	TR	TR	.01	.60		13
14	.38	-	.45	.01	-	-	-	-	-	.05	.22	.44		14
15	.05	-	.12	-	.13	-	.04	-	TR	.11	.13	.64		15
16	TR	-	.23	TR	.02	-	-	-	.25	.01	.01	.39		16
17	.09	-	.04	.17	.03	-	-	-	.14	.03	T	.23		17
18	.09	TR	.32	.64	TR	-	-	-	.22	.02	T	.22		18
19	.03	-	.15	.03	TR	.05	-	TR	TR	.01	-	.11		19
20	-	-	.13	.09	-	-	.02	-	.01	TR	-	TR		20
21	-	-	.20	-	-	.16	TR	.05	-	.17	.04	.41		21
22	.01	-	.07	TR	-	-	.72	.06	.27	TR	TR	.83		22
23	.07	TR	.02	.13	-	.86	TR	TR	.25	.10	-	.13		23
24	TR	.10	.03	.02	-	.30	.09	-	.01	.08	-	.05		24
25	.27	.10	TR	.23	-	.05	TR	-	TR	.31	-	.69		25
26	TR	-	.05	.07	-	.21	-	-	.01	-	-	.28		26
27	-	-	-	.03	-	.03	-	.01	.05	.01	.02	.40		27
28	TR	-	TR	.01	-	.01	-	.34	.28	.02	TR	.62		28
29	-	-	-	TR	-	-	-	.03	.06	.04	TR	.05		29
30	.01	X	-	TR	-	-	TR	.29	.04	.08	.05	.18		30
31	TR	X	-	X	-	X	.03	.05	X	.03	X	.11		31
TOTAL	2.58	.20	2.81	3.02	1.27	2.01	.90	3.44	2.45	1.95	1.53	10.54	32.70	
*Days with .01 in. or more.	19	2	20	17	7	11	5	14	16	23	14	29	146	177
*Days with .04 in. or more.	12	2	15	11	5	10	3	12	12	13	9	29	131	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

P. H. Dally

[P. 10.]

THE LIBRARIAN

Section



for the entry of Daily Observations.

Station No. 1771

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Devon & Exeter Institution

in the County of Devon

Diameter of Funnel of Gauge... 5" in.

Height of top of Gauge above Ground... 13 ft. 7 in.

Ground Sea Level... 155 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	TR	.06	.65	-	-	.06	-	-	.10	.06	.11	.25		1
2	-	.02	.09	-	-	.08	-	-	.26	.19	.03	.16		2
3	-	-	.16	-	.21	.10	-	-	.44	.75	.14	.08		3
4	.06	.32	TR	.12	.04	.12	-	-	.01	.05	.17	.16		4
5	TR	.09	.09	.10	TR	TR	-	-	.15	.37	.02	.07		5
6	TR	-	-	.20	-	.85	-	-	TR	.02	.01	.19		6
7	-	-	-	.19	-	.05	-	-	-	.26	.02	.03		7
8	-	-	-	.23	-	-	-	-	.10	.02	.18	.03		8
9	-	-	-	.33	-	.01	-	-	.06	.50	.26	-		9
10	.07	-	.15	TR	-	.06	-	-	TR	.01	TR	.02		10
11	.17	-	.09	TR	-	.34	-	-	.17	.04	.71	TR		11
12	.05	.11	-	-	-	.20	-	.16	TR	.01	.05	-		12
13	.05	.09	-	.17	-	.06	-	-	-	TR	.43	-		13
14	TR	.11	-	.14	TR	.14	-	-	.24	-	1.09	.28		14
15	-	TR	-	.84	.11	.40	-	TR	.08	TR	.21	.17		15
16	-	.04	.20	.11	-	TR	-	-	.44	TR	.80	-		16
17	-	-	-	.07	.95	.27	TR	.12	TR	.04	-	.04	-	17
18	-	.01	-	.21	.01	TR	.27	.11	.10	TR	.04	.13		18
19	-	.06	-	.07	.18	.10	.17	-	TR	.15	.50	TR		19
20	TR	.24	.40	.40	TR	.43	TR	.02	-	TR	-	.23	-	20
21	-	.45	TR	.42	-	TR	TR	-	.03	.08	TR	-		21
22	-	.07	.11	.06	-	-	-	-	.04	.02	-	TR		22
23	-	.04	.05	.06	.10	-	-	.47	.18	.31	TR	.47		23
24	-	.52	-	.02	.10	.07	-	.33	.02	.06	-	.19		24
25	.23	.92	-	.08	-	.10	-	-	TR	TR	-	.15		25
26	-	.77	-	-	-	.08	TR	.13	.17	TR	TR	.71		26
27	-	.10	-	-	-	-	TR	.01	.07	.03	.04	.52		27
28	-	.11	-	-	TR	-	TR	.14	.08	.04	.04	.02		28
29	-	-	-	-	-	TR	-	TR	.06	-	.15	.69		29
30	-	TR	-	.08	.08	.10	-	.55	.05	TR	.49	.41		30
31	-	TR	-	TR	.03	TR	-	TR	TR	.44	TR	.20		31
TOTAL	.63	3.97	1.59	3.82	2.24	3.10	.46	2.02	2.89	3.41	5.90	4.96	34.99	
* Days with .01 in. or more.	56	219	19	119	211	119	13	19	322	220	223	221	181	✓
* Days with .04 in. or more.	6	17	9	18	9	18	21	8	19	14	14	17	155	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Phyllis M. Daly. [P.M.]

Section

A

for the entry of Daily Observations

Station No. 1771

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936Kept at Devon & Exeter Institution, Exeter
in the County of Devon

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground 13 ft. 7 in.,, Ground ,, Sea Level 155 ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	TR	.08	TR	.04	—	.18	.71	.01	—	—	.02	.05		1
2	TR	.02	—	.08	—	.18	³⁰ 1.18	.01	.28	—	.10	.01		2
3	—	TR	—	.90	—	.14	.09	—	.75	—	.10	TR		3
4	.02	TR	.15	.01	—	.13	.01	—	.20	—	.09	.20		4
5	.44	.07	.07	—	—	—	.18	TR	.04	—	.01	.14		5
6	.04	—	.03	—	—	.02	.18	TR	.18	—	.21	—		6
7	.07	—	.12	—	—	—	.07	—	—	—	.23	.03		7
8	.29	—	.30	—	—	—	.24	—	—	—	.50	TR		8
9	.54	.60	.33	—	—	.03	.09	—	.04	—	.06	—		9
10	.02	.08	—	—	—	—	.01	—	—	—	—	.44		10
11	.38	TR	—	—	.08	.08	.07	.03	.14	—	.62	.07		11
12	TR	TR	—	.03	—	—	.22	—	.37	.01	.05	—		12
13	.12	TR	.01	—	—	—	.09	—	TR	.03	.08	1.10		13
14	TR	.05	—	—	—	—	.63	—	.23	.02	TR	.34		14
15	TR	TR	—	—	.07	—	.08	—	.60	—	.10	.18		15
16	—	.15	—	.06	.31	—	.16	—	TR	—	.08	.14		16
17	.21	1.29	—	—	TR	—	.29	—	TR	.02	.03	.21		17
18	.05	.26	.09	—	TR	.52	.18	.01	—	.08	—	.15		18
19	.66	TR	.11	.05	—	.17	.13	.02	—	—	—	TR		19
20	.05	.42	.16	.07	—	TR	TR	—	.44	—	—	.01		20
21	TR	.23	.12	1.04	—	.05	.01	—	TR	—	—	TR		21
22	.07	.22	.19	—	—	—	.18	—	TR	—	—	.03		22
23	.04	.05	.12	.17	.01	—	~~TR~~ .01	—	TR	.05	—	—		23
24	.29	.04	.10	TR	.14	—	.25	—	.05	.21	—	TR		24
25	.21	—	.40	.06	—	—	.14	—	.02	.26	—	—		25
26	.24	.06	.12	TR	—	—	.15	—	.04	.06	—	—		26
27	.27	.09	TR	—	—	TR	.26	—	TR	.32	—	—		27
28	.78	.02	.74	—	—	TR	.50	—	—	.01	—	.25		28
29	.05	.02	TR	—	—	.09	.13	—	—	.03	.07	.22		29
30	.19	~~X~~	—	—	.01	.09	TR	—	—	.12	TR	.01		30
31	.12	~~X~~	.46	~~X~~	.02	~~X~~	.02	—	~~X~~	TR	~~X~~	.30		31
TOTAL	5.45	4.15	3.62	2.31	.64	2.26	5.38	.08	3.47	1.22	2.79	3.44	Year's Total	
* Days with .01 in. or more.	223	818	218	211	87	212	529	55	115	813	317	518	34.81	34.81
* Days with .04 in. or more.	21	15	16	9	4	10	24	—	14	7	14	13	147	186

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) P. M. Daly

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 1771

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Devon & Exeter Institution

in the County of Devon

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 13 ft. 7 in.

Ground Sea Level 155 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	TR	.04	.59	-	-	-	-	.03	.06	TR	.72		1
2	.01	.23	.01	.14	-	-	-	-	.07	-	-	.02		2
3	-	.30	.02	TR	.32	-	.03	-	-	-	TR	-		3
4	.13	.40	-	TR	.05	-	-	TR	.02	-	-	.58		4
5	.14	-	.01	TR	-	-	.59	-	-	-	-	.17		5
6	.05	.55	.34	.28	TR	-	.19	-	-	TR	TR	-		6
7	-	.38	.03	.05	-	.02	-	TR	-	-	.02	.16		7
8	-	.01	TR	-	.74	-	.05	-	-	-	.01	.01		8
9	.01	-	.19	.17	.02	-	TR	TR	.64	-	-	.01		9
10	.07	.01	.95	.70	.11	.10	.01	.09	-	-	-	.15		10
11	.06	-	.28	.23	.37	-	.39	.17	-	-	-	.05		11
12	.40	.36	.02	.54	.09	-	.03	.60	.06	-	-	.62		12
13	TR	.04	.72	.28	TR	.24	-	.41	.08	-	-	.01		13
14	-	.01	.03	.04	-	-	.22	.07	.01	-	-	.07		14
15	.47	.04	.39	.55	-	-	.03	.17	.14	-	-	.19		15
16	.20	.05	.31	TR	-	-	.02	-	.39	-	.29	-		16
17	1.02	.08	.70	-	-	-	-	-	.01	-	.14	-		17
18	TR	.11	.13	-	-	.45	-	-	.08	-	.16	.15		18
19	.07	TR	.05	.08	.10	-	-	-	.04	-	.12	.09		19
20	.54	.08	.02	.09	.04	-	-	-	.01	-	-	.60		20
21	.54	.51	.04	TR	.57	-	.04	-	.07	.08	.22	.02		21
22	.27	TR	.04	-	.35	.05	.02	-	.05	.57	.58	.03		22
23	.44	.24	-	-	.13	-	-	-	-	.12	.57	TR		23
24	.49	.47	.05	-	-	-	-	-	.03	1.45	-	TR		24
25	.04	1.09	.51	-	.12	-	-	-	.02	.08	-	-		25
26	-	.14	.04	-	.02	-	-	-	-	TR	-	-		26
27	TR	.37	-	-	-	-	-	-	-	.57	TR	-		27
28	.16	.05	-	-	-	-	-	-	-	.19	-	TR		28
29	.02	-	-	-	-	-	-	-	-	.29	.30	-		29
30	.36	~~X~~	-	-	-	-	-	-	.01	-	.12	-		30
31	.56	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.75	~~X~~	-		31
TOTAL	6.13	5.52	4.92	2.54	3.03	.86	1.62	1.48	1.76	4.14	2.34	3.65	38.19	Year's Total
* Days with .01 in. or more.	3 ²³	3 ²²	7 ²³	13	2 ¹⁴	1 ⁵	6 ¹²	6	8 ¹⁸	10	2 ¹¹	6 ¹⁸	175	
* Days with .04 in. or more.	20	19	16	13	12	4	6	6	10	10	9	12	197	

† Spare column, no entries required

(Signed)

Phyllis M. Daly

[P.T.O.]

* See Instruction 3 (f) on other side.

Section **A** for the entry of Daily Observations Station No. **1771**
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at **Devon + Peter Ingham**
in the County of **Devon**
Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **13** ft. **7** in.
Ground Sea Level **155** ft.

T.L. Davis
W.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.07	—	—	—	.63	—	.16	—	.33	.03	.11		1
2	TR	.02	—	TR	TR	TR	TR	TR	—	.21	TR	.22		2
3	TR	—	—	—	.26	.03	.03	.77	—	.23	TR	TR		3
4	TR	—	—	—	.04	.03	.15	~~1.97~~	—	.14	—	.07		4
5	TR	—	—	—	—	.02	.03	TR	.05	.32	TR	.01		5
6	.08	—	—	—	—	.07	~~1.34~~	—	.03	.03	—	.03		6
7	.13	—	—	—	—	TR	.23	.24	.06	.03	TR	.09		7
8	.63	.02	—	—	—	—	.01	.02	—	.05	—	TR		8
9	.23	.07	—	—	—	.05	—	—	—	TR	.03	.51		9
10	.15	—	—	—	—	.05	—	.01	—	—	TR	.39		10
11	.05	.02	—	—	—	.01	.19	.18	—	—	.37	.79		11
12	.18	TR	—	—	.15	—	TR	—	—	.25	.73	.01		12
13	.07	—	—	—	.12	—	—	—	—	—	.03	.64		13
14	~~.81~~	—	—	—	.16	—	.33	—	—	—	TR	—		14
15	.08	—	—	—	.19	—	—	—	—	.18	.24	.30		15
16	.05	.02	—	—	TR	—	—	TR	—	TR	.19	—		16
17	TR	.08	TR	—	.12	—	—	—	TR	.18	TR	.04		17
18	.17	—	—	—	.05	.04	—	TR	.19	.02	.30	—		18
19	TR	—	—	—	—	—	—	—	.08	—	.49	—		19
20	TR	—	—	—	—	—	—	—	.01	—	.10	—		20
21	TR	—	—	—	—	TR	—	.04	.22	—	.18	—		21
22	—	—	—	.02	—	.17	—	.61	TR	.02	.20	—		22
23	—	—	—	.05	—	—	—	.01	—	—	.22	.10		23
24	.02	—	.12	—	.12	—	TR	.04	.04	—	.32	—		24
25	.07	.40	.06	—	.13	—	.33	—	.04	.04	.82	.04		25
26	.32	.24	—	—	.47	—	.04	—	—	.12	TR	.09		26
27	.18	.02	—	—	.20	.10	.35	.33	—	.04	.15	—		27
28	.14	.08	TR	—	.12	.06	—	.51	TR	—	—	.01		28
29	.18	—	—	—	.32	TR	—	—	.19	.22	.14	.03		29
30	.03	X	—	—	.01	.64	TR	—	.23	—	.10	.04		30
31	.37	X	—	X	.10	X	—	—	X	.13	X	.18		31
TOTAL	3.94	1.03	.18	.07	2.56	1.90	3.03	4.89	1.14	2.54	4.64	3.71	29.63	✓
* Days with .01 in. or more.	X20	X11	X2	X2	X16	X13	X11	X13	X11	X18	X18	X20	X155	✓
* Days with .04 in. or more.	19	6	2	2	15	9	8	11	9	14	X15	15	X125	✓

Section **A** for the entry of Daily Observations

Station No. **1771**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Slown & Gleda Inokkilon
 in the County of Slown
 Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1.3 ft. 7 in.
 „ Ground „ Sea Level 15.5 ft.

*Jan 25-31st entered as'd from nearby stns
 to agree monthly total.
 Feb, but other totals corrected for accuracy*

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	—	.14	.03	.02	—	.12	.22	TR	—	.52	.03		1
2	.15	—	—	.14	—	—	—	.32	.46	—	.13	.08		2
3	.13	—	.02	.50	—	—	.02	.06	.05	—	.23	.36		3
4	.01	—	.43	.27	.20	—	.46	TR	—	.56	.18	.23		4
5	—	—	.03	.12	—	—	.45	.15	—	.28	.86	.01		5
6	.42	—	.08	.14	—	—	.36	.02	—	.26	.16	—		6
7	TR	.07	TR	—	—	.15	TR	.05	—	TR	.35	.21		7
8	—	.18	.01	—	.01	—	.03	.07	—	.99	.58	.03		8
9	—	.01	.01	—	—	—	—	.10	—	.09	.03	.03		9
10	.19	—	—	—	—	.03	—	.10½	.03	.13	.02	.33		10
11	.01	TR	.06	—	—	—	—	.02	—	.08	.01	TR		11
12	—	.06	—	.06	—	—	—	—	.07	.03	.01	—		12
13	—	—	—	.13	TR	.04	.26	—	.04	.76	.04	TR		13
14	.78	—	—	TR	.01	.11	.39	—	.03	.07	.20	.03		14
15	.60	—	—	—	.03	.42	.32	—	—	.04	.25	.01		15
16	.12	—	—	.04	—	—	.24	—	—	—	.14	—		16
17	.72	TR	—	—	TR	.04	.38	—	—	—	.03	—		17
18	TR	.01	.03	—	—	.05	.37	—	—	—	.73	.17		18
19	.16	—	—	—	—	.14	.08	—	—	—	.02	.09		19
20	.32	—	—	—	.02	.08	.07	.74	—	—	—	.04		20
21	.12	.31	.04	.08	.07	.16	.03	TR	—	—	—	—		21
22	.45	.23	.22	.01	—	.24	.21	—	TR	—	.19	—		22
23	.04	TR	.05	.13	—	TR	.23	—	—	—	.72	—		23
24	1.00	—	.51	.05	—	.48	.13	—	—	.06	TR	—		24
25	TR	.10	—	.01	—	—	.08	.09	—	.04	.21	—		25
26	—✓	.13	—	.13	—	TR	—	.12	—	.09	.26	TR		26
27	—	.02	—	TR	—	.09	TR	.02	—	—	.11	—		27
28	(61)	—	—	.14	—	.08	TR	—	—	—	.35	.02		28
29	—✓	—	—	.07	—	TR	.06	.14	—	—	.14	TR		29
30	—	—	—	.35	—	.02	.01	.07	—	.35	—	—		30
31	—	—	—	—	—	—	—	.08	—	.60	—	.01		31
TOTAL	6.03	1.12	1.63	2.35	.36	2.14	6.38	2.23	.68	4.64	6.32	1.68	Year's Total	35.56
* Days with .01 in. or more.	220	410	313	318	57	316	321	316	26	117	425	168	185	
* Days with .04 in. or more.	146	47	8	14	2	13	17	13	4	16	19	8	137	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Nathaniel M. Green [P.T.O.]

Section



for the entry of Daily Observations

Station No. 1771

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at Devon - Exeter Institution Exeter

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 13 ft 7 in.

Ground Sea Level 155 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.06	—	TR	.10	—	—	—	—	—	.24	—		1
2	—	.11	—	.08	—	—	—	—	—	—	.64	.04		2
3	.06	.94	—	.03	—	—	—	—	—	.11	.75	.14		3
4	.02	.19	—	.07	—	—	.10	—	—	.09	.07	.01		4
5	.03	TR	—	—	—	—	TR	—	—	.01	.49	.09		5
6	.28	.55	—	—	—	—	.01	—	—	.06	.05	.20		6
7	.09	TR	—	TR	—	—	.15	TR	TR	TR	TR	.02		7
8	TR	TR	—	—	—	—	TR	—	—	.49	.41	.23		8
9	—	—	—	—	—	—	.57	TR	TR	.06	.53	.27		9
10	—	—	—	—	—	—	.26	.02	.04	.09	.17	.70		10
11	—	—	.07	.02	—	—	.34	—	—	TR	.53	.01		11
12	—	—	.06	—	—	.23	.22	—	.50	—	.13	TR		12
13	—	TR	.34	—	—	—	TR	—	TR	.88	.96	.44		13
14	—	—	TR	.11	.18	—	TR	TR	.24	.50	.03	.33		14
15	—	.03	—	.16	TR	—	.26	—	.24	.04	.55	.01		15
16	.05	1.12	.58	.29	—	—	.05	—	.02	.22	.14	TR		16
17	—	.22	.43	.02	—	—	.06	—	TR	TR	.67	TR		17
18	.30	.33	.22	.56	—	—	TR	.01	.24	.11	.04	.04		18
19	—	.03	.09	.18	—	—	.15	—	.16	.03	.08	TR		19
20	—	—	TR	.04	—	—	—	.07	TR	.12	.01	—		20
21	—	—	.03	TR	.11	TR	—	—	TR	.01	.47	—		21
22	—	—	.09	.06	TR	.68	—	—	.12	.01	TR	—		22
23	—	.06	.21	.01	.11	TR	.01	—	TR	.46	—	—		23
24	.03	—	TR	—	.04	—	.45	—	—	TR	—	—		24
25	.11	—	.20	TR	.25	.09	TR	—	—	TR	—	—		25
26	.51	.51	—	.06	.27	—	.11	—	—	—	—	—		26
27	.41	.07	.03	.11	.16	TR	—	—	—	—	—	—		27
28	.27	.08	TR	.08	.03	—	—	TR	—	—	—	—		28
29	TR	.06	—	1.31	—	.01	—	—	—	.01	—	.17		29
30	TR	X	TR	.05	—	—	—	—	—	.39	—	.19		30
31	.11	X	TR	X	—	X	—	—	X	.61	X	.51		31
TOTAL	2.27	4.36	2.35	3.24	1.25	1.01	2.74	.10	1.56	4.30	6.36	34.6	Year's Total	32.94
* Days with .01 in. or more.	13	15	12	18	9	4	14	3	8	20	20	17		153
* Days with .04 in. or more.	10	13	10	14	8	3	12	1	7	15	18	13		124

† Spare column, no entries required.

(Signed) Kathleen M. Green P.T.O.

* See Instruction 3 (f) on other side.

REGIST

Kept at 15 The Close
in the County of Devon

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground...
Ground Sea Level

1772
EXETER 15, THE CLOSE
1931-32

780706

1772
COPY FOR OFFICIAL USE.
LL ORGANIZATION.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.03	-	.43	.12	-	.08	-	.31	-	-	-	1
2	.26	.02	-	.71	-	-	-	-	.17	-	.26	.16	2
3	.21	.06	.95	-	-	-	.02	-	.17	-	1.85	.03	3
4	.01	-	.28	-	.08	.08	.16	.75	.10	.02	.03	-	4
5	-	.20	.23	.03	-	.53	-	-	-	-	.04	.14	5
6	-	.18	-	-	.05	.21	.04	-	-	-	.11	.55	6
7	-	.05	-	-	.25	.21	.24	.07	-	.19	1.02	.07	7
8	-	.15	-	.32	-	.43	.01	.01	-	.10	.27	.06	8
9	-	.10	-	-	-	.02	.02	-	-	-	.35	.01	9
10	-	.10	-	-	.07	.04	-	.05	-	-	.56	-	10
11	.14	.51	-	-	-	.24	.07	-	.02	.16	.38	-	11
12	.13	.12	-	-	-	-	.10	-	.03	-	-	-	12
13	-	.06	-	-	.08	.01	.25	.15	-	-	-	-	13
14	.02	.05	-	-	-	.22	.52	.17	-	-	.48	-	14
15	.01	.13	-	.02	.17	.01	-	.57	-	-	.01	.06	15
16	.01	.11	-	.06	.15	.31	-	-	.10	-	-	-	16
17	.01	.06	-	.07	-	.01	.34	-	-	-	.01	-	17
18	.02	-	.03	.15	-	.06	.03	.71	-	-	.21	-	18
19	.02	.08	.10	.08	-	.40	-	.05	.08	-	.37	-	19
20	.01	.06	.31	-	-	-	.04	.44	-	-	.45	-	20
21	.13	.01	.02	-	.16	-	-	-	-	.02	.01	-	21
22	.22	.01	-	.04	.22	-	-	.07	-	-	-	-	22
23	.41	.02	-	.36	.57	-	.01	.02	-	-	.28	-	23
24	.04	.01	.02	.73	.09	.10	.54	.52	-	-	.02	-	24
25	.26	-	-	.29	.03	-	.09	-	-	-	.23	-	25
26	.01	.03	-	.26	-	-	.34	-	-	-	.45	-	26
27	.08	.15	-	-	1.56	-	.15	-	-	-	.19	-	27
28	.11	.16	.04	-	.04	-	-	.02	-	.06	-	.10	28
29	.06	-	.08	-	.10	-	.02	.23	.02	.02	.07	.30	29
30	.08	x	-	-	.03	-	-	.02	.02	-	-	-	30
31	.64	x	.02	x	.04	x	.02	-	x	-	x	.39	31
TOTAL	2.99	2.46	2.13	3.55	3.81	2.91	3.09	3.85	1.02	.57	7.45	1.87	35.70
*Days with or in. or more.	23	25	11	14	18	16	21	16	10	7	23	11	195
*Days with or in. or more.	14	18	7	12	16	12	14	12	6	4	18	9	144

REGISTER OF RAINFALL IN 1931.

Kept at 15 The Close, Exeter
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
Ground Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.03	-	.43	.12	-	.08	-	.31	-	-	-	1
2	.26	.02	-	.71	-	-	-	-	.17	-	.26	.16	2
3	.21	.06	.95	-	-	-	.02	-	.17	-	1.85	.03	3
4	.01	-	.28	-	.08	.08	.16	.75	.10	.02	.53	-	4
5	-	.20	.23	.03	-	.53	-	-	-	-	.04	.14	5
6	-	.18	-	-	.05	.21	.04	-	-	-	.11	.55	6
7	-	.05	-	-	.25	.21	.24	.07	-	.19	1.02	.07	7
8	-	.15	-	.32	-	.43	.01	.01	-	.16	.27	.06	8
9	-	.10	-	-	-	.02	.02	-	-	-	.35	.01	9
10	-	.10	-	-	.07	.04	-	.05	-	-	.56	-	10
11	.14	.51	-	-	-	.24	.07	-	.02	.16	.38	-	11
12	.13	.12	-	-	-	-	.10	-	.03	-	-	-	12
13	-	.06	-	-	.08	.07	.25	.15	-	-	-	-	13
14	.02	.05	-	-	-	.22	.52	.17	-	-	.48	-	14
15	.01	.13	-	.02	.17	.01	-	.57	-	-	.01	.06	15
16	.01	.11	-	.06	.15	.31	-	-	.10	-	-	-	16
17	.01	.06	-	.07	-	.01	.34	-	-	-	.01	-	17
18	.02	-	.03	.15	-	.06	.03	.71	-	-	.21	-	18
19	.02	.08	.10	.08	-	.40	-	.05	.08	-	.37	-	19
20	.01	.06	.31	-	-	-	.04	.44	-	-	.45	-	20
21	.13	.01	.02	-	.16	-	-	-	-	.02	.01	-	21
22	.22	.01	-	.04	.22	-	-	.07	-	-	-	-	22
23	.41	.02	-	.36	.57	-	.01	.02	-	-	.28	-	23
24	.04	.01	.02	.73	.04	.10	.54	.52	-	-	.02	-	24
25	.26	-	-	.25	.03	-	.09	-	-	-	.23	-	25
26	.01	.03	-	.26	-	-	.34	-	-	-	.45	-	26
27	.08	.15	-	-	1.56	-	.15	-	-	-	.19	-	27
28	.11	.16	.04	-	.04	-	-	.02	-	.06	-	.10	28
29	.06	-	.08	-	.10	-	.02	.23	.02	.02	.07	.30	29
30	.08	x	-	-	.03	-	-	.02	.02	-	-	-	30
31	.64	x	.02	x	.04	x	.02	-	x	-	x	.39	31
TOTAL	2.49	2.46	2.13	3.55	3.81	2.91	3.09	3.85	6.02	.57	7.45	1.87	35.70
*Days with ".01 in. or more.	23	25	11	14	18	16	21	16	10	7	23	11	195
*Days with ".04 in. or more.	14	18	7	12	16	12	14	12	6	4	18	9	144

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at 15 The Close, Exeter
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 120 ft.

Rainfall taken at 9 a.m. Winter
10 a.m. Summer

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.04	-	-	.33	-	-	-	.01	-	-	.02	.01	I
2	-	-	-	.12	-	-	.04	.01	.26	-	.05	.11	2
3	-	-	.05	-	-	.61	-	-	.28	.03	.02	.06	3
4	.2	-	-	-	.01	.14	.06	.10	-	-	.20	-	4
5	.8	-	.04	-	-	-	-	-	.14	-	-	-	5
6	.45	-	-	.28	.02	-	.04	-	.16	-	-	-	6
7	.04	-	-	.18	-	-	-	-	.44	1.34	-	-	7
8	-	-	.40	.01	.20	-	-	-	.05	.16	-	-	8
9	1.20	.01	-	.12	.01	-	-	-	-	.04	-	-	9
10	.31	-	.01	.27	-	.02	-	-	-	.21	-	-	10
11	.02	-	-	.04	.08	-	-	-	.02	.11	-	.16	11
12	.26	-	-	.02	.26	-	.04	-	-	.28	-	.04	12
13	.08	-	-	.16	.04	-	.27	.48	.02	1.02	.02	.15	13
14	.37	-	-	.10	.36	-	-	-	-	.05	.12	.02	14
15	.01	-	-	.07	.10	-	-	-	-	.03	.04	.01	15
16	.26	-	-	.05	.03	-	1.55	-	-	.01	-	-	16
17	-	-	-	.01	-	-	-	-	.01	.03	.33	-	17
18	-	-	-	-	.31	-	-	-	.20	-	-	-	18
19	.02	-	-	-	.27	-	-	-	.03	.24	-	-	19
20	.01	-	-	-	.48	-	-	.07	.01	.61	.25	.12	20
21	.02	-	.04	.08	-	-	-	.52	.04	.33	.25	.27	21
22	-	-	.01	-	.02	-	.05	.10	.63	.24	.04	.01	22
23	-	.05	-	-	-	-	.12	-	.02	.44	.03	.17	23
24	-	-	-	-	.01	-	.72	-	.04	.04	.03	.01	24
25	-	-	.50	-	.03	-	.16	-	.07	.24	.11	.01	25
26	-	-	.06	.02	-	-	.05	-	.02	.16	.01	-	26
27	-	-	.32	.42	.12	.01	.10	-	-	.17	-	.05	27
28	-	-	.08	.02	.12	-	-	-	-	-	-	.04	28
29	-	-	.48	.11	.17	.33	-	.51	.70	.63	.05	.53	29
30	.02	x	.03	.08	.02	1.41	.28	.01	.73	.15	1.16	-	30
31	-	x	-	x	.15	x	.28	-	x	.02	x	.57	31
TOTAL	3.33	.06	2.12	2.40	3.31	2.52	3.76	1.81	4.01	6.73	2.75	2.34	35.23
*Days with or in. or more.	16	2	12	20	21	6	14	4	20	24	17	18	179
*Days with .04 in. or more.	10	1	9	15	13	4	14	6	13	5	10	12	112

*See Instruction 2 (f) on other side.

B

1773

tation.

1773.

* The following register of
&c., is NOT required if d
values are given on the o

RAINFALL IN

EXETER, 6 THE CLOSE

1931 — 40

At 6 The Close - Exeter
In the County of Devon

his section and also the space for

ing to this register should be sent:—

The Close Exeter
9 a.m. in Summer 6 a.m.
Distance 500 yds Direction from gauge W

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 9 ft. 9 in.
Height of Ground above Sea Level 100 1/2 ft.

Nearest Parish Church at St. Peter's Cathedral Distance 100 Direction from gauge S

Nature of objects nearest to gauge Garden bed Brick wall
Heights of objects 9 1/2 ft
Distances 9 ft. 30 ft.
Directions from gauge N E

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....
Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with .01 in. or more	Number of Days with .04 in. or more
JAN.	2.86	.65	31	21
FEB.	2.59	.57	1	22
MAR.	2.11	.90	3	10
APRIL	3.54	.69	2	14
MAY	3.63	1.48	27	18
JUNE	3.07	.51	5	14
JULY	3.18	.54	24	19
AUG.	2.80	.69	18	16
SEPT.	1.03	.33	1	10
OCT.	.57	.19	6	7
NOV.	7.56	1.65	3	20
DEC.	1.86	.54	6	11
Total	35.54		182	146

Signature A. L. Parson.

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931.

At St. Close, Exeter
In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 9 ft. 9 in.
Height of Ground above Sea Level 1001 ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ".01 in. or more	Number of Days with ".04 in. or more
JAN.	2.86	.65	31	21	15
FEB.	2.59	.57	1	22	18
MAR.	2.11	.90	3	10	7
APRIL	3.54	.69	2	14	13
MAY	3.63	1.48	27	18	16
JUNE	3.07	.51	5	14	11
JULY	3.18	.54	24	19	14
AUG.	3.80	.69	18	16	14
SEPT.	1.03	.33	1	10	6
OCT.	.57	.19	6	7	4
NOV.	7.56	1.65	3	20	19
DEC.	1.86	.54	6	11	9
Total	35.54			182	146

Signature D. L. Parn.

*See Instruction 2 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Canon. H. L. Parn.
The Close, Exeter

Hour of observation by the clock—in Winter 9 a.m. in Summer 10 a.m.

Nearest Railway Station Exeter, Queen St. Distance 500 yds Direction from gauge W

Nearest Parish Church at St. Martin's Distance 100 Direction from gauge S

Nature of objects nearest to gauge	<u>Garden bed</u>	<u>Brick wall</u>	
Heights of objects		<u>9 1/2 ft</u>	
Distances	<u>9 ft.</u>	<u>30 ft.</u>	
Directions from gauge	<u>N</u>	<u>E</u>	

If gauge has been moved during the year state—

Date of move. Distance. Direction.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

1773

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At 6, The Close Exeter
In the County of Devon
Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 9 ft. in.
Height of Ground above Sea Level 100 ft. 3 in.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with or in. '04 in. or more or more		
	Inches	Inches	Date.		
JAN.	3.40	1.32	9	14	11
FEB.	.05	.05	23	1	1
MAR.	2.09	.50	29	10	9
APRIL	2.42	.38	27	19	14
MAY	3.12	.91	20	17	13
JUNE	2.33	1.30	30	4	4
JULY	3.83	1.40	16	16	15
AUG.	1.84	.50	13	9	8
SEPT.	3.86	.69	30	16	14
OCT.	6.36	1.35	7	21	19
NOV.	2.71	1.13	30	17	14
DEC.	2.27	.53	31	16	10
Total	34.38 2			160	132

Signature S. McLaren

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Canon McLaren
The Close Exeter

Hour of observation by the clock—in Winter 9 a.m. in Summer 10 a.m.

Nearest Railway Station Exeter Queen St. Distance 50 yds. gauge West

Nearest Parish Church at Cathedral Distance 120 yds. gauge South

Nature of objects nearest to gauge Garden bed brick wall
Heights of objects 9 1/2 ft.
Distances 30 ft.
Directions from gauge N. N.E.

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____
Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7
18 JAN 1933

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At 6 & Close Recton

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 9 ft.
Height of Ground above Sea Level 100 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date.	Number of Days with 0.1 in. 0.4 in. or more or more	
JAN.	2.27	.58	1	10	13
FEB.	3.83	1.14	23	16	13
MAR.	3.15	.86	16	15	11
APRIL	1.65	.44	30	9	9
MAY	2.84	.75	2	13	11
JUNE	2.08	.88	21	11	9
JULY	2.27	.83	15	13	9
AUG.	1.51	.62	11	10	8
SEPT.	1.86	.46	11	12	8
OCT.	2.13	.77	10	16	14
NOV.	1.02	.60	19	8	5
DEC.	2.12	1.09	1	9	8
Total	27.23			150	118

Signature Douglas H. Peron

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Canon H. Peron
The Close, Exeter

Hour of observation by the clock—in Winter 9 a.m. in Summer 6 a.m.

Nearest Railway Station Exeter Central Distance 50 yds Direction from gauge W.

Nearest Parish Church at St. Clement's Distance 20 Direction from gauge S.

Nature of objects nearest to gauge Felden bed Brick wall

Heights of objects 9 ft 30 ft

Distances .. N E

Directions from gauge ..

If gauge has been moved during the year state—

Date of move. Distance. Direction.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At 6 1/2 CloseIn the County of ExeterDiameter of Funnel 5 in.Height of Top above Ground 9 ft. 9 in.Height of Ground above Sea Level 100 ft.?

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date.	Number of Days with "or in." "04 in. or more or more	
JAN.	2.53	.53	11	19	12
FEB.	.22	.11	24	4	2
MAR.	3.09	.49	14	19	17
APRIL	2.90	.66	18	13	12
MAY	1.21	.39	6	6	6
JUNE	1.95	.84	23	10	9
JULY	.89	.69	22	6	2
AUG.	3.40	.70	1	16	14
SEPT.	2.44	.59	2	15	12
OCT.	2.03	.33	6	18	18
NOV.	1.43	.24	2	16	10
DEC.	10.58	.80	22	30	28
Total	32.67			168	139

Signature J. L. P. C.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 a.m. in Summer 10 a.m.

Nearest Railway Station Exeter Central Distance 500 yds gauge W

Nearest Parish Church at Cathedral Distance 120 yds gauge S

Nature of objects nearest to gauge Barren Pines Brick Wall

Heights of objects Back Gate 15 ft

Distances 30

Directions from gauge 30 ft.

If gauge has been moved during the year state—

Date of move. Distance. Direction.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation, marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary**C**

Particulars of Station.

1773

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At 6 1/2 Close. ExileIn the County of DermRain Gauge Diameter of Funnel 5 in.Height of Top above Ground 9 ft.Height of Ground above Sea Level 120.3 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with		
	Inches	Inches	Date	.01 in. or more	.04 in. or more
JAN.	1.72	27	25	9	6
FEB.	3.03	78	25	19	14
MAR.	1.49	62	1	9	9
APRIL	3.67	83	15	18	16
MAY	2.25	95	17	12	10
JUNE	3.16	85	6	19	18
JULY	1.48	29	18	2	2
AUG.	1.97	57	30	8	8
SEPT.	2.89	49	16	21	19
OCT.	3.57	50	9	19	14
NOV.	5.72	118	14	21	15
DEC.	4.81	76	26	20	16
Total	33.76			177	147

Signature Douglas L. Loran

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Canon H. Loran
6 1/2 Close. ExileHour of observation by the clock—in Winter 9 a.m. in Summer 10 a.m.Nearest Railway Station Southern Central Distance 80.7 m. Direction from W.Nearest Parish Church at Exile Cathedral Distance 120 Direction from SNature of objects nearest to gauge Garden bed Brick wallHeight of objects 15 ftDistances 30 ftDirections from gauge N E

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O.

3 JAN 1936

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
 - The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
 - If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
 - The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
 - The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
 - If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
 - The heaviest daily fall for each month should be underlined.
3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

B Monthly
Summary.**C** Particulars of Station,

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At *6. The Close, Exeter*In the County of *Devon*

Rain Gauge { Diameter of Funnel.....*5*.....in.
Height of Top above Ground.....ft.....*9*.....in.
Height of Ground above Sea Level.....ft.....*100.61*.....ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with	
	Inches	Inches	.01 in. or more	.04 in. or more
JAN.	<i>5.16</i>	<i>.74</i>	<i>28</i>	<i>24</i>
FEB.	<i>4.05</i>	<i>1.23</i>	<i>17</i>	<i>17</i>
MAR.	<i>3.65</i>	<i>.72</i>	<i>28</i>	<i>19</i>
APRIL	<i>2.44</i>	<i>1.03</i>	<i>21</i>	<i>10</i>
MAY	<i>.65</i>	<i>.31</i>	<i>16</i>	<i>7</i>
JUNE	<i>2.26</i>	<i>.67</i>	<i>29</i>	<i>12</i>
JULY	<i>5.38</i>	<i>.71</i>	<i>1</i>	<i>29</i>
AUG.	<i>.08</i>	<i>.03</i>	<i>11</i>	<i>5</i>
SEPT.	<i>3.48</i>	<i>.76</i>	<i>3</i>	<i>14</i>
OCT.	<i>1.30</i>	<i>.67</i>	<i>11</i>	<i>11</i>
NOV.	<i>2.72</i>	<i>1.18</i>	<i>13</i>	<i>15</i>
DEC.	<i>3.75</i>		<i>15</i>	<i>14</i>
TOTAL	<i>34.92</i>		<i>278</i>	<i>146</i>

Signature *S. H. Carter*

*See Instruction 2 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter *9 a.m.* in Summer *10 a.m.*Nearest Railway Station *Exeter* Distance *50 yds* Direction from gauge *W.*Nearest Parish Church *Exeter Cathedral* Distance *186 yds* Direction from gauge *S.*Nature of objects nearest to gauge *Exeter Bldg. Brick wall*Height of objects *15 feet*Distances *30*Directions from gauge *E.*

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- It is known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt. 3430/1699 15,000 2/35 W. H. & S. 668/91.

BMonthly
Summary.**C**

Particulars of Station.

1773

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At 6 The Close, ExeterIn the County of DevonRain Gauge Diameter of Funnel 5 in.Height of Top above Ground 9 ft.Height of Ground above Sea Level 100 ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with 0.1 in. or more	Number of Days with 0.4 in. or more
JAN.	6.21	1.02	17	22	21
FEB.	5.58	.76	25	19	18
MAR.	4.83	.85	10	21	9
APRIL	3.66	.69	10	14	12
MAY	3.00	.70	8	12	12
JUNE	.99	.42	12	4	4
JULY	1.42	.49	5	7	5
AUG.	1.88	.51	12	6	6
SEPT.	2.48	.70	9	13	11
OCT.	4.15	1.41	24	10	10
NOV.	2.23	.47	22	8	8
DEC.	3.67	.70	1	14	13
TOTAL	39.56			150	137

Signature [Signature]

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 a.m. in Summer 6 a.m.Nearest Railway Station Southern Distance 500 yds. Direction from gauge toNearest Parish Church at Exeter Cathedral Distance 1/2 mile Direction from gauge S.

Nature of objects nearest to gauge

Height of objects

Distances


Directions from gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O.

4 JAN. 1936

* See Instruction 3 (f) below.

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At 6. The Close Exeter.

In the County of Devon

Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 9 in.
Height of Ground above Sea Level 100.3 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with .01 in. or more	Number of Days with .04 in. or more
	Inches	Inches	Date	
JAN.	3.99	.82	14	18
FEB.	1.00	.37	25	11
MAR.	.18	.12	24	2
APRIL	.17	.12	22	2
MAY	2.50	.46	26	15
JUNE	1.91	.64	30	13
JULY	3.02	1.34	6	11
AUG.	4.86	1.80	4	13
SEPT.	1.00	.26	29	9
OCT.	2.59	.35	5	17
NOV.	4.72	.83	25	21
DEC.	3.45	.75	11	16
TOTAL	29.47		148	118

Signature Douglas L. L. L.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Canon McLaren
The Close Exeter

Hour of observation by the clock—in Winter 9 A.M. in Summer 10 A.M.

Nearest Railway Station Southern Distance 500 yds gauge W.

Nearest Parish Church at Exeter Cathedral Distance 180 yds gauge


Nature of objects nearest to gauge Gardened Brick wall
Height of objects 15 ft
Distances 30 ft
Directions from gauge E

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.
2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.
3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—
 - (a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
 - (b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
 - (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

- sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
 - (c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
 - (d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
 - (e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
 - (f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
 - (g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
 - (h) The heaviest daily fall for each month should be underlined.
4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

BMonthly
Summary.**C**

Particulars of Station.

1773

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At *6 The Close - Exeter*In the County of *Devon*Rain Gauge (Diameter of Funnel.....*5* in.Height of Top above Ground.....ft.....*9* in.Height of Ground above Sea Level.....*100* ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with .01 in. or more
JAN.	<i>6.25</i>	<i>.96</i>	<i>24</i>
FEB.	<i>1.16</i>	<i>.29</i>	<i>21</i>
MAR.	<i>1.64</i>	<i>.49</i>	<i>24</i>
APRIL	<i>2.31</i>	<i>.35</i>	<i>3</i>
MAY	<i>.43</i>	<i>.20</i>	<i>4</i>
JUNE	<i>2.10</i>	<i>.45</i>	<i>24</i>
JULY	<i>6.14</i>	<i>1.34</i>	<i>18</i>
AUG.	<i>2.09</i>	<i>.70</i>	<i>20</i>
SEPT.	<i>.62</i>	<i>.45</i>	<i>2</i>
OCT.	<i>4.29</i>	<i>.97</i>	<i>8</i>
NOV.	<i>6.22</i>	<i>.84</i>	<i>5</i>
DEC.	<i>1.58</i>	<i>.36</i>	<i>3</i>
TOTAL	<i>34.83</i>		

Signature *Angela L. P. ...*

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

*Canon W. J. ...*Hour of observation by the clock—in Winter...*9 a.m.*...in Summer...*10 a.m.*Nearest Railway Station...*Southampton*...Distance...*50*...gauge...*20*Nearest Parish Church at...*Exeter Cathedral*...Distance...*180*...gauge...*5*Nature of objects nearest to gauge...*Exeter Cathedral*...*15 feet*Height of objects...*3.0 feet*

Distances ...


Directions from gauge ...

If gauge has been moved during the year state—

Date of move... Distance... Direction...

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

-2 JAN. 1940

* See Instruction 3 (f) below.

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W.H. & S. 663/91

S.O. Code No. 10-9999

To be filled and returned to

THE SUPERINTENDENT,
BRITISH RAINFALL ORGANIZATION,
62, CAMDEN SQUARE, LONDON, N.W.1

Copies of this form will be supplied with pleasure.

RAINFALL IN 1940...

NOTE.—Records taken in millimetres
should not be entered on this form.

At 6 1/2 close. Excl.

In the County of. Sarn

Rain Gauge (Diameter of Funnel... 5 in.
Height { Above Ground... ft. in.
of Top { Above Sea Level... 140.2 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with ".01 or more recorded.	
	Inches	Inches	Date.	
JAN.	2.30	.44	26	13
FEB.	4.53	1.27	16	12
MAR.	2.58	.65	16	13
APR.	3.20	1.28	29	15
MAY	1.27	.26	26	9
JUNE	.95	.57	22	4
JULY	2.79	.61	9	11
AUG.	.10	.7	20	2
SEPT.	1.41	.46	12	8
OCT.	4.18	.88	13	16
NOV.	6.38	.96	12	20
DEC.	3.63	.65	31	16
Total	33.32			135

Signed... J. L. L. L. L.
Titles... Canon...
(Please fill in the other side also.)

Particulars of Station.

1773

y.

ils,
klyEvery observer is requested to fill in this section and also the space for
notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter...in Summer...

Nearest Railway Station... Distance... Direction from gauge...

Nearest Parish Church at... Distance... Direction from gauge...


Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move... Distance... Direction...

Indicate pattern of gauge in use by deleting those sketches of cross sections of
gauges which do not represent it. If the pattern is different from any of these please
make a sketch of it. (Good gauges to use are those marked A and B.)


If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please
give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers
to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?



* See Instruction 3 (f) below.



INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
 - The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91

S.O. Code No. 40-9999

Kept at *Exeter (MAGDALEN RD.)*
in the County of *Devon*

Diameter of Funnel of Gauge *5*
Height of top of Gauge above Ground
Ground Sea Level

1773/5
EXETER MAGDALEN RD.
1932 — 38

1773/5
COPY FOR OFFICIAL USE.
L ORGANIZATION.

780308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											<i>0.06</i>	<i>tr</i>	1
2											<i>—</i>	<i>0.11</i>	2
3											<i>.02</i>	<i>.06</i>	3
4											<i>.23</i>	<i>—</i>	4
5											<i>—</i>	<i>—</i>	5
6											<i>—</i>	<i>—</i>	6
7											<i>—</i>	<i>—</i>	7
8											<i>—</i>	<i>—</i>	8
9											<i>—</i>	<i>—</i>	9
10											<i>—</i>	<i>—</i>	10
11											<i>—</i>	<i>.18</i>	11
12											<i>—</i>	<i>.05</i>	12
13											<i>—</i>	<i>.13</i>	13
14											<i>.06</i>	<i>.02</i>	14
15											<i>.11</i>	<i>—</i>	15
16											<i>—</i>	<i>—</i>	16
17											<i>—</i>	<i>tr</i>	17
18											<i>.33</i>	<i>—</i>	18
19											<i>tr</i>	<i>—</i>	19
20											<i>.19</i>	<i>.13</i>	20
21											<i>.06</i>	<i>.32</i>	21
22											<i>.23</i>	<i>.01</i>	22
23											<i>.08</i>	<i>.18</i>	23
24											<i>.02</i>	<i>.01</i>	24
25											<i>.02</i>	<i>.01</i>	25
26											<i>.11</i>	<i>—</i>	26
27											<i>tr</i>	<i>.04</i>	27
28											<i>—</i>	<i>.05</i>	28
29		<i>X</i>									<i>.08</i>	<i>.54</i>	29
30											<i>1.29</i>	<i>.01</i>	30
31		<i>X</i>		<i>X</i>		<i>X</i>			<i>X</i>		<i>X</i>	<i>.74</i>	31
TOTAL											<i>2.84</i>	<i>2.59</i>	YEAR'S TOTAL
*Days with or in. or more.											<i>15</i>	<i>17</i>	
*Days with or in. or more.											<i>12</i>	<i>12</i>	

40-9999

*See Instruction 2 (f) on other side.

N Major H.W.M. Shewell
(Signed)
X MAJOR H.W.M. SHEWELL X

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Exeter (MAGDALEN ROAD)
in the County of Devon

No. 221534/32.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
Ground Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											0.06	tr	1
2											—	0.11	2
3											0.02	0.06	3
4											0.23	—	4
5											—	—	5
6											—	—	6
7											—	—	7
8											—	—	8
9											—	—	9
10											—	—	10
11											—	0.18	11
12											—	0.05	12
13											—	0.13	13
14											0.06	0.02	14
15											0.11	—	15
16											—	—	16
17											—	tr	17
18											0.33	—	18
19											tr	—	19
20											0.19	0.13	20
21											0.06	0.32	21
22											0.23	0.01	22
23											0.08	0.18	23
24											0.02	0.01	24
25											0.02	0.01	25
26											0.11	—	26
27											tr	0.04	27
28											—	0.05	28
29		X									0.08	0.54	29
30											1.29	0.01	30
31		X		X		X			X		X	0.74	31
TOTAL											2.84	2.59	YEAR'S TOTAL
*Days with 0.01 in. or more.											15	17	
*Days with 0.04 in. or more.											12	12	

40-9999

*See Instruction 2 (f) on other side.

N Major H.W.M. Shewell
(Signed)
X MAJOR H.W.M. SHEWELL X

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Glastonbury Exeter
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
Ground Sea Level 110 ft.

Cont 1932
Number 221534/32.
A new glass measure on after 1st Oct.
VG agreement

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.48	0.15	0.18	—	0.06	0.09	—	—	—	—	0.03	1.23	1
2	.50	—	.53	—	.79	.47	—	—	—	T ₂	.03	.06	2
3	.10	.11	.16	—	.01	—	—	—	—	—	—	—	3
4	.21	T ₂	.01	—	.14	—	—	—	—	—	—	—	4
5	.03	T ₂	.38	—	.12	—	—	—	T ₂	0.03	T ₂	T ₂	5
6	.02	.39	.01	—	.17	—	0.07	—	T ₂	.08	T ₂	T ₂	6
7	—	.17	T ₂	—	.01	—	.01	—	7	.08	—	T ₂	7
8	—	—	.03	—	.03	—	.22	T ₂	—	—	—	—	8
9	—	.07	—	—	.65	.01	.19	T ₂	—	.36	.03	—	9
10	.03	.10	—	—	T ₂	—	.26	0.15	T ₂	.86	.05	—	10
11	.06	—	—	0.01	—	.01	T ₂	.58	T ₂	.03	—	T ₂	11
12	—	—	—	.20	.08	.13	.17	T ₂	0.52	.18	—	.05	12
13	T ₂	—	—	—	.10	.18	.12	.26	—	T ₂	—	—	13
14	.06	—	—	—	—	—	.17	.07	—	T ₂	.09	T ₂	14
15	.38	—	.81	—	—	—	.64	T ₂	—	.08	.15	T ₂	15
16	—	T ₂	.98	—	—	T ₂	T ₂	T ₂	T ₂	.12	—	T ₂	16
17	.01	.05	.12	—	—	.10	T ₂	—	.07	—	—	—	17
18	.09	T ₂	.14	—	—	.14	—	—	T ₂	—	.02	T ₂	18
19	.22	T ₂	.16	—	—	.11	—	.02	.07	—	.57	T ₂	19
20	—	.03	T ₂	—	T ₂	.29	—	.03	.03	—	T ₂	—	20
21	—	.04	—	—	—	.68	—	.07	—	.07	T ₂	T ₂	21
22	—	T ₂	—	.06	T ₂	T ₂	—	.29	.38	T ₂	T ₂	—	22
23	—	1.36	—	.15	T ₂	.17	—	T ₂	.12	.31	—	—	23
24	—	.21	—	.11	T ₂	T ₂	—	.07	.43	.05	—	—	24
25	—	.75	—	.12	T ₂	.18	—	—	T ₂	T ₂	—	.09	25
26	—	.32	—	.25	T ₂	—	—	—	.17	—	T ₂	.01	26
27	—	.05	—	T ₂	—	—	T ₂	—	T ₂	.10	—	.45	27
28	—	.11	—	.22	.34	—	.23	T ₂	T ₂	.27	—	.15	28
29	.05	X	—	.15	—	—	T ₂	—	.02	—	—	.04	29
30	.04	X	.07	.44	—	—	.02	—	.13	.03	—	.07	30
31	.08	X	.05	X	.02	X	T ₂	—	X	.03	X	T ₂	31
TOTAL	2.36	3.91	3.13	1.71	2.85	2.56	2.10	1.54	1.94	2.64	0.97	2.15	27.86
*Days with .01 in. or more.	16	14	14	10	14	13	11	9	10	16	8	9	144
*Days with .04 in. or more.	12	13	11	9	10	11	9	7	8	12	4	8	114

Section

A

for the entry of Daily Observations.

Station No. 1773/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Glenhays, Exeterin the County of Devon

No. 221534/32.

Diameter of Funnel of Gauge. 5 in.Height of top of Gauge above Ground 1 ft. 7 in.,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	1934	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02	—	T ₂	—	—	0.05	—	0.81	0.12	T ₂	0.21	0.43		1
2	05	—	0.02	—	—	—	—	02	60	0.05	—	18		2
3	01	T ₂	—	T ₂	T ₂	—	—	30	—	25	—	37		3
4	06	—	14	0.01	0.33	—	—	06	16	12	—	49		4
5	—	—	21	T ₂	35	22	—	86	—	05	15	33		5
6	T ₂	T ₂	16	06	40	03	—	—	01	35	01	43		6
7	04	—	—	—	—	T ₂	—	19	—	11	03	69		7
8	—	—	—	—	08	—	—	—	T ₂	01	24	61		8
9	01	—	40	05	—	—	—	—	—	—	23	22		9
10	35	T ₂	28	48	—	—	—	13	—	—	03	02		10
11	53	—	06	49	—	—	T ₂	—	—	T ₂	—	68		11
12	11	—	T ₂	T ₂	—	—	0.01	—	—	—	—	17		12
13	50	T ₂	T ₂	52	—	T ₂	—	—	—	01	01	68		13
14	39	—	47	T ₂	—	—	—	—	—	05	23	45		14
15	04	—	12	T ₂	14	—	05	—	—	14	18	65		15
16	—	—	25	T ₂	01	—	—	—	25	01	—	41		16
17	11	—	05	15	03	—	01	—	20	04	—	28		17
18	09	—	33	68	—	T ₂	—	—	16	02	—	24		18
19	04	—	15	04	T ₂	07	—	01	03	01	—	10		19
20	—	—	11	08	T ₂	—	04	—	T ₂	T ₂	—	01		20
21	—	—	19	—	—	17	—	07	T ₂	17	03	42		21
22	02	—	08	—	—	—	65	09	24	—	—	79		22
23	08	—	02	14	—	86	T ₂	—	T ₂	14	—	14		23
24	—	0.11	03	03	—	25	09	—	—	09	—	05		24
25	26	12	—	22	—	06	T ₂	T ₂	—	33	—	75		25
26	—	T ₂	05	06	—	22	—	—	03	—	02	26		26
27	—	—	—	02	—	—	—	01	06	02	01	33		27
28	T ₂	T ₂	—	01	—	—	—	33	28	03	T ₂	62		28
29	—	X	—	—	—	—	—	02	06	1	01	04		29
30	02	X	—	—	—	—	01	29	05	12	T ₂	20		30
31	—	X	—	X	—	X	06	05	X	1	X	11		31
TOTAL	2.23	0.23	3.12	3.04	1.34	1.93	0.92	3.37	2.25	2.12	1.34	11.15	33.04	
*Days with 0.1 in. or more.	19	2	19	16	7	9	8	16	14	(?)22	14	31	175	
*Days with 0.4 in. or more.	14	2	16	12	5	8	5	12	11	(?)15	6	29	134	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

W. W. Shewell

P.T.O.

REGISTER OF RAINFALL IN 1935.

Kept at Glenhays, Exeter
in the County of Devon
Diameter of Funnel of Gauge 5.0 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground „ Sea Level 110 ft.

Station No. 1773/5
File „ 221534/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.03	0.02	0.69	-	T ₂	0.03	T ₂	-	0.10	0.06	0.11	0.25	1
2	-	.03	.07	-	-	.11	-	-	.22	.15	.03	.15	2
3	T ₂	T ₂	.18	T ₂	0.22	.09	-	-	.35	.87	.12	.09	3
4	.06	.33	-	0.14	.05	.14	-	T ₂	.02	T ₂	.15	.17	4
5	T ₂	.19	.05	.08	-	.02	-	-	.15	.54	.02	.11	5
6	-	-	-	.23	-	.80	-	-	-	.04	.02	.17	6
7	-	-	-	.19	-	.05	-	-	-	.24	.03	.04	7
8	-	-	T ₂	.23	-	-	-	-	.11	.01	.17	.03	8
9	-	-	T ₂	.38	T ₂	.03	-	-	.05	.63	.02	-	9
10	.02	-	.19	.02	-	.07	T ₂	-	T ₂	.02	-	.03	10
11	.17	T ₂	T ₂	T ₂	-	.35	-	-	.17	.03	.72	-	11
12	.06	.13	-	-	-	.19	-	0.64	-	T ₂	.05	-	12
13	.07	.07	-	.20	T ₂	.06	-	-	T ₂	T ₂	.48	-	13
14	T ₂	T ₂	-	.17	.02	.17	-	-	.14	-	1.21	.27	14
15	-	T ₂	-	.81	.13	.40	-	-	-	-	0.19	.21	15
16	-	.04	.19	.14	-	T ₂	T ₂	-	.48	-	.80	T ₂	16
17	T ₂	T ₂	-	.02	.99	.27	-	.15	.05	-	.04	-	17
18	-	.04	-	.23	.02	-	0.27	.09	.13	.03	.05	.14	18
19	-	T ₂	-	.07	.14	.09	.19	-	T ₂	.23	.48	-	19
20	T ₂	.37	T ₂	.20	.50	T ₂	.02	-	.01	-	.21	-	20
21	-	.49	.02	.37	-	.01	.01	-	.08	.08	T ₂	-	21
22	-	.01	.07	.10	-	-	-	-	.05	T ₂	T ₂	-	22
23	-	.04	.05	.08	.10	-	-	.43	.19	.33	-	.50	23
24	T ₂	.58	T ₂	.02	.10	.02	-	.33	.02	.07	-	.18	24
25	.26	.77	-	-	.01	.10	-	-	-	-	-	.14	25
26	-	.70	-	-	-	.03	-	.15	.17	T ₂	.02	.85	26
27	-	.08	T ₂	-	-	T ₂	T ₂	.02	.06	.07	.03	.54	27
28	T ₂	.11	-	-	.02	-	T ₂	.16	T ₂	.04	.04	.01	28
29	T ₂	X	-	-	-	T ₂	-	-	.08	T ₂	.16	.70	29
30	.01	X	-	-	.08	.11	-	.51	.06	T ₂	.60	.47	30
31	-	X	-	X	.02	X	-	T ₂	X	.48	X	.20	31
TOTAL	0.68	4.00	1.51	3.68	2.40	3.19	0.49	2.48	2.66	3.92	5.75	5.25	36.01
*Days with ".01 in. or more.	8	17	9	19	14	20	4	9	21	18	24	21	184
*Days with ".04 in. or more.	5	14	8	16	9	15	2	8	18	14	17	18	144

Section

A

for the entry of Daily Observations.

Station No. 1773/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.Kept at *Glenhays, Perth*in the County of *Perth*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft *6* in.,, Ground ,, Sea Level *110* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.01	0.11	T ₂	0.05	—	0.22	0.66	0.01	T ₂	—	0.03	0.06		1
2	T ₂	.02	T ₂	.09	—	.19	.35	T ₂	0.24	—	.09	.01		2
3	T ₂	.01	0.01	.95	—	.10	.14	.02	.78	—	.11	.01		3
4	.03	—	.14	T ₂	T ₂	.13	T ₂	—	.32	—	.09	.20		4
5	.45	.06	.07	—	—	T ₂	.17	T ₂	.05	—	.01	.17		5
6	.05	—	.03	—	—	.02	.17	.01	.18	—	.23	T ₂		6
7	.12	—	.15	—	—	T ₂	.04	—	T ₂	—	.26	.03		7
8	.29	—	.31	—	—	—	.24	—	T ₂	—	.48	T ₂		8
9	.61	.59	.36	—	—	.04	.09	T ₂	—	—	.07	.01		9
10	.02	.53	—	—	—	—	.02	—	.08	—	.38	—		10
11	.40	T ₂	—	—	0.05	.08	.06	.03	.14	—	.69	.07		11
12	.01	—	—	.03	T ₂	—	.23	—	.30	0.02	.05	—		12
13	.13	T ₂	.03	T ₂	—	—	.08	—	.33	.03	.07	1.18		13
14	—	.05	—	—	—	T ₂	.62	T ₂	.32	.03	—	.39		14
15	T ₂	—	—	—	.04	—	.09	—	.50	—	.11	.23		15
16	—	.15	—	.05	.30	—	.17	—	T ₂	—	.07	.15		16
17	.21	1.24	—	T ₂	.02	—	.30	—	—	.02	.03	.26		17
18	.04	.31	.09	—	—	.52	.21	.01	—	.09	—	.16		18
19	.66	.01	.11	.05	—	.17	.11	.02	—	T ₂	—	—		19
20	.06	.38	.16	.07	—	T ₂	T ₂	—	.46	—	—	.03		20
21	T ₂	.23	.20	1.05	—	.04	.02	—	T ₂	—	—	—		21
22	.07	.24	.12	T ₂	—	—	.20	—	.01	T ₂	—	.04		22
23	.03	.05	.12	.18	.03	—	.01	—	T ₂	.05	—	T ₂		23
24	.28	.03	.11	T ₂	.14	—	.32	—	.04	.22	—	T ₂		24
25	.20	—	.41	.05	—	—	.15	—	.02	.29	—	—		25
26	.24	.04	.14	.02	T ₂	—	.20	—	.03	.08	—	—		26
27	.28	.10	.01	—	—	—	.24	—	.01	.33	—	—		27
28	.78	.02	.75	T ₂	—	.01	.36	—	—	.02	—	.28		28
29	.05	.03	.01	—	—	.86	.14	—	—	.03	.08	.17		29
30	.20	X	—	—	.06	.05	T ₂	—	—	.14	—	—		30
31	.10	X	.49	X	.02	X	.02	—	X	—	X	.36		31
TOTAL	5.32	4.20	3.82	2.59	0.66	2.43	5.41	0.10	3.81	1.35	2.85	3.81	36.35	Year's Total
* Days with .01 in. or more.	24	20	21	11	7	13	28	6	17	13	17	19	196	
* Days with .04 in. or more.	20	14	16	9	4	11	24	—	13	7	14	14	146	

40-9999

† Spare column, no entries required

* See Instruction 2 (f) on other side.

(Signed) *H. W. M. Shewell*

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1773/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Glenhays Exeter
in the County of Devon

File No 221534/32

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 7 in.
,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	1935	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.08	0.01	0.04	0.57	-	-	T ₂	-	0.03	0.08	0.01	0.72		1
2	.01	.28	.02	.15	-	-	-	-	.05	-	-	.02		2
3	-	.34	-	.03	0.34	-	0.03	-	.01	-	T ₂	T ₂		3
4	.14	.45	-	T ₂	.05	-	-	-	-	-	-	.56		4
5	.16	-	T ₂	.02	T ₂	-	.62	-	-	-	-	.17		5
6	.05	.51	.34	.28	T ₂	T ₂	.12	-	-	T ₂	T ₂	-		6
7	-	.42	.03	.08	-	0.02	-	-	-	-	.03	.16		7
8	-	.01	-	-	.74	T ₂	.05	-	T ₂	-	.02	.01		8
9	T ₂	-	.45	.16	.02	-	.07	T ₂	<u>7.3</u>	T ₂	-	.01		9
10	.21	-	.73	.66	T ₂	.10	.01	0.08	-	-	-	.17		10
11	.06	-	.28	.25	.49	-	.36	.08	-	-	-	.05		11
12	.47	.38	.04	.67	.13	.27	.07	.54	.09	-	T ₂	.60		12
13	-	.04	.76	.26	-	.15	-	.34	.09	-	-	T ₂		13
14	T ₂	.01	.03	.03	-	-	.15	.07	T ₂	T ₂	-	.07		14
15	.50	.02	.36	.29	-	-	.04	T ₂	.18	-	-	.19		15
16	.21	.08	.35	.01	-	-	.02	.16	.71	-	.30	-		16
17	<u>1.12</u>	.07	.69	-	-	-	-	T ₂	.01	-	.08	-		17
18	.03	.12	.17	-	-	.46	-	-	.43	-	.17	.15		18
19	.08	T ₂	.04	.08	.08	-	T ₂	-	.07	-	-	-		19
20	.59	.10	.03	.10	.04	-	-	-	.02	-	T ₂	.72		20
21	.67	.51	.04	.01	.46	-	.04	-	.09	.08	.22	.01		21
22	.27	T ₂	.04	-	.34	.07	.03	-	.10	.53	.51	.04		22
23	.38	.22	-	-	.10	-	-	-	-	.19	.39	-		23
24	.63	.49	.05	-	T ₂	-	T ₂	-	.05	<u>1.72</u>	-	-		24
25	.03	<u>1.12</u>	.53	-	.09	-	-	-	.02	.07	-	T ₂		25
26	-	.17	.04	-	.04	-	-	-	-	T ₂	-	.01		26
27	.02	.38	-	T ₂	-	-	T ₂	-	-	.55	-	-		27
28	.23	.06	-	-	-	-	-	-	-	.18	T ₂	-		28
29	.05	~~X~~	-	-	-	T ₂	-	-	-	.31	.28	-		29
30	.28	~~X~~	-	-	-	T ₂	-	-	.02	.03	.11	-		30
31	.59	~~X~~	-	~~X~~	-	~~X~~	-	T ₂	~~X~~	.72	~~X~~	-		31
TOTAL	6.86	5.79	5.06	3.85	2.92	1.07	1.55	1.27	2.41	4.45	2.12	3.36	40.71	✓
* Days with .01 in. or more.	24	22	21	17	13	6	13	6	17	11	11	17	168	✓
* Days with .04 in. or more.	19	18	17	12	12	5	8	6	11	10	8	12	138	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

John Brewell

P.T.O.

Section



for the entry of Daily Observations

Station No. 1773/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Glenhays, Exeter
in the County of Devon
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" Ground " Sea Level ft.

File No. 221534/32

Ac

now 2.7

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	0.05	-	-	T ₂	0.65	T ₂	0.18	-	0.38	0.03	0.12		1
2	-	.02	-	0.01	0.01	T ₂	-	-	-	.18	-	.21		2
3	-	-	-	-	.27	.02	0.05	.73	-	.31	.01	T ₂		3
4	-	-	-	-	.3	.03	.16	1.88	-	.16	-	.08		4
5	-	-	-	T ₂	T ₂	.02	.03	-	0.05	.02	-	.01		5
6	0.09	-	-	-	-	.08	1.24	-	.04	.04	T ₂	.03		6
7	.13	-	-	-	-	-	.29	.02	.06	.03	.01	.09		7
8	.79	.02	-	-	-	-	.02	.02	-	.07	T ₂	T ₂		8
9	.22	.09	-	-	-	.05	-	-	-	T ₂	.02	.85		9
10	.15	.02	-	-	-	.04	.01	.01	-	-	-	.42		10
11	.04	.01	-	-	-	.01	.08	.18	-	-	.39	.77		11
12	.19	T ₂	-	-	.17	T ₂	-	-	-	.26	.85	.03		12
13	.07	T ₂	-	-	.12	-	T ₂	T ₂	-	T ₂	.07	.66		13
14	.87	-	-	-	.16	-	.35	-	.01	-	T ₂	.33		14
15	.09	T ₂	-	-	.22	-	T ₂	.01	-	.17	.26	.06		15
16	.05	.02	-	-	T ₂	-	-	.01	-	-	.16	-		16
17	T ₂	.09	-	-	.10	-	-	T ₂	T ₂	.19	T ₂	T ₂		17
18	.17	-	-	-	.09	.06	-	T ₂	.18	.02	.29	-		18
19	-	-	-	-	-	-	T ₂	-	.08	-	.52	T ₂		19
20	T ₂	-	-	-	-	-	-	-	.01	-	.10	-		20
21	T ₂	-	-	T ₂	-	.01	-	.02	.23	-	.19	.15		21
22	T ₂	-	-	.03	-	.13	-	.65	-	.02	.21	-		22
23	T ₂	-	-	.06	-	-	-	.01	-	-	.21	T ₂		23
24	.02	-	0.13	-	.17	-	T ₂	.04	.03	-	.31	.01		24
25	.07	.41	.06	-	.14	-	.28	-	.06	.05	.88	.07		25
26	.33	.25	T ₂	-	.51	.01	.06	-	-	.11	.01	.05		26
27	.13	.02	-	T ₂	.19	.07	.36	.33	-	.05	.14	-		27
28	.14	.06	-	-	.13	.08	T ₂	.53	-	-	T ₂	.01		28
29	.19	X	-	-	.33	T ₂	-	-	-	.22	.16	.02		29
30	.04	X	T ₂	-	.02	.62	T ₂	-	.28	-	.08	.55		30
31	.35	X	-	X	.10	X	-	-	X	.13	X	.20		31
TOTAL	4.13	1.06	0.19	0.10	2.76	1.88	2.90	4.65	1.03	2.41	4.90	4.35	30.36	
* Days with .01 in. or more.	19	11	2	3	17	15	12	15	10	18	21	21	166	
* Days with .04 in. or more.	17	6	2	2	15	9	9	8	8	14	16	15	121	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

H. W. E. Newell

P.T.O.

Section **A** for the entry
AIR MINIST
FORM 1090. **REGIS**

Kept at HELES SCHOOL
in the County of DE

Diameter of Funnel of Gauge.....
Height of top of Gauge above Gro
,, Ground ,, Sea Level 129.6 ft. |

Station No. 1774
NFALL ORGANIZATION.
932.
S. D. W. / 6
e building,
to be worth sending in
and shd. be 0.15.

1774
EXETER. HELES' SCH
1932

780308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		-	-		-	.03				.01	.04		1
2		-	-		-	-					.05		2
3		-	.05		-	.57				.03	.02		3
4		-	-		-	.15				-	.18		4
5		-	.08		-		-			-			5
6		-			.02	-	.06			-			6
7		-	-		.24	-				1.4		-	7
8		-	.37			-				.16	-	-	8
9		.01	-		-	-					-	-	9
10		-	.01		-	.02	-			.21	-	.14	10
11		-	-		.07	-	-			.1	-	.03	11
12		-	-		.23	-	.33			.24	-		12
13		-	-			-				.93	-	.16	13
14		-	-	.08	.4	-	-			.05	.04	.02	14
15		-	-	.09		-	-			.02	.1	.01	15
16	.26	-	-	.05			1.28		.01		-	-	16
17		-	-		-				.31	.03	-	-	17
18		-	-	-	.33	-	-			-	.32	-	18
19	.01	-	-	-	.22	-	-		.03	.27	.21	.01	19
20	-	-	-	-	.91	-	-		.01	.5		.12	20
21	.02		.08	.07	.02		-		-	.29	.05		21
22	-	-	-				.06		.67	.64	.22		22
23	-	-			-		.73		.02		.07		23
24	-	.02			.01				.08	.1	.02		24
25	-	-			.02		.09			.2	.03		25
26	-	-			-				-	.17	.09		26
27	-	-			.11				-	.15			27
28	-	-			.26				-	-	-		28
29	.01	-							.63	.66	.04		29
30	-	X			.01				.55				30
31	-	X		X	.14	X			X	-	X		31
TOTAL					2.99					5.76			YEAR'S TOTAL
* Days with .01 in. or more.													
* Days with .04 in. or more.													

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1932.

Kept at HELES SCHOOL, EXETER
in the County of DEVON
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 6 ft 0 in.
Ground Sea Level 129.6 ft.

1931 NR Rebuilding
1931 record too discontinuous to be worth sending in
1933 new observer record shd be O.K.

Jan. 1, following

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		—	—		—	.03				.01	.04		1
2		—	—		—	—					.05		2
3		—	.05		—	.57				.03	.02		3
4		—	—		—	.15				—	.18		4
5		—	.08		—	—	—			—			5
6		—			.02	—	.06			—			6
7		—	—		.24	—				1.4		—	7
8		—	.37		—	—				.16	—	—	8
9		.01	—		—	—					—	—	9
10		—	.01		—	.02	—			.21	—	.14	10
11		—	—		.07	—	—			.1	—	.03	11
12		—	—		.23	—	.33			.24	—		12
13		—	—		—	—				.93	—	.16	13
14		—	—	.08	.4	—	—			.05	.04	.02	14
15	—	—	—	.09	—	—	—			.02	.1	.01	15
16	.26	—	—	.05	—	—	1.28		.01		—	—	16
17	—	—	—	—	—	—	—		.31	.03	—	—	17
18	—	—	—	—	.33	—	—		—	—	.32	—	18
19	.01	—	—	—	.22	—	—		.03	.27	.21	.01	19
20	—	—	—	—	.91	—	—		.01	.5	—	.12	20
21	.02	—	.08	.07	.02	—	—		—	.29	.05		21
22	—	—	—	—	—	—	.06		.67	.64	.22		22
23	—	—	—	—	—	—	.73		.02		.07		23
24	—	.02	—	—	.01	—	—		.08	.1	.02		24
25	—	—	—	—	.02	—	.09		—	.2	.03		25
26	—	—	—	—	—	—	—		—	.17	.09		26
27	—	—	—	—	.11	—	—		—	.15	—		27
28	—	—	—	—	.26	—	—		—	—	—		28
29	.01	—	—	—	—	—	—		.63	.66	.04		29
30	—	X	—	—	.01	—	—		.55	—	—		30
31	—	X	—	X	.14	X	—		X	—	X		31
TOTAL					2.99					5.76			YEAR'S TOTAL
* Days with .01 in. or more.													
* Days with .04 in. or more.													

Section **A** for the entry
AIR MINIST
FORM 1090.

REGI

Kept at *St Germ*
in the County of *Der*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Gr
,, Ground ,, Se

1774/2
EXETER, ST GERMAN'S LODGE
1934-38

7803.8

948293/29
Station No. 1774/2
NFALL ORGANIZATION.
93/4. v/S. Devan/6
1090.
now 3 m. S. of old position
ack one frame from.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							-	.45	.01	.01	.20	.43		1
2							-	.01	.63	.03	.22	.15		2
3							-	.20	-	.21	-	.38		3
4							-	.04	.09	.13	-	.49		4
5							-	.84	-	.10	.18	.35		5
6							-	-	.01	.38	.05	.48		6
7							-	.21	-	.15	.03	.44		7
8							-	-	-	.02	.19	.56		8
9							-	-	-	-	.24	.29		9
10							-	.15	-	-	.03	.01		10
11							-	.11	-	-	-	.61		11
12							.01	.32	-	-	-	.13		12
13							-	-	-	-	.01	.62		13
14							-	-	-	.03	.21	.44		14
15							.05	-	-	.13	.13	.60		15
16							-	-	-	.01	.03	.49		16
17							-	-	.33	.03	-	.25		17
18							-	-	.18	.02	-	.25		18
19							-	-	.04	.01	-	.12		19
20							.03	-	-	-	-	.02		20
21							-	.05	-	.14	.01	.44		21
22							.89	.06	.33	-	-	.92		22
23							-	-	.25	.08	-	.15		23
24							.09	-	.03	.10	-	.05		24
25							-	-	-	.34	-	.72		25
26						.21	-	-	.03	-	.02	.20		26
27						.03	-	.01	.08	.03	.01	.43		27
28						-	-	.34	.30	.04	-	.66		28
29						-	-	.03	.04	.04	.02	.05		29
30		X				-	.01	.29	.06	.04	-	.15		30
31		X		X		X	.02	.06	X	.02	X	.09		31
TOTAL							1.10	3.44	2.41	2.15	1.58	11.24	Year's Total	
*Days with or in. or more.							4	16	15	23	16	31		
*Days with .04 in. or more.							3	13	11	13	8	29		

Section

A

for the entry

Station No.

1774/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

v/S. Devon/6

Kept at *St Germans Lodge*
in the County of *Devon (Exeter)*

copied from original 1090.

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

*g. from 1778 + is now 3 m.S. of old position
particulars on back are obtained from
original 1090*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							-	.45	.01	.01	.20	.43		1
2							-	.01	.63	.03	.22	.15		2
3							-	.20	-	.21	-	.38		3
4							-	.04	.09	.13	-	.49		4
5							-	.84	-	.10	.18	.35		5
6							-	-	.01	.38	.05	.48		6
7							-	.21	-	.15	.03	.44		7
8							-	-	-	.02	.19	.56		8
9							-	-	-	-	.24	.29		9
10							-	.15	-	-	.03	.01		10
11							-	.11	-	-	-	.61		11
12							.01	.32	-	-	-	.13		12
13							-	-	-	-	.01	.62		13
14							-	-	-	.03	.21	.44		14
15							.05	-	-	.13	.13	.60		15
16							-	-	-	.01	.03	.49		16
17							-	-	.33	.03	-	.26		17
18							-	-	.18	.02	-	.25		18
19							-	-	.04	.01	-	.12		19
20							.03	-	-	-	-	.02		20
21							-	.05	-	.14	.01	.44		21
22							.89	.06	.33	-	-	.92		22
23							-	-	.25	.08	-	.15		23
24							.09	-	.03	.10	-	.05		24
25							-	-	-	.34	-	.72		25
26						.21	-	-	.03	-	.02	.20		26
27						.03	-	.01	.08	.03	.01	.43		27
28						-	-	.34	.30	.04	-	.66		28
29						-	-	.03	.04	.04	.02	.05		29
30		X				-	.01	.29	.06	.04	-	.15		30
31		X		X		X	.02	.06	X	.02	X	.09		31
TOTAL							1.10	3.44	2.41	2.15	1.58	11.24	Year's Total	
*Days with or in. or more.							4	16	15	23	16	31	-	
*Days with .04 in. or more.							3	13	11	13	8	29	-	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

REV. J. H. HOPKINSON

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1774/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.Kept at *H. Gorman Lodge, Exeter*
in the County of *Devon**moved in 1934*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.,, Ground ,, Sea Level *350* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03	.01	.75	—	—	.06	—	—	.11	.07	.11	.25		1
2	—	.03	.09	—	—	.05	—	—	.28	.16	.04	.13		2
3	—	—	.21	—	.22	.11	—	—	.39	.78	.14	.08		3
4	.10	.36	—	.11	.05	.14	—	—	.01	.08	.14	.18		4
5	.01	—	.05	.07	—	.01	—	—	.22	.80	.02	.08		5
6	—	—	—	.22	—	.74	—	—	—	.05	.01	.22		6
7	—	—	—	.19	—	.04	—	—	—	.25	.01	.05		7
8	—	—	—	.24	—	—	—	—	.10	.05	.19	.04		8
9	—	—	—	.38	—	.01	—	—	.09	.62	.28	—		9
10	.07	—	.18	—	—	.06	—	—	—	.01	—	.02		10
11	.17	—	.02	—	—	.34	—	—	.17	.08	.71	—		11
12	.05	.12	—	—	—	.19	—	.10	—	.01	.05	—		12
13	.05	.04	—	.17	—	.05	—	—	—	—	.38	—		13
14	—	.10	—	.14	.01	.09	—	—	.24	—	1.18	.32		14
15	—	.01	—	.83	.14	.38	—	—	.08	—	.20	.18		15
16	—	.04	.25	.16	—	.01	—	—	.44	—	.78	—		16
17	—	—	—	.02	.95	.31	—	.16	.09	—	.06	—		17
18	—	—	—	.23	.01	.01	.23	.09	.10	.04	.06	.15		18
19	—	.04	—	.08	.14	.11	.18	—	—	.15	.49	—		19
20	—	.29	—	.20	.42	—	.02	—	—	—	.23	—		20
21	—	.44	—	.45	—	—	.02	—	.06	—	—	—		21
22	—	.01	.07	.13	—	—	—	—	.05	.09	—	—		22
23	—	.04	.11	.10	.11	—	—	.45	.17	.33	—	.45		23
24	—	.62	—	.01	.11	—	—	.36	.03	.10	—	.23		24
25	.25	.84	—	.09	.05	.07	—	—	—	.01	—	.21		25
26	—	.73	—	—	—	.10	—	.22	.17	.06	.01	.86		26
27	—	.13	—	—	—	.08	—	—	.08	.04	.03	.54		27
28	.01	.06	—	—	—	—	—	.12	.10	.01	.03	.01		28
29	—	x	—	—	—	—	—	—	.07	—	.19	.75		29
30	.01	x	—	—	.01	.10	—	.55	.09	—	.57	.42		30
31	—	x	—	x	.03	x	—	—	x	.49	x	.19		31
TOTAL	.71	3.91	1.73	3.82	2.25	3.06	.45	2.05	3.14	4.28	5.85	5.36	36.61	Year's Total
* Days with .01 in. or more.	10	18	9	19	13	22	4	8	22	22	24	21	192	
* Days with .04 in. or more.	6	14	8	17	9	18	2	8	20	18	18	19	154	

Section

A

for the entry of Daily Observations

Station No. 1774/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at St. Germans Lodge, Exeter
in the County of DevonDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....1 ft.....in.,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.10	—	.05	—	.22	.89	.01	—	—	.02	.05		1
2	—	.02	—	.09	—	.20	.37	.01	.34	—	.09	—		2
3	—	—	.03	1.02	—	.12	.13	—	.73	—	.10	.01		3
4	—	—	.15	.01	—	.14	—	—	.45	—	.13	.20		4
5	.48	.06	.10	—	—	—	.18	—	.03	—	.01	.18		5
6	.06	—	.03	—	—	.01	.22	—	.20	—	.22	—		6
7	.07	—	.13	—	—	—	.06	—	—	—	.27	.14		7
8	.26	—	.33	—	—	—	.22	—	—	—	.58	—		8
9	.54	.62	.33	—	—	.03	.14	—	.06	—	.11	—		9
10	.02	.41	—	—	—	—	.01	—	—	—	.44	—		10
11	.45	.03	—	—	.08	.09	.01	.02	.15	—	.62	.09		11
12	.01	—	—	.09	—	—	.35	—	.41	.01	.04	—		12
13	.17	.01	.02	—	—	—	.08	—	.01	.04	.09	1.25		13
14	—	.05	—	—	—	—	.66	—	.29	.82	—	.43		14
15	—	—	—	—	—	—	.03	—	.80	—	.11	.22		15
16	—	.16	—	.05	.35	—	.17	—	.01	—	.12	.14		16
17	.24	1.26	—	—	.02	—	.33	—	—	.84	.05	.29		17
18	.07	.30	.09	—	—	.43	.23	—	—	.08	—	.16		18
19	.68	—	.10	.04	—	.23	.22	.01	—	—	—	—		19
20	.05	.40	.19	.07	—	—	—	—	.40	—	—	.03		20
21	.01	.20	.17	1.06	—	.05	—	—	—	—	—	—		21
22	.08	.33	.19	—	—	—	.19	—	—	—	—	.01		22
23	.03	.05	.12	.19	.01	—	.01	—	—	.06	—	.01		23
24	.28	.03	.11	—	.15	—	.25	—	.04	.25	—	—		24
25	.25	—	.40	.13	—	—	.14	—	.03	.34	—	—		25
26	.24	.05	.15	.01	—	—	.15	—	.02	.05	—	—		26
27	.29	.07	.02	—	—	—	.26	—	.01	.30	—	—		27
28	.82	.01	.76	—	—	—	.50	—	—	.02	—	.26		28
29	.05	.02	.01	—	—	.85	.13	—	—	.04	.07	.23		29
30	.20	—	—	—	—	.18	—	—	—	.15	—	—		30
31	.12	—	.49	—	.08	—	.02	—	—	—	—	.34		31
TOTAL	5.48	4.18	3.92	2.81	.69	2.55	5.95	.05	3.98	1.40	3.07	4.04	38.12	Year's Total
* Days with .01 in. or more.	20	20	21	12	5	12	27	4	17	13	17	18	191	
* Days with .04 in. or more.	12	14	16	10	3	10	22	none	11	10	16	14	146	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) J. N. Hopkinson [P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

1774/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at 5^T GERMAN'S LODGE - EXETER

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 350 ft.

File No. 9482 93/29.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.01	.03	.55	—	—	—	—	.03	.07	.01	.75		1
2	.03	.27	.01	.15	—	—	—	—	.07	—	.15	.02		2
3	—	.37	.04	.03	.32	—	.03	—	—	—	—	—		3
4	.12	.42	—	—	.06	—	—	—	—	—	—	.60		4
5	.18	—	.02	.01	—	—	.63	—	—	—	—	.17		5
6	.05	.48	.32	.29	—	—	.31	—	—	—	—	—		6
7	—	.40	.05	.08	—	.02	—	—	—	—	.04	.15		7
8	—	.02	—	—	.78	—	.07	—	—	—	.03	.01		8
9	.01	—	.39	.18	.04	—	.02	.01	.64	—	—	.02		9
10	.20	.01	.78 (snow)	.60	.01	.11	.02	.13	—	—	—	.16		10
11	.10	—	.23	.24	.47	.09	.48	.71	—	—	—	.05		11
12	.51	.38	.04	.15	.13	.38	.09	.57	.10	—	—	.60		12
13	—	.04	.72	.28	—	.17	—	.42	.07	—	—	.01		13
14	—	.01	.06	.04	—	—	.18	.10	.01	—	—	.07		14
15	.56	.05	.33	.67	—	—	—	—	.19	—	—	.19		15
16	.20	.08	.36	—	—	—	.05	.17	.75	—	.29	—		16
17	1.21	.08	.79	—	—	—	.01	—	.02	—	.12	—		17
18	—	.17	.15	—	—	.45	—	—	.19	—	.18	.18		18
19	.08	—	.05	.09	.10	—	—	—	.05	—	.16	—		19
20	.56	.08	.02	.13	.05	—	—	—	.14	—	—	.73		20
21	.70	.60	.04	.01	.54	—	.05	—	.11	.08	.23	.02		21
22	.23	—	.06	—	.38	.02	.02	—	—	.55	.50	.03		22
23	.41	.23	—	—	.15	—	—	—	.05	.22	—	—		23
24	.63	.50	.03	—	—	—	—	—	.03	1.61	.15	—		24
25	.07	1.13	.57	—	.09	—	—	—	.02	.07	—	—		25
26	.01	.15	.05	—	.04	—	—	—	—	.65	.15	—		26
27	.02	.35 (snow)	—	—	—	—	—	—	—	.18	—	—		27
28	.24 (snow)	.09	—	—	—	—	—	—	—	.34	—	—		28
29	.11 (snow)	X	—	—	—	—	—	—	—	.15	.36	—		29
30	.30	X	—	—	—	—	—	—	.01	—	.14	—		30
31	.58	X	—	X	—	X	—	—	X	.68	X	—		31
TOTAL	7.21	5.92	5.14	3.50	3.16	1.24	1.96	2.11	2.48	4.45	2.06	3.76	Year's Total 42.99	✓
*Days with .01 in. or more.	25	23	23	16	14	7	13	7	17	9	11	17	182	✓
*Days with .04 in. or more.	21	19	18	13	13	5	8	6	11	9	9	11	143	✓

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

Evelyn Hopkinson

[P.T.O.]



AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Germans Lodge Exeter

in the County of Devon

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.../.....ft.....in.

Ground Sea Level ft. 350

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—													1
2	—													2
3	—													3
4	—													4
5	—													5
6	.12													6
7	.12													7
8	.73													8
9	.23													9
10	.15													10
11	.06													11
12	.18													12
13	.07													13
14	.89													14
15	.10													15
16	.04													16
17	—													17
18	.20													18
19	—													19
20	—													20
21	—													21
22	—													22
23	—													23
24	.02													24
25	.10													25
26	.32													26
27	.15													27
28	.14													28
29	.15													29
30	.04	X												30
31	.31	X		X		X			X		X			31
TOTAL	4.15												Year's Total	
* Days with .01 in. or more.	20													
* Days with .04 in. or more.	19													

Imp. due to
 wharves
 (see letter)

(see letter)

mr
 GB
 15/31

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Kept at *The Rectory, Te*
in the County of *Devon*

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
Ground Sea

1775
TEDBURN ST MARY, THE RECTORY
1931 — 38

78.308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.04	—	.23	.03	—	.07	—	.22	—	—	.02	1
2	.26	.07	—	.56	.02	.01	—	—	.47	—	.21	.14	2
3	.16	—	.94	.01	—	—	.03	.01	.16	—	.20	.07	3
4	.07	.01	.19	—	.07	.23	.15	.56	.24	.02	.04	.02	4
5	—	.15	.10	.14	.05	.43	.02	—	.01	—	.06	.22	5
6	—	.09	—	.02	.01	.30	.09	.01	—	.27	.13	.49	6
7	—	.02	—	—	.22	.21	.64	.23	—	.07	.75	—	7
8	—	.07	—	.24	—	.42	.11	.05	—	.03	.22	.08	8
9	.01	.14	—	.01	—	.05	.06	—	—	.01	.33	.02	9
10	.02	.12	—	—	.08	.05	.06	.05	—	—	.25	.02	10
11	.21	.43	—	—	—	.14	.05	—	—	—	.43	—	11
12	.02	.10	—	—	—	—	.30	—	.07	.24	—	—	12
13	—	.09	—	—	.08	.02	.16	.07	—	—	.01	—	13
14	.06	.09	—	—	.04	.18	.68	.10	.02	—	.41	—	14
15	.03	.14	—	.04	.21	—	.02	.33	—	—	—	.01	15
16	.04	.15	—	.09	.16	.25	—	.34	.08	—	—	.04	16
17	.02	.10	—	.03	—	.04	.46	—	—	—	.02	—	17
18	.03	—	—	.09	—	.15	.08	.68	.02	—	.22	—	18
19	.03	.13	.20	.09	—	.28	.24	.07	—	.03	.44	—	19
20	.03	.09	.28	—	—	—	—	.59	—	—	.36	—	20
21	.13	.05	—	—	.15	—	—	.01	—	.02	—	—	21
22	.24	.04	—	.02	.08	—	—	.01	—	—	.01	—	22
23	.23	.02	—	.46	.49	.02	.03	—	—	—	.28	—	23
24	.12	.02	.01	.95	.03	.40	.52	.63	—	—	.02	.01	24
25	.25	.02	—	.34	.04	—	.18	—	—	—	.12	.04	25
26	.02	.07	—	.29	—	—	.35	—	—	—	.57	.01	26
27	.06	.16	—	.02	.59	—	.37	—	—	.01	.22	.02	27
28	.12	.12	.11	.02	.03	.07	.01	.05	—	.04	.01	.17	28
29	.09	X	.09	—	.09	—	.03	.16	—	—	.11	.17	29
30	.05	X	—	—	.12	—	—	—	.03	.02	—	—	30
31	.55	X	.09	X	.15	X	—	—	X	—	X	.37	31
TOTAL	2.88	2.53	2.01	3.65	3.75	3.25	4.71	3.95	1.32	.76	6.42	1.92	YEAR'S TOTAL 37.15
*Days with .01 in. or more.	26	26	9	19	21	18	24	18	10	11	24	18	22 4
*Days with .04 in. or more.	16	21	8	12	16	15	18	13	6	4	19	10	15 8

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at The Rectory, Tedburn 5th May
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 10 in.
,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	04	—	23	03	—	07	—	22	—	—	02	1
2	26	07	—	56	02	01	—	—	47	—	21	14	2
3	16	—	94	01	—	—	03	01	16	—	20	07	3
4	07	01	19	—	07	23	15	56	24	02	04	02	4
5	—	15	10	14	05	43	02	—	01	—	06	22	5
6	—	09	—	02	01	30	09	01	—	27	13	49	6
7	—	02	—	—	22	21	64	23	—	07	75	—	7
8	—	07	—	24	—	42	11	05	—	03	22	08	8
9	01	14	—	01	—	05	06	—	—	01	33	02	9
10	02	12	—	—	08	05	06	05	—	—	25	02	10
11	21	43	—	—	—	14	05	—	—	—	43	—	11
12	02	10	—	—	—	—	30	—	07	24	—	—	12
13	—	09	—	—	08	02	16	07	—	—	01	—	13
14	06	09	—	—	04	18	68	10	02	—	41	—	14
15	03	14	—	04	21	—	02	33	—	—	—	01	15
16	04	15	—	09	16	25	—	34	08	—	—	04	16
17	02	10	—	03	—	04	46	—	—	—	02	—	17
18	03	—	—	09	—	15	08	68	02	—	22	—	18
19	03	13	20	09	—	28	24	07	—	03	44	—	19
20	03	09	28	—	—	—	—	59	—	—	36	—	20
21	13	05	—	—	15	—	—	01	—	02	—	—	21
22	24	04	—	02	08	—	—	01	—	—	01	—	22
23	23	02	—	46	49	02	03	—	—	—	28	—	23
24	12	02	01	95	03	40	52	63	—	—	02	01	24
25	25	02	—	34	04	—	18	—	—	—	12	04	25
26	02	07	—	29	—	—	35	—	—	—	57	01	26
27	06	16	—	02	59	—	37	—	—	01	22	02	27
28	12	12	11	02	03	07	01	05	—	04	01	17	28
29	09	X	09	—	09	—	03	16	—	—	11	17	29
30	05	X	—	—	12	—	—	—	03	02	—	—	30
31	55	X	09	X	15	X	—	—	X	—	X	37	31
TOTAL	288	253	201	365	375	325	471	395	132	76	642	192	YEAR'S TOTAL 3715
*Days with "or in. or more.	26	26	9	19	21	18	24	18	10	11	24	18	224
*Days with "04 in. or more.	16	21	8	12	16	15	18	13	6	4	19	10	158

Section

A

for the entry of Daily Observations.

Station No.

1775

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *The Rectory Tedburn 5 May*
in the County of *Devon*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *10* in.
" Ground " Sea Level *410* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	—	—	.21	—	.03	.06	.06	.02	—	.07	.02	1
2	.03	—	.03	.15	.03	—	.03	.05	.32	.02	.02	.14	2
3	.01	—	.11	—	—	.39	.10	—	.26	.12	.02	.11	3
4	.02	—	—	—	—	.03	.02	.06	—	—	.18	—	4
5	.29	—	.12	—	—	—	—	—	.05	—	—	—	5
6	.61	—	.03	.31	.04	—	.10	—	.27	.04	—	—	6
7	.11	—	.03	.08	.11	—	.05	—	.47	<u>1.03</u>	—	—	7
8	.03	—	.25	.04	.22	—	.02	.01	.05	.07	—	—	8
9	<u>1.07</u>	—	—	.15	.07	—	—	—	—	.03	—	—	9
10	.35	—	—	<u>.42</u>	.03	.01	—	.01	.03	.47	—	—	10
11	.21	—	—	.16	.12	—	—	—	.03	.26	—	.15	11
12	.23	—	—	.04	.16	—	.02	—	.03	.47	—	.03	12
13	.11	—	—	.22	.03	—	.39	.26	.01	.98	.02	.18	13
14	.27	—	—	.06	.30	—	.01	.02	.01	.17	.02	.04	14
15	.02	—	—	.14	.09	—	—	—	—	.03	.10	.02	15
16	.25	—	—	.11	.02	—	.03	—	—	—	—	—	16
17	.01	—	—	.03	.20	—	—	—	—	.06	.01	.02	17
18	—	—	—	—	—	—	—	—	.38	.02	.20	.01	18
19	.02	.02	—	.04	.22	—	—	—	.07	.10	—	.01	19
20	.02	—	—	.03	<u>.59</u>	—	.02	.05	.02	.65	.26	.17	20
21	.06	—	.09	.08	—	—	.02	<u>.73</u>	.03	.51	.02	.16	21
22	.01	—	.03	.03	.03	—	.05	.07	.44	.13	.20	.09	22
23	—	—	—	—	.03	—	.02	.02	.02	.35	.11	.18	23
24	—	<u>.04</u>	—	—	.04	—	<u>.56</u>	—	.07	.13	.03	—	24
25	—	—	<u>.44</u>	—	.09	—	.12	—	.04	.45	.11	.03	25
26	—	—	.04	.02	.01	—	.18	—	.05	.20	.13	.07	26
27	—	—	.20	.23	.16	—	.04	—	—	.21	.07	.03	27
28	—	—	.08	.09	.24	—	.04	—	—	—	.02	.09	28
29	—	—	.38	.14	.22	.22	.07	.54	<u>.78</u>	.78	.02	.47	29
30	—	×	.06	.11	.03	<u>1.08</u>	.52	.02	.53	.21	<u>.68</u>	—	30
31	—	×	.07	×	.08	×	.22	—	×	—	×	<u>.57</u>	31
TOTAL	3.82	.06	1.96	2.89	3.16	1.78	2.73	1.90	3.98	7.49	2.29	2.47	YEAR'S TOTAL 34.53
*Days with .01 in. or more.	21	2	15	23	25	7	23	13	23	25	20	21	218
*Days with .04 in. or more.	12	1	11	19	17	3	14	8	14	21	11	12	143

Section

A

for the entry of Daily Observations.

Station No. 1775

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933. File 667598/26

Kept at *The Rectory, Tedburn St Mary*
in the County of *Devon*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *10* ft. in.
,, Ground ,, Sea Level *400* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	35	16	23	—	07	05	—	—	—	02	10	85		1
2	22	—	35	—	78	44	—	—	—	—	05	20		2
3	05	16	21	—	03	03	—	—	—	—	—	—		3
4	23	02	01	—	16	—	—	—	—	—	—	—		4
5	05	02	31	—	25	—	—	—	01	09	—	02		5
6	04	44	12	—	21	—	05	—	—	09	02	—		6
7	02	15	02	—	06	—	03	—	—	12	01	03		7
8	—	02	05	—	04	—	12	02	—	02	—	—		8
9	—	10	01	—	49	—	53	12	—	25	03	—		9
10	09	16	—	—	—	—	20	06	—	62	13	—		10
11	—	—	—	—	—	—	08	81	02	06	—	02		11
12	03	—	—	12	11	22	14	—	38	03	11	—		12
13	02	—	—	—	13	09	22	28	—	18	08	—		13
14	—	—	—	—	—	—	15	11	—	04	05	01		14
15	35	—	25	—	—	03	42	02	—	15	12	—		15
16	—	03	64	—	—	—	—	—	—	12	01	—		16
17	—	07	18	—	—	15	01	02	04	—	—	—		17
18	17	—	33	—	—	16	—	—	—	—	02	—		18
19	20	—	29	—	—	35	—	02	06	01	67	03		19
20	—	—	—	—	06	20	—	05	19	—	01	—		20
21	—	—	—	—	—	51	—	07	—	09	01	—		21
22	—	—	—	01	—	03	—	36	33	02	01	—		22
23	—	50	—	11	—	15	—	02	19	47	—	—		23
24	—	17	—	05	—	08	—	03	26	03	—	—		24
25	—	69	—	14	02	07	—	—	13	—	—	05		25
26	—	—	—	17	19	—	—	—	02	24	—	—		26
27	—	23	—	02	—	—	—	—	07	19	03	33		27
28	—	35	—	22	02	—	25	—	—	32	—	13		28
29	08	—	04	04	—	—	03	02	04	—	—	03		29
30	07	×	14	25	—	—	04	—	08	06	—	09		30
31	16	×	12	×	03	×	—	—	×	11	×	—		31
TOTAL	213	327	331	113	265	250	227	207	176	333	146	179	2761	
*Days with or in. or more.	17	16	17	10	16	15	14	15	14	22	17	12	185	
*Days with .04 in. or more.	13	12	14	8	12	11	11	8	9	17	7	6	128	

† Spare column, no entries required

40-9999
*See Instruction 2 (f) on other side.

(Signed) *Henry Rusbridger* [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1775

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at The Rectory, Tedburn St. Mary
in the County of DevonDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 10 in.Ground Sea Level 400 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	—	—	—	—	—	—	.38	.10	—	.25	.26		1
2	.11	—	.03	—	—	—	—	.08	.46	.03	.40	.09		2
3	.02	.02	—	—	.02	—	—	.26	.02	.23	—	.36		3
4	.13	—	.07	.09	.48	—	—	—	.09	.24	—	.48		4
5	.02	—	.16	.03	.33	.33	—	.86	—	.06	.39	.46		5
6	—	—	.26	.16	.25	—	—	.03	—	.04	—	.40		6
7	.07	—	—	—	—	—	—	.06	—	.07	.07	.40		7
8	—	—	—	—	.10	—	—	—	—	—	.15	.71		8
9	.07	—	.44	—	—	—	—	.03	—	—	.30	.22		9
10	.33	.02	.45	.42	—	—	—	.16	—	—	.13	.02		10
11	.40	—	.08	.35	—	—	—	.16	—	—	—	.50		11
12	.19	.02	—	.09	—	—	—	.31	—	—	—	.20		12
13	.34	—	—	.56	—	—	—	—	—	.04	.07	.20		13
14	.53	—	.39	.02	—	—	—	—	—	.07	.25	.29		14
15	.10	—	.18	.01	.17	—	—	—	—	.31	.17	.49		15
16	.03	—	.22	—	.04	—	.06	—	—	.04	.03	.38		16
17	.23	—	.09	.48	.05	—	—	—	.03	.08	—	.16		17
18	.10	—	.35	.52	—	—	.11	—	.19	—	—	.28		18
19	.04	—	.24	—	.02	—	—	.03	.12	—	—	.16		19
20	—	—	.08	.09	—	—	—	—	—	—	—	.04		20
21	—	—	.27	.07	—	.06	.06	—	.07	.12	—	.42		21
22	.04	—	.07	.02	—	.07	—	—	.32	—	—	.44		22
23	.07	—	.03	.08	—	.90	—	—	.22	.07	—	.14		23
24	—	.06	.05	.22	—	.27	—	.06	.02	—	.07	.19		24
25	.24	.07	—	.08	—	.27	—	—	—	.23	.05	.49		25
26	—	—	.11	.05	—	.24	—	—	.07	.02	—	.22		26
27	—	—	—	.05	—	.07	—	—	.07	.05	—	.25		27
28	—	—	—	.08	—	.07	—	.27	.30	.11	—	.95		28
29	—	+	—	—	—	—	—	.09	.09	.12	—	.06		29
30	.02	x	.07	—	—	—	.03	.03	.03	.11	—	.16		30
31	—	x	—	x	—	x	.15	.86	x	.17	x	.09		31
TOTAL	3.08	.19	3.58	3.41	1.46	2.16	.41	2.81	2.14	2.21	2.33	9.51	33.29	
*Days with ".01 in. or more.	21	5	20	20	9	9	5	16	16	20	13	31	185	
*Days with ".04 in. or more.	15	2	17	15	7	7	4	11	10	18	12	30	148	

† Spare column, no entries required

(Signed)

Harry Rusbridger

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 1775

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *The Rectory, Tedborne St. Mary*
in the County of *Devon*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground — ft. 10 in.,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.05	.64	—	—	.02	.02	—	.28	.11	.03	.47		1
2	.01	.05	.17	—	—	.14	—	—	.17	.11	.07	.18		2
3	.04	.02	.15	—	.19	.09	—	—	.41	.37	.26	.08		3
4	.05	.36	—	.20	.10	.25	—	—	.05	.24	.11	.15		4
5	.05	.31	.12	.17	—	.17	—	—	.17	.80	.11	.05		5
6	—	.02	.01	.23	—	.49	—	—	—	.05	—	.28		6
7	—	—	—	.17	—	.05	—	—	—	.24	.08	.05		7
8	—	—	—	.20	.02	—	—	.05	—	.04	.14	.12		8
9	—	—	—	.39	—	.05	—	—	.11	.64	.30	—		9
10	—	—	.16	.25	—	.12	—	—	.07	.04	.02	.02		10
11	.24	—	.17	.03	—	.23	—	—	.14	.04	.56	.04		11
12	.08	.14	—	—	—	.16	—	.05	.03	—	.04	—		12
13	.09	.06	—	.17	—	.04	—	—	.02	.07	.38	—		13
14	.04	—	—	.11	—	.16	—	—	.17	—	.98	.24		14
15	—	.05	—	.50	.12	.23	—	—	.18	—	.20	.24		15
16	—	.10	.11	.24	—	.05	—	—	.65	.04	.78	.02		16
17	—	.02	—	.05	.88	.27	.02	.17	.12	—	.02	—		17
18	—	—	—	.27	.04	.02	.28	.29	.20	.56	.05	.16		18
19	—	—	—	.16	.12	.08	.18	—	.56	.24	.33	—		19
20	—	.33	—	.30	.36	—	.05	—	—	.02	.20	—		20
21	—	.35	—	.22	—	—	.02	—	.04	—	—	—		21
22	—	.56	.09	.40	—	—	—	—	.08	.09	—	—		22
23	—	.03	.12	.12	.12	—	—	.42	.11	.30	—	.32		23
24	.03	.42	.02	.02	.19	.16	—	.28	.02	.19	—	.23		24
25	.25	.33	—	.10	.04	.10	—	—	.17	—	—	.20		25
26	.02	.50	—	—	—	.03	—	.23	.10	.05	.05	.63		26
27	—	.03	—	—	—	.02	.02	.02	.09	.09	.05	.47		27
28	—	.17	—	—	—	—	.06	.02	.11	.10	.04	.54		28
29	—	+	—	—	.02	—	—	—	.11	.03	.27	.47		29
30	.07	×	—	—	—	.18	—	.53	.12	.03	.75	.50		30
31	.02	×	—	×	.14	×	—	.07	×	.48	×	.21		31
TOTAL	1.07	3.40	1.76	4.30	2.34	3.09	.65	2.07	3.72	4.41	5.82	5.17	37.74	
* Days with .01 in. or more.	14	20	11	21	13	23	8	11	26	25	24	23	219	
* Days with .04 in. or more.	9	14	9	19	11	19	4	8	22	21	21	21	198	

Section **A** for the entry of Daily Observations.Station No. 1775

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at The Rectory, Tedburn St Maryin the County of DevonDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....ft.....10.....in.,, Ground ,, Sea Level ...400.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.17	.06	.04	-	.12	.80	.02	-	-	.03	.02		1
2	-	.06	.01	.05	-	.30	.61	.04	.16	-	.04	.02		2
3	.04	.02	.02	.95	-	.09	.16	.03	.51	-	.09	.04		3
4	.03	-	.19	-	-	.10	.02	.02	.40	-	.10	.31		4
5	.57	.12	.16	-	-	-	.27	.04	.17	-	.03	.19		5
6	.10	-	.03	-	-	.04	.18	.02	.14	-	.29	.02		6
7	.13	-	.06	-	-	.04	.19	.01	.09	-	.37	.05		7
8	.23	-	.23	-	-	-	.33	-	.03	-	.74	.07		8
9	.33	.78	.42	-	-	-	.34	.02	.05	-	.10	.02		9
10	.08	.21	-	-	-	-	.04	-	.03	-	.27	-		10
11	.42	.26	-	-	-	.18	.07	.09	.11	-	.56	.11		11
12	.12	-	-	.21	-	.02	.35	.03	.77	.03	.10	-		12
13	.10	.06	.02	.05	-	-	.18	.04	.11	.17	.09	.72		13
14	-	.08	-	-	-	.02	.76	.02	.15	.11	.01	.34		14
15	.02	.02	-	-	-	-	.05	.02	.12	.02	.09	.19		15
16	.03	.14	-	.06	.35	-	.14	-	.07	-	.10	.19		16
17	.30	.98	-	-	-	-	.37	-	-	.06	.06	.36		17
18	.09	.22	.02	-	-	.21	.34	-	-	.13	-	.09		18
19	.70	-	.26	.09	-	.21	.11	.04	-	.03	-	.02		19
20	.07	.54	.31	-	-	.03	.06	.03	.37	.01	-	.02		20
21	.03	.16	.23	1.08	-	.05	.04	-	.02	-	-	-		21
22	.12	.42	.14	-	-	-	.09	-	-	.03	-	.06		22
23	.02	.10	.17	.14	.10	-	.03	-	-	.04	-	-		23
24	.28	.04	.24	.02	.28	-	.37	-	.05	.31	-	.02		24
25	.49	-	.57	.15	-	-	.20	-	.05	.24	-	-		25
26	.39	.08	.18	.03	-	-	.03	-	.08	.20	-	-		26
27	.30	.07	.15	-	-	-	.19	-	.06	.35	-	-		27
28	.81	.07	.48	-	-	.05	.09	-	-	.03	-	.25		28
29	.06	.07	.03	-	-	.11	.05	-	-	.05	.04	.14		29
30	.23	~~2~~	.01	-	.02	.16	.03	-	-	.14	.02	.02		30
31	.21	~~2~~	.37	~~2~~	.03	~~2~~	.09	-	~~2~~	-	~~2~~	.22		31
TOTAL	6.30	4.67	4.36	2.87	.78	1.73	6.58	.47	3.54	1.95	3.13	3.49	39.87	
* Days with .01 in. or more.	29	22	24	12	5	16	31	15	21	17	19	24	235	
* Days with .04 in. or more.	23	20	17	10	3	13	27	5	18	11	15	16	178	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Harry Rusbridger [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1775

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at *Yeaburn St Mary Rectory*in the County of *Devon*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *10* ft.,, Ground ,, Sea Level *450* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16	.06	.20	.26	—	—	—	—	.05	.17	.02	.53		1
2	.06	.33	.15	.17	—	—	—	—	.06	.03	—	.03		2
3	.02	.18	—	.08	.22	—	.02	—	—	—	—	—		3
4	.16	.33	.04	.25	.10	—	—	—	—	—	—	.52		4
5	.25	.02	.07	.04	.02	—	.39	—	—	—	—	.35		5
6	.09	.37	—	.14	.02	—	.35	—	—	.07	.03	—		6
7	—	.38	.27	.12	—	.07	—	—	—	.03	.12	.11		7
8	—	.06	.06	—	.37	.10	.08	—	—	.07	.07	—		8
9	.03	.03	.05	.13	.03	—	.04	.04	.76	.07	—	—		9
10	.10	—	1.04	1.04	—	.12	.03	.05	—	—	—	.26		10
11	.06	—	.24	.19	.67	.10	.33	.43	—	—	—	.08		11
12	.26	.40	.11	.09	.22	.32	.06	.16	.13	—	—	.39		12
13	—	.05	.66	.24	.02	.27	—	.37	.16	—	—	.07		13
14	—	.07	.11	.05	—	—	.02	.06	.04	—	—	.18		14
15	.54	.06	.35	.51	—	—	.02	—	.23	—	—	.18		15
16	.35	.11	.60	.03	—	—	.04	.16	.49	—	.18	—		16
17	.77	.10	.41	—	—	—	—	—	.06	—	.17	—		17
18	.06	.12	.20	—	—	.23	—	.02	.07	—	.17	.17		18
19	.14	.04	.17	.04	.11	.02	.07	—	.17	—	.23	.07		19
20	.52	.08	.15	.16	.07	—	—	—	.12	—	.02	.39		20
21	.56	.58	.05	.04	.38	—	.04	—	.11	—	.07	.04		21
22	.19	.07	.14	—	.21	.11	.06	—	.08	.57	.42	.23		22
23	.40	.18	.04	—	.08	—	.07	—	—	.26	.30	.07		23
24	.35	.44	.09	—	—	—	.04	—	—	.56	—	.07		24
25	.04	.80	.49	.02	.02	—	—	—	.03	.19	—	—		25
26	.03	.23	.05	—	.06	—	—	—	—	.02	—	.02		26
27	.03	.34	—	—	—	—	—	—	—	.65	—	—		27
28	.37	.23	—	—	—	—	—	—	—	.08	—	.03		28
29	.10	x	—	—	—	—	—	—	—	.33	.09	.03		29
30	.47	x	—	—	—	.07	—	—	—	.02	.14	—		30
31	.54	x	—	x	—	x	—	—	x	.67	x	—		31
TOTAL	6.65	5.54	5.68	3.60	2.54	1.35	1.54	1.29	2.56	3.67	2.03	3.50	39.89	Year's Total
* Days with .01 in. or more.	27	26	24	19	16	10	16	8	15	16	14	21	212	
* Days with .04 in. or more.	23	22	23	17	11	8	10	7	14	9	11	8	163	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) *Henry Rushbridge* [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1775

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at *The Rectory, Tedburn 15 May*in the County of *Devon*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*10*.....ft.,, Ground ,, Sea Level *450*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	10	-	-	-	57	05	34	-	28	07	23		1
2	02	09	-	05	03	-	-	-	-	29	03	23		2
3	-	-	-	-	25	09	08	67	-	33	03	07		3
4	02	-	-	-	06	06	23	91	-	25	-	07		4
5	-	-	-	-	-	04	13	-	05	50	-	05		5
6	17	-	-	-	-	07	95	-	24	05	-	03		6
7	15	-	-	-	-	-	23	04	16	07	-	13		7
8	69	07	-	-	-	-	13	56	07	14	-	02		8
9	31	56	-	-	-	04	02	08	-	05	03	56		9
10	12	07	-	-	-	07	02	03	-	-	-	35		10
11	08	02	-	-	-	04	11	33	-	07	42	65		11
12	27	-	-	-	07	02	04	-	-	23	67	03		12
13	07	-	-	-	12	-	-	-	-	02	06	77		13
14	57	-	-	-	16	-	23	-	05	-	-	-		14
15	12	-	-	-	23	-	-	02	-	11	19	41		15
16	11	06	-	-	02	-	-	05	-	02	43	07		16
17	-	12	-	-	23	-	-	02	-	17	02	05		17
18	16	-	-	-	13	04	-	02	32	08	26	-		18
19	07	-	-	-	-	-	-	-	10	-	41	-		19
20	-	-	-	-	-	-	-	-	05	-	23	-		20
21	04	-	-	-	-	07	-	02	08	-	25	-		21
22	-	-	-	07	-	05	-	69	02	03	26	16		22
23	-	-	-	11	-	07	-	07	-	-	27	-		23
24	-	-	06	02	06	-	-	03	03	-	42	-		24
25	13	25	06	-	16	-	18	-	-	06	102	-		25
26	45	16	02	-	30	-	03	-	-	25	05	13		26
27	18	05	-	-	27	10	30	45	-	14	21	-		27
28	18	14	-	-	24	07	-	44	-	07	05	03		28
29	18	X	02	-	13	05	-	-	15	23	12	05		29
30	04	X	02	-	05	17	-	-	26	02	15	04		30
31	53	X	03	X	13	X	-	-	X	07	X	20		31
TOTAL	4.60	1.13	.21	.25	2.64	1.50	2.73	4.21	1.52	3.36	5.65	4.21	32.07	N
* Days with .01 in. or more.	23	12	6	4	18	17	15	18	13	24	23	22	195	N
* Days with .04 in. or more.	20	10	2	3	16	14	11	11	10	17	19	15	148	N

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *A. May Rustbridge* [P.T.O.]

Kept at *Judge Nance*
in the County of *Devon*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Groun
,, Ground ,, Sea I

1776
SPREXTON, FVIDE MANOR
1931

1776
FOR OFFICIAL USE.
FALL ORGANIZATION.
31.

780308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	-	-	-	-	-	-12	-	-	-	1
2	-28	-08	-	-25	-	-9	-	-	-41	-	-36	-15	2
3	-09	-	-122	-54	-	-	-	-42	-10	-	-250	-20	3
4	-08	-	-98	-	-	-12	-09	-38	-16	-	-11	-	4
5	-	-10	-12	-	-	-	-26	-	-	-	-	-28	5
6	-	-	-	-21	-10	-22	-28	-10	-	-40	-	-28	6
7	-	-30	-	-10	-22	-26	-	-	-	-	-90	-	7
8	-	-10	-	-	-	-25	-	-08	-	-	-14	-9	8
9	-	-30	-	-	-	-	-09	-	-	-	-36	-	9
10	-	-10	-	-	-	-04	-7	-17	-	-	-28	-	10
11	-30	-70	-	-	-	-9	-08	-63	-04	-	-58	-	11
12	-	-20	-	-	-	-	-	-	-04	-25	-	-	12
13	-	-14	-	-	-07	-39	-	-09	-	-	-40	-	13
14	-	-	-	-	-19	-	-60	-18	-6	-	-	-	14
15	-	-36	-	-	-08	-	-	-40	-4	-	-	-	15
16	-10	-28	-	-	-15	-	-	-40	-	-	-	-	16
17	-	-	-	-10	-	-	-58	-	-	-	-30	-	17
18	-15	-	-	-	-	-	-04	-64	-	-	-36	-	18
19	-	-10	-16	-12	-	-56	-15	-04	-04	-	-	-	19
20	-	-10	-	-	-	-	-	-75	-	-	-33	-	20
21	-08	-	-	-7	-20	-	-	-	-	-	-48	-	21
22	-52	-	-	-	-18	-	-	-12	-	-	-	-	22
23	-24	-	-	-27	-40	-12	-	-50	-	-	-	-	23
24	-10	-	-	-60	-	-	-50	-	-	-	-	-	24
25	-20	-	-	-49	-	-	-19	-	-	-	-52	-	25
26	-	-10	-	-34	-	-	-50	-	-	-	-36	-20	26
27	-	-	-	-	-12	-	-18	-8	-	-	-	-	27
28	-	-20	-	-10	-19	-03	-	-	-	-	-	-20	28
29	-30	-16	-	-	-	-	-03	-10	-	-	-12	-20	29
30	-	X	-	-	-09	-	-	-	-	-23	-	-	30
31	-110	X	-35	X	-72	X	-04	-	X	-	X	-08	31
TOTAL	-54	-32	-13	-24	-41	-27	-32	-78	-01	-97	-83	-79	YEAR'S TOTAL
*Days with "or in. or more.	13	16	5	12	13	11	16	17	9	4	16	8	140
*Days with "04 in. m m.	13	16	5	12	13	10	15	16	9	4	16	8	137

Section

A

for the entry of

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Bridge Manor
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level 710 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	—	—	—	12	—	—	—	1
2	-28	-08	—	-25	—	-9	—	—	-41	—	-36	-15	2
3	-09	—	-69	-54	—	—	—	-42	-10	—	-250	-20	3
4	-08	—	-38	—	—	-67	-09	-38	-16	—	-11	—	4
5	—	-10	-12	—	—	—	-26	—	—	—	—	-28	5
6	—	—	—	-21	-10	-22	-28	-10	—	-40	—	-38	6
7	—	-30	—	-10	-22	-21	—	—	—	-9	-90	—	7
8	—	-10	—	—	—	-25	—	-08	—	—	-14	-9	8
9	—	-30	—	—	—	—	-9	—	—	—	-36	—	9
10	—	-10	—	—	—	-04	-7	-17	—	—	-28	—	10
11	-30	-70	—	—	—	-9	-08	-63	-04	—	-53	—	11
12	—	-20	—	—	—	—	—	—	-04	-35	—	—	12
13	—	-14	—	—	-07	-39	—	-09	—	—	-40	—	13
14	—	—	—	—	-19	—	-60	-18	-16	—	—	—	14
15	—	-36	—	—	-08	—	—	-40	-11	—	—	—	15
16	-10	-28	—	—	-15	—	—	-40	—	—	—	—	16
17	—	—	—	-10	—	—	-58	—	—	—	-20	—	17
18	-15	—	—	—	—	—	-34	-64	—	—	-26	—	18
19	—	-10	-16	-12	—	-56	-14	-04	-04	—	—	—	19
20	—	-10	—	—	—	—	—	-75	—	—	-33	—	20
21	-08	—	—	-7	-20	—	—	—	—	—	-18	—	21
22	-52	—	—	—	-18	—	—	-12	—	—	—	—	22
23	-24	—	—	-27	-40	-12	—	-50	—	—	—	—	23
24	-10	—	—	-60	—	—	-50	—	—	—	—	—	24
25	-20	—	—	-49	—	—	-19	—	—	—	-32	—	25
26	—	-10	—	-34	—	—	-50	—	—	—	-36	-20	26
27	—	—	—	—	-42	—	-18	-8	—	—	—	—	27
28	—	-20	—	-10	-19	-03	—	—	—	—	—	-20	28
29	-30	-16	—	—	—	—	-03	-10	—	—	-12	-20	29
30	—	X	—	—	-09	—	—	—	—	—	-22	—	30
31	-110	X	-35	X	-12	X	-04	—	X	—	X	-08	31
TOTAL	354	332	213	324	241	227	432	478	181	97	783	179	3761
*Days with or in. or more.	13	16	5	12	13	11	16	17	9	4	16	8	140
*Days with or in. or more.	13	16	5	12	13	10	15	16	9	4	16	8	137

on other side.

(Signed)

H. Elliott.

P.T.O.

1777

ROCKBEARE MANOR.

1931-40.

282551/26.

1777

FOR OFFICIAL USE.

OFFICE.—BRITISH RAINFALL ORGANIZATION.

INFALL IN 1931.

W.D

Corr. for W.D

780306 ED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

41

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	13	50	12	07	-	07	-	-	-	05	-	-	1
2	-	-	-	50	04	05	05	-	27	01	-	-	2
3	23	01	-	73	-	-	-	-	81	-	08	06	3
4	05	-	88	-	-	-	06	-	18	-	125	01	4
5	02	-	16	-	-	17	26	41	10	02	17	-	5
6	-	28	-	01	05	56	-	20	-	-	11	09	6
7	-	14	-	-	06	18	07	-	-	10	14	60	7
8	-	02	-	-	26	15	40	14	-	12	94	07	8
9	-	11	-	33	-	46	01	04	-	-	12	06	9
10	-	07	-	03	-	-	06	-	-	-	35	-	10
11	-	05	-	-	11	07	-	03	08	-	50	-	11
12	13	32	-	-	-	18	08	12	04	-	20	-	12
13	-	06	-	-	-	-	17	-	05	15	-	-	13
14	-	07	-	-	08	-	28	15	-	-	-	-	14
15	02	-	-	-	01	25	63	07	03	-	50	-	15
16	-	11	-	02	15	-	-	70	-	-	-	05	16
17	-	14	-	05	21	39	-	10	05	-	-	-	17
18	-	07	-	03	-	-	45	-	-	-	-	-	18
19	03	-	-	17	-	03	01	90	-	-	17	-	19
20	03	08	20	17	-	03	02	07	02	-	20	-	20
21	-	06	33	-	-	-	-	23	-	-	35	-	21
22	10	02	-	-	18	-	-	-	-	-	-	-	22
23	15	02	-	04	14	-	-	-	-	-	-	-	23
24	23	-	-	23	60	-	-	-	-	-	19	-	24
25	15	-	-	62	10	-	62	56	-	-	01	-	25
26	22	-	-	34	-	-	12	-	-	-	14	-	26
27	-	07	-	19	-	-	23	-	-	-	64	-	27
28	07	16	-	-	55	-	10	-	-	-	20	-	28
29	06	X	09	-	04	-	-	02	-	02	-	18	29
30	-	X	11	-	08	-	03	17	-	01	07	14	30
31	-	X	-	X	03	X	01	02	X	-	X	-	31
TOTAL	50	12	07	-	07	-	-	-	05	-	-	41	3132.25
*Days with or in. or more.	1.99	1.98	1.84	3.53	2.69	2.59	3.66	3.93	1.63	4.8	6.33	1.26	31.97
*Days with or more.	15	20	7	15	15	13	20	17	10	87	20	108	172
*Days with or more.	11	16	7	12	15	10	15	14	89	43	19	98	140

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

INFALL IN 1931.

Diameter of Funnel of Gauge.....in. 5
Height of top of Gauge above Ground.....ft. 10
" Ground " Sea Level 180 ft.

Corr. for WD

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

41

3132.25
YEAR'S TOTAL

(Signed)

~~P.T.O.~~

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rockhampton
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 112 ft. in.
,, Ground ,, Sea Level 180 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

97

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	41	-	-	-	08	10	23	19	-	74	01	147	1
2	03	-	-	12	-	-	07	21	-	-	04	01	2
3	-	-	-	20	-	-	04	01	30	-	02	23	3
4	-	-	-	-	-	53	06	-	30	03	04	05	4
5	-	-	-	-	-	20	-	15	-	-	21	-	5
6	07	-	06	-	-	-	-	-	17	-	-	-	6
7	05	-	01	22	-	-	17	-	14	-	-	-	7
8	-	-	05	04	05	-	09	-	41	107	-	-	8
9	97	-	54	-	19	-	-	-	16	04	-	-	9
10	-	-	-	13	-	-	-	-	-	05	-	-	10
11	39	-	-	12	-	04	-	-	-	19	-	-	11
12	-	-	-	06	08	-	-	-	-	40	-	08	12
13	22	-	-	-	26	-	-	-	-	22	-	01	13
14	-	-	-	18	18	-	35	63	-	85	-	27	14
15	30	-	-	40	24	-	-	-	-	03	03	05	15
16	-	-	-	14	12	-	-	-	-	04	-	03	16
17	12	-	-	04	-	-	47	-	-	-	-	-	17
18	-	-	-	-	-	-	-	-	-	03	-	-	18
19	-	-	-	-	23	-	-	-	36	-	27	-	19
20	03	-	-	-	22	-	-	-	03	38	-	-	20
21	01	-	-	-	15	-	-	-	03	52	23	17	21
22	01	-	10	13	-	-	-	16	10	21	07	13	22
23	-	-	-	-	-	-	-	-	41	20	19	-	23
24	-	-	-	-	-	-	17	-	01	40	04	16	24
25	-	-	-	-	-	-	89	-	12	15	02	-	25
26	-	-	52	-	-	-	07	-	05	20	02	-	26
27	-	-	09	03	-	-	31	-	-	11	01	-	27
28	-	-	31	47	25	-	10	-	-	20	-	04	28
29	-	-	14	03	12	-	-	-	-	-	-	05	29
30	-	X	90	14	26	36	-	57	72	37	-	50	30 d
31	-	X	01	X	10	X	25	-	X	07	X	97	31
TOTAL	220	-	223	253	348	136	193	123	405	107	236	275	331.66
*Days with or in. or more.	124	-	181	167	141	5	14	67	516	237	141	150	1146
*Days with or in. or more.	87	-	9	145	14	5	14	56	1213	2019	89	12	122

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

1777

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at ROCKBEARE MANORin the County of DEVONDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 10 ft.Ground Sea Level 180 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.03	.05	.07	.05	.	.	.	.	.15	.	.	1
2	.36	.20	.15	.	.07	.04	.	.	.	.	.09	1.38	2
3	.21	.	.65	.	.71	.33	.	.	.	.	.	.10	3
4	.08	.10	.12	.	.	.	.	.	.	.	.	.	4
5	.20	.	.02	.	.09	.	.	.	.	.	.	.	5
6	.	.	.12	.	.06	.	.	.	.	.	.	.	6
7	.	.48	.	.	.09	.	.06	.	.	.13	.	.	7
8	.03	.18	.03	.	.06	.	.	.	.	.10	.	.01	8
9	.02	.	.03	.	.04	.	.03	.	.	.	.	.	9
10	.	.08	.	.	.36	.	.16	.	.	.12	.03	.	10
11	.02	.11	.	.	.	.	.	.15	.	.57	.01	.	11
12	.07	.	.	.	.	.31	.06	.16	.	.	.	.	12
13	.	.	.	.21	.07	.06	.21	.	.69	.	.	.	13
14	.	.	.	.	.03	.01	.06	.05	.	.16	.05	.	14
15	.03	.	.	.	.	.	.16	.06	.	.	.19	.	15
16	.38	.	.22	.	.	.	.49	.06	.	.05	.13	.	16
17	.	.	.65	.	.	.01	.	.	.	.07	.	.	17
18	.	.07	.16	.	.	.05	.	.03	.05	.	.	.	18
19	.	.	.17	.	.	.10	.	.	.	.	.	.	19
20	.30	.	.14	.	.	.03	.	.	.15	.	.41	.	20
21	.	.05	.	.	.	.44	.	.	.	.	.	.	21
22	.	.02	.	.	.	.03	.	.09	.	.03	.	.	22
23	.	.	.	.10	.	.27	.	.28	.42	.05	.	.	23
24	.	1.17	.	.16	.	.15	.	.	.27	.35	.	.	24
25	.	.40	.	.12	.	.	.	.	.12	.02	.	.	25
26	.	1.18	.	.18	.	.60	.	.	.13	.	.	.16	26
27	.	.52	.	.45	.20	.	.	.	.24	.12	.	.	27
28	.	.02	.	.	.	.	.	.	.01	.21	.03	.83	28
29	.	X	.	.44	.66	.	.24	.	.	.20	.	.06	29
30	.06	X	.	.14	.	.	.02	.	.	.01	.	.05	30
31	.93	X	.12	X	.	X	.	.	X	.	X	.02	31
TOTAL	1.78	4.63	2.63	1.85	2.48	2.43	1.49	.88	2.08	2.34	.94	2.61	26.13
*Days with ".01 in. or more.	12.13	15	14	8.9	13.12	14	10	8	8.10	15.5	8	8	136
*Days with ".04 in. or more.	8	12.13	11	6.9	12.11	12	7	7	8.9	13.2	5	6	110
YEAR'S TOTAL													26.13

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

1777

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at

Rockhouse Manor

in the County of

Down

Diameter of Funnel of Gauge

5

in.

Height of top of Gauge above Ground

10

in.

,, Ground

,, Sea Level

180

ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

08

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	01	05	01	-	-		1
2	05	-	-	-	-	06	-	95	-	-	24	43		2
3	07	-	-	-	-	-	-	-	72	-	14	25		3
4	01	-	10	-	-	-	-	28	-	32	-	24		4
5	04	-	16	07	26	-	-	07	06	08	-	35		5
6	02	-	22	-	16	12	-	94	-	15	10	37		6
7	01	-	23	07	29	-	-	-	-	33	02	35		7
8	-	-	-	-	-	-	-	08	-	11	-	41		8
9	-	-	-	-	12	-	-	-	-	-	24	36		9
10	01	-	49	02	-	-	-	-	-	-	36	09		10
11	20	-	25	45	-	-	-	-	3	-	18	01		11
12	32	-	10	38	-	-	-	05	-	-	-	91		12
13	04	-	-	-	-	-	-	43	-	-	-	14		13
14	40	-	-	58	-	-	-	-	-	-	-	56		14
15	26	-	38	-	-	-	-	-	-	-	44	41		15
16	06	-	-	-	13	-	-	-	-	-	16	38		16
17	02	-	11	-	01	-	-	-	06	-	-	132		17
18	06	-	-	13	-	-	-	-	-	-	-	28		18
19	04	-	33	76	-	-	-	-	-	-	-	16		19
20	-	-	22	02	-	01	-	-	01	-	-	11		20
21	-	-	18	10	-	21	10	-	38	-	-	-		21
22	-	-	10	01	-	21	-	04	-	24	-	59		22
23	-	-	05	-	-	-	40	20	-	-	-	112		23
24	07	-	02	13	-	80	-	-	11	04	-	39		24
25	-	15	02	-	-	28	08	-	10	12	-	07		25
26	36	-	-	19	-	08	-	-	-	22	-	100		26
27	-	-	-	07	-	19	-	-	04	-	05	15		27
28	-	-	-	-	-	02	-	03	03	08	-	28		28
29	-	-	-	01	-	-	-	-	27	50	-	70		29
30	-	X	-	-	-	-	-	-	07	30	-	04		30
31	-	X	-	X	-	X	02	10	X	-	X	34		31
TOTAL	2.13	15	2.96	2.91	97	1.78	60	3.18	19	0	2.45	1.65	10.81	31.53
*Days with 0.1 in. or more.	18	1	16	15	6	9	4	17	12	13	10	20	145	
*Days with 0.4 in. or more.	13	1	14	11	5	7	3	10	10	11	9	28	122	

† Spare column, no entries required.

(Signed)

H. J. Tollett

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

1777

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.Kept at ROCKBARE MANORin the County of DEVONDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 16 ft. 10 in.,, Ground ,, Sea Level 180 ft.*Totals***THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	-	.06	-	-	-	.09	-	.10	.04	.11	.33	1
2	-	-	.73	-	-	.28	-	-	.08	.20	.07	.22	2
3	-	-	.04	-	-	-	-	-	.17	.11	.30	-	3
4	-	.02	.15	-	.15	.40	-	-	.18	.44	.12	.19	4
5	.02	.30	-	.07	.05	.17	-	-	-	.04	-	.03	5
6	-	.22	.05	-	-	.03	-	-	.21	.55	.10	.26	6
7	-	-	-	.25	-	.52	-	-	-	.10	.03	.05	7
8	-	-	-	.30	-	.01	-	-	-	.24	.20	-	8
9	-	-	-	.25	-	-	-	-	.27	.02	.19	.03	9
10	-	-	-	.30	-	.03	-	-	-	.50	-	-	10
11	.02	.05	.10	.02	-	.04	-	-	-	-	-	.02	11
12	.16	-	-	-	-	.30	-	-	.16	-	.68	-	12
13	.03	.05	-	-	-	.24	-	.03	.01	-	.06	-	13
14	.04	.14	-	.12	-	.08	-	-	-	-	.28	-	14
15	-	.13	-	.24	-	.36	-	-	.14	.03	.17	.33	15
16	-	.03	-	.93	.15	.14	-	-	.07	-	.20	.10	16
17	-	-	.33	.10	-	-	-	-	.46	-	.95	-	17
18	-	-	-	.02	1.0	.29	-	.20	.04	-	.04	-	18
19	-	-	-	.14	-	-	.13	-	.17	-	-	.15	19
20	-	-	-	.10	.15	.07	.19	-	-	.15	.53	-	20
21	-	.20	-	.21	.28	-	.04	-	-	-	.30	-	21
22	-	.46	-	.07	-	-	-	-	.10	.07	-	-	22
23	-	-	-	.15	-	-	-	-	.02	-	-	-	23
24	-	.10	.06	.06	.05	-	-	.55	.04	.35	-	.62	24
25	-	.52	.03	-	.06	.11	-	.40	-	.03	-	.38	25
26	.22	1.03	-	.10	.04	.08	-	-	-	-	-	.09	26
27	-	.85	-	-	-	-	-	.18	.34	-	.02	.82	27
28	-	.05	-	-	-	-	-	-	.01	.08	-	.56	28
29	-	-	-	-	.08	-	-	.40	.09	.06	.11	-	29
30	-	X	-	-	-	-	-	-	.06	-	.08	.40	30
31	.94	X	-	X	-	X	-	.54	X	-	X	.36	31 d
TOTAL	.61	4.10	1.55	3.43	2.01	3.15	.45	2.00	2.72	3.01	5.54	4.96	33.52
*Days with .01 in. or more.	8	14	9	18	10	17	4	7	20	17	20	18	146
*Days with .04 in. or more.	5	12	8	16	10	14	4	7	17	14	18	15	146

40-9999

*See Instruction 2 (f) on other side.

(Signed)

H. S. Tollet

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

1777

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Rockbrass menin the County of EssexDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....10.....ft.,, Ground ,, Sea Level 180.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.26	.12	.	.45	.	.03	.	.03	.	.	.	.		1
2	.01	.23	.	.03	.	.37	.60	.	.	.	.	.01		2
3	.	.	.	.06	.	.20	.52	.	.	.	.03	.05		3
4	.02	.	.	.72	.	.03	.10	.	1.14	.	.21	.01		4
5	.	.	.12	.	.	.02	.	.	.39	.	.07	.10		5
6	.65	.05	.03	.	.	.	.08	.	.28	.	.	.12		6
7	.06	.	.	.	.	.05	.07	.	.20	.	.23	.		7
8	.05	.	.03	.	.	.	.02	.	.	.	.05	.02		8
9	.20	.	.64	.	.	.	.22	.	.01	.	.38	.		9
10	.37	.56	.14	.	.	.	.80	.	.07	.	.08	.02		10
11	.01	.34	.	.	.	.	.05	.	.	.	.32	.		11
12	.47	.10	.	.	.	.10	.02	.	.07	.	.67	.07		12
13	.02	.	.	.10	.	.02	.34	.	.30	.	.13	.03		13
14	.05	.	.	.	.	.01	.02	.	.	.02	.10	.32		14
15	.	.04	.02	.	.	.	.49	.	.26	.05	.	.34		15
16	.02	.	.	.	.01	.	.04	.	.	.	.08	.13		16
17	.	.25	.	.05	.25	.	.15	.	.01	.	.11	.11		17
18	.03	.26	.	.	.	.	.38	.	.	.02	.04	.15		18
19	.18	.26	.14	.	.	.45	.22	.	.	.	.	.15		19
20	.77	.02	.09	.11	.	.39	.15	.	.	.	.	.		20
21	.	.36	.12	.	.	.03	.01	.	.30	.	.	.01		21
22	.	.	.05	.75	.	.08	.	.	.02	.	.	.		22
23	.	.40	.47	.	.	.	.13	.	.	.	.	.		23
24	.11	.10	.02	.18	.	.	.01	.	.	.08	.	.		24
25	.25	.02	.06	.	.18	.	.41	.	.03	.17	.	.03		25
26	.26	.	.36	.09	.	.	.38	.	.07	.25	.	.		26
27	.20	.05	.23	.	.	.	.34	.	.03	.03	.	.		27
28	.27	.04	.04	.	.	.	.12	.	.03	.21	.	.		28
29	.87	.03	.54	.	.	.	.09	.	.	.	.	.25		29
30	.02	~~X~~	.	.	.	.11	.07	.	.	.07	.10	.09		30
31	.22	~~X~~	.	~~X~~	.	~~X~~	.	.	~~X~~	.15	~~X~~	.		31
TOTAL	5.37	3.25	3.10	2.65	4.4	1.89	5.84	.03	3.21	1.05	2.60	2.21	31.54	
* Days with .01 in. or more.	24	18	17	10	3	74	27	1	16	10	15	19	179	
* Days with .04 in. or more.	17	16	13	9	2	8	22	.	10	7	14	12	125	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column; no entries required.

(Signed) H. H. H. H. [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1777

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Rockhamin the County of DorsetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 10 ft. 10 in.,, Ground ,, Sea Level 180 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.27	.41	.03	.	.	.	.	.	.	.	.47	.21		1
2	.06	.04	.	.75	.	.	.	.	.15	.	.04	.79		2
3	.	.17	.	.20	.	.	.	.	.09	.	.	.02		3
4	.	.31	.12	.08	.04	.	.02	.	.	.	.	.		4
5	.10	.50	.	.	.	.	.	.	.	.	.	.43		5
6	.15	.	.	.	.	.	.61	.	.	.	.	.14		6
7	.	.97	.40	.17	.	.	.	.	.	.	.	.		7
8	.	.32	.	.07	.	.	.05	.	.	.	.	.13		8
9	.	.	.	.	.85	.02	.02	.	.	.	.13	.		9
10	.	.05	.15	.18	.	.	.02	.	.70	.01	.	.07		10
11	.22	.02	1.02	.40	.	.15	.	.15	.	.	.	.10		11
12	.03	.	.31	.25	.45	.07	.32	.	.	.	.	.02		12
13	.35	.27	.10	.17	.16	.35	.15	.75	.05	.	.	.62		13
14	.	.06	.79	.20	.	.04	.	.22	.07	.	.	.		14
15	.	.	.	.07	.	.	1.42	.12	.	.	.	.05		15
16	.47	.03	.44	.67	.	.	.34	.	.32	.	.	.25		16
17	.15	.08	.43	.02	.	.	.02	.13	.55	.	.06	.		17
18	.80	.03	.52	.	.	.	.	.	.02	.	.29	.		18
19	.05	.19	.14	.	.	.26	.	.	.40	.	.15	.12		19
20	.10	.04	.03	.08	.05	.	.	.	.04	.	.02	.06		20
21	.38	.06	.	.12	.	.	.	.	.	.	.	.88		21
22	.43	.47	.19	.04	.20	.	.	.	.12	.04	.20	.		22
23	.20	.03	.08	.	.45	.	.	.	.07	.58	.42	.01		23
24	.28	.24	.	.	.02	.	.11	.	.	.18	.50	.		24
25	.53	.41	.	.	.	.	.	.	.	1.16	.	.		25
26	.08	.80	.43	.	.12	.	.	.	.02	.46	.	.		26
27	.	.28	.04	.	.21	.	.	.	.	.	.	.		27
28	.03	.30	.	.	.	.	.	.	.02	.52	.	.		28
29	.16	X	.	.	.	.	.	.	.	.17	.	.		29
30	.10	X	.	.	.	.	.	.	.	.44	.38	.		30
31	.34	X	.	X	.	X	.	.	X	.04	X	.		31
TOTAL	5.47	6.08	5.22	3.47	2.55	.89	2.98	1.37	2.62	3.60	2.66	3.90	40.81	✓
* Days with .01 in. or more.	22	24	17	16	10	6	11	5	14	10	11	16	162	✓
* Days with .04 in. or more.	20	20	15	15	9	5	7	5	11	9	10	13	139	✓
Year's Total														

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) J. L. Follett [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1777

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Rockburn manor

in the County of Down

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 10 ft.

Ground Sea Level 18.0 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

19

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.24				.13	.96			.25	.20			1
2		.06				.42		.05		.49	.05	.01		2
3		.03			.33					.12	.01	.14		3
4					.04	.04	.08	.15		.08				4
5						.10	.11	1.47		.32		.05		5
6						.02	.04			.53				6
7	.12					.12	1.19		.14					7
8	.13					.01	.29			.03		.09		8
9	.43	.01					.02	.03		.07				9
10	.15	.07				.06						.39		10
11	.09						.03	.03				1.00		11
12	.07						.04	.77	.12		.10	.90		12
13	.16				.08					.28	.90	.22		13
14	.10				.10			.02			.06	.65		14
15	.63				.12		.60		.01					15
16	.04				.09		.04			.27	.28	.28		16
17	.04				.01						.45	.05		17
18					.03				.88	.11	.02			18
19	.14	.10			.10	.12			.12	.04	.20			19
20									.01		.51			20
21									.11		.04			21
22											.15			22
23				.12		.23		.32		.01	.25	.34		23
24				.06				.01			.75			24
25			.16		.02			.05	.05		.29			25
26	.10	.20	.01		.26		.41	.06		.04	.78	.14		26
27	.32	.13			.28					.12	.12			27
28		.02			.12	.07	.26	.32		.04	.08			28
29	.11	.07			.06			.69				.05		29
30	.09	X			.25				.26	.20	.11	.03		30
31	.05	X		X	.14	.96			.25	.20	X	.95	d	31
TOTAL	3.01	.68			2.16	2.15	3.11		1.95	2.95	4.54	4.59	29.66	
	2.77	.92	.17	.18	2.03	1.32	4.07	4.17	1.70	3.00	4.74	4.40	29.47	
* Days with .01 in. or more.	17	10	2	2	16	11	13	13	9	17	20	16	146	
* Days with .04 in. or more.	18	6	1	2	14	9	10	9	8	15	17	15	123	
	17	6	1	2	14	9	10	9	8	15	17	15	124	

† Spare column, no entries required.

(Signed)

H. J. Tollett

[P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 1777

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ... Rackbeare Manor

in the County of ... Devon

Diameter of Funnel of Gauge... 5 in.

Height of top of Gauge above Ground... 1.0 in.

,, Ground ,, Sea Level ... 18.0 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.19	-	-	-	.30	-	.09	-	.06	-	.67	-		1
2	.05	-	.05	.06	.03	-	.12	.11	.04	-	.30	.01		2
3	.13	-	-	.30	-	-	.04	.41	1.08	-	.18	.07		3
4	.16	-	.03	.53	-	-	.03	.12	-	-	.19	.28		4
5	-	-	.40	.26	.28	-	.60	.01	-	.63	.22	.24		5
6	-	-	.03	.09	-	-	.13	.08	-	.29	.77	-		6
7	-	-	-	.09	-	-	.37	.02	-	.27	.13	-		7
8	-	.15	.04	-	-	-	-	.05	-	-	.40	.25		8
9	.01	.12	-	-	.07	-	.02	.03	-	1.33	.17	.05		9
10	-	.01	-	-	-	-	-	.02	-	.08	.03	.04		10
11	.24	-	-	-	-	.02	-	.17	.02	.16	.02	.19		11
12	-	-	.10	-	-	-	-	-	-	.13	.01	-		12
13	-	-	-	-	-	-	-	-	-	-	-	-		13
14	-	-	-	.13	-	-	.28	-	.12	1.	.07	-		14
15	.62	-	-	-	-	.17	.34	-	.02	.04	.11	.09		15
16	.27	-	-	-	.03	.55	.25	-	-	-	.15	-		16
17	.09	-	-	.04	-	-	.81	-	-	-	.18	-		17
18	.72	-	-	-	-	.05	.43	-	-	-	.13	-		18
19	-	.02	.02	-	-	.08	1.11	-	-	-	.64	-		19
20	.19	-	-	-	-	-	.19	-	-	-	-	.15		20
21	.32	-	-	-	.02	.28	.15	.78	-	-	-	-		21
22	.19	.20	.05	-	-	.13	.17	-	-	-	-	-		22
23	.48	.35	.09	-	-	.05	.20	-	-	-	.23	-		23
24	.02	-	.04	.13	-	-	.15	-	-	-	.55	-		24
25	1.05	-	.20	.03	-	.45	.14	-	-	.08	-	-		25
26	.73	.07	-	-	-	-	.13	.14	-	.07	.20	-		26
27	.02	.06	-	-	-	.01	-	.06	-	.13	.20	-		27
28	-	.18	-	-	-	.06	.01	.05	-	-	.15	-		28
29	-	-	-	.07	-	.04	-	.06	-	.02	.49	.09		29
30	-	~~X~~	-	.04	-	.06	.12	-	-	.12	-	-		30
31	-	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.37	~~X~~	-		31
TOTAL	5.48	1.16	.95	1.77	.73	1.95	5.78	2.11	1.34	4.72	5.27	1.39	32.65	✓
* Days with .01 in. or more.	18	9	11	12	6	13	23	15	6	15	24	11	163	✓ "d"
* Days with .04 in. or more.	15	7	8	11	3	11	20	11	4	14	21	10	135	✓

† Spare column, no entries required.

(Signed) H. L. Follett

P.T.O.

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 1777

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Rockbeare Manor

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 7 ft. 10 in.

Ground Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.15	.03	-	.10	-	-	-	-	-	.58	-		1
2	-	.03	-	.04	.05	-	-	-	-	-	.20	.01		2
3	-	.07	-	.07	-	-	-	-	-	-	.65	-		3
4	-	1.13	-	-	-	-	-	-	-	.22	-	.07		4
5	.05	.29	-	.03	-	-	.18	-	-	.11	-	.16		5
6	.03	.01	-	-	-	-	-	-	-	-	-	.25		6
7	.25	.54	-	-	-	-	-	-	-	.06	-	.03		7
8	.03	.04	-	-	-	-	-	-	-	-	-	.31		8
9	-	-	-	-	-	-	.02	-	-	.59	-	.13		9
10	-	-	-	-	-	-	.75	-	.02	.09	-	.41		10
11	-	-	-	-	-	-	.32	.03	-	.12	-	.04		11
12	-	-	-	.04	-	-	.13	-	-	-	-	-		12
13	-	-	.13	-	-	.14	.21	-	.67	-	-	.16		13
14	-	-	.42	.02	-	-	.03	-	.03	1.14	-	.41		14
15	-	-	-	-	-	-	-	-	.30	.35	.49	.05		15
16	-	-	-	.23	.45	-	.27	-	.18	.18	.18	.01		16
17	-	1.28	.60	.31	.06	-	.08	-	.05	.44	.05	-		17
18	-	.13	.44	-	-	-	.15	-	.03	-	-	.03		18
19	-	.23	.31	.73	-	-	-	-	.09	.04	.08	-		19
20	-	-	.08	.12	-	-	.10	.04	.10	.01	.01	-		20
21	-	.04	-	.01	-	-	-	.02	.13	.15	.26	-		21
22	-	-	-	-	.20	-	-	-	.02	-	-	-		22
23	-	-	.11	.13	-	.62	-	-	.16	-	-	-		23
24	-	.05	.11	-	.05	-	-	-	-	-	-	-		24
25	-	-	-	-	.02	-	.03	-	-	.30	-	-		25
26	.35	-	.08	.05	.19	.02	.26	-	-	-	-	-		26
27	.72	.33	-	.04	.40	-	.06	-	-	-	-	-		27
28	.31	.05	.01	-	.24	-	-	-	-	-	-	-		28
29	.25	.15	-	-	-	-	-	-	-	-	-	.22		29
30	-	X	.05	1.23	-	.11	-	-	-	.03	-	.13		30
31	.02	X	-	X	-	X	-	-	X	.25	X	.43		31
TOTAL	2.01	4.52	2.37	3.05	1.76	.89	2.64	.09	1.78	4.08	2.50	2.85	Year's Total 28.54	
* Days with .01 in. or more.	9	16	12	14	10	4	14	3	12	16	9	17	136	
* Days with .04 in. or more.	6	14	10	11	9	3	11	1	7	14	8	13	107	

† Spare column, no entries required.

(Signed) Dorothy M. Tallett P.T.O.

* See Instruction 3 (f) on other side.

Kept at *Medland Manor*
in the County of *Devon*
Diameter of Funnel of Gauge.....
Height of top of Gauge above Groun
Ground Sea I

1777/5
CHERITON BISHOP
MEDLAND MANOR
1933 — 40
71030f

COPY FOR OFFICIAL USE.
FALL ORGANIZATION. *un A.*
33.
S/000/6

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31	.25	.18	-	.02	.05	-	-	-	-	.07	1.00	1
2	.28	-	.47	-	.97	.43	-	-	-	.02	-	.10	2
3	.04	.11	.14	-	.02	-	-	-	-	-	-	-	3
4	.18	.02	.02	-	(.40)	-	-	-	-	-	-	-	4
5	.06	.02	.32	-	-	-	-	-	.01	.04	-	-	5
6	.02	.38	.13	-	(.29)	-	-	-	-	.12	Tn	-	6
7	.01	.08	.08	-	-	-	.04	-	-	.16	-	.02	7
8	.02	.02	-	-	.03	-	.03	Tn	-	.01	-	-	8
9	-	.11	-	-	.39	-	.14	.02	-	.28	.05	-	9
10	.02	.19	-	-	.11	-	.43	.04	-	.61	-	-	10
11	.05	-	-	-	-	-	.09	-	-	.06	-	-	11
12	.01	.01	-	.10	.11	.20	.70	-	.46	(.10)	.04	-	12
13	.01	-	-	-	.13	.10	.30	1.34	Tn	-	.14	-	13
14	.00	-	-	-	-	-	.60	.18	-	.02	.11	-	14
15	.34	-	.22	-	-	.03	.18	.07	Tn	.12	.12	.01	15
16	.01	-	.59	-	-	.02	Tn	.02	Tn	.11	-	-	16
17	.01	.03	.20	-	-	.15	-	-	.02	-	-	-	17
18	.17	-	.37	-	-	.13	Tn	-	Tn	-	.04	-	18
19	.23	-	.22	-	-	.39	-	.02	.09	-	.65	-	19
20	-	.04	-	-	.04	.15	-	.06	.21	-	.01	.02	20
21	-	.02	-	-	.01	.43	-	.12	-	.08	-	-	21
22	-	-	-	.04	-	.03	-	.31	.32	.04	-	-	22
23	-	.25	-	.08	-	.16	-	.01	.17	.53	-	-	23
24	-	.27	-	.04	Tn	.10	-	.04	.14	.02	-	-	24
25	-	.20	-	.10	.02	-	-	Tn	.11	Tn	-	.04	25
26	-	.33	-	.20	.19	-	-	-	.02	.22	Tn	-	26
27	-	.05	-	.01	Tn	-	-	-	Tn	.19	.04	.33	27
28	-	.40	.01	.20	.01	-	.20	.01	-	(.26)	-	.13	28
29	.05	X	.01	.03	-	-	-	-	.04	-	-	.03	29
30	.06	X	.00	.21	Tn	-	-	-	.09	.04	-	.09	30
31	.20	X	.00	X	.02	X	Tn	-	X	-	X	.02	31
TOTAL	2.08	2.78	3.98	1.01	2.76	2.39	2.71	2.27	1.68	3.03	1.27	1.77	YEAR'S TOTAL 27.71
*Days with "or in. or more.	20	19	16	10	18	14	10	13	12	22	10	11	195
*Days with ".04 in. or more.	12	13	13	8	11	11	9	8	9	18	9	6	127

(Signed) *Selma A. Remond*
LADY LENNARD

REGISTER OF RAINFALL IN 1933.

Kept at Redland Manor, Cheshire, Birkdale
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 7 ft. X in.
Ground Sea Level 550 ft.

cf1775

good agreement

Jan. 1, following

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31	.25	.18	-	.02	.05	-	-	-	-	.07	1.00	1
2	.28	-	.47	-	.97	.43	-	-	-	.02	-	.10	2
3	.04	.11	.14	-	.02	-	-	-	-	-	-	-	3
4	.18	.02	.02	-	(.40)	-	-	-	-	-	-	-	4
5	.06	.02	.32	-	-	-	-	-	.01	.04	-	-	5
6	.02	.38	.13	-	(.29)	-	-	-	-	.12	Tn.	-	6
7	.01	.08	.08	-	-	-	.04	-	-	.16	-	.02	7
8	.02	.02	-	-	.03	-	.03	Tn.	-	.01	-	-	8
9	-	.11	-	-	.39	-	.14	.02	-	.28	.05	-	9
10	.02	.19	-	-	.11	-	.43	.04	-	.61	-	-	10
11	.05	-	-	-	-	-	.09	-	-	.06	-	-	11
12	.01	.01	-	.10	.11	.20	.70	-	.46	(.10)	.04	-	12
13	.01	-	-	-	.13	.10	.30	1.39	Tn.	-	.14	-	13
14	.00	-	-	-	-	-	.60	.18	-	.02	.11	-	14
15	.34	-	.22	-	-	.03	.18	.07	Tn.	.12	.12	.01	15
16	.01	-	.59	-	-	.02	Tn.	.02	Tn.	.11	-	-	16
17	.01	.03	.20	-	-	.15	-	-	.02	-	-	-	17
18	.17	-	.37	-	-	.13	Tn.	-	Tn.	-	.04	-	18
19	.23	-	.22	-	-	.39	-	.02	.09	-	.65	-	19
20	-	.04	-	-	.04	.15	-	.06	.21	-	.01	.02	20
21	-	.02	-	-	.01	.43	-	.12	-	.08	-	-	21
22	-	-	-	.04	-	.03	-	.31	.32	.04	-	-	22
23	-	.25	-	.08	-	.16	-	.01	.17	.53	-	-	23
24	-	.27	-	.04	Tn.	.10	-	.04	.14	.02	-	-	24
25	-	.20	-	.10	.02	-	-	Tn.	.11	Tn.	-	.04	25
26	-	.33	-	.20	.19	-	-	-	.02	.22	Tn.	-	26
27	-	.05	-	.01	Tn.	-	-	-	Tn.	.19	.04	.33	27
28	-	.40	.01	.20	.01	-	.20	.01	-	-	-	.13	28
29	.05	X	.12	.03	-	-	-	-	.04	(.26)	-	.03	29
30	.06	X	.12	.21	Tn.	-	-	-	.09	.04	-	.07	30
31	.20	X	.90	X	.02	X	Tn.	-	X	-	X	.02	31
TOTAL	2.08	2.78	3.98	1.01	2.76	2.39	2.71	2.27	1.68	3.43	1.27	1.77	YEAR'S TOTAL
*Days with ".01 in. or more.	20	19	16	10	18	14	10	13	12	22	10	11	175
*Days with ".04 in. or more.	12	13	13	8	11	11	9	8	9	18	9	6	127

(Signed) Selma A. Leonard
LADY LENNARD

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 6 Exe

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Redland Manor, Cheriton Bishop
in the County of Devon

Diameter of Funnel of Gauge. 5 in.
Height of top of Gauge above Ground. 7 ft. in.
Ground Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	-	-	-	-	-	-	.26	.09		.27	.18	1
2	.12	.01	.02	-	Tr	-	-	.07	.45	.03	-	.10	2
3	.01	-	.01	-	.05	.02	-	.70	Tr	.16	Tr	.35	3
4	.10	-	.05	.11	.46	-	-	.04	.02	.12	-	.48	4
5	Tr	-	.15	.02	.42	.30	-	.90	Tr	.25	.27	.43	5
6	.05	.01	.22	.15	.26	-	-	.03	Tr	.11	.02	.44	6
7	.01	-	Tr	-	-	-	-	.15	.01	.18	.03	.43	7
8	Tr	.01	Tr	-	.09	-	-	-	-	Tr	.12	1.06	8
9	.01	-	.44	.01	-	-	-	.14	.03	.04	.44	.14	9
10	.35	.02	.35	.39	-	-	-	.11	-	.01	.07	.01	10
11	.40	.02	.07	.43	-	-	.01	.40	-	Tr	.01	.41	11
12	.14	.01	.01	.02	-	-	.09	.12	-	-	-	.20	12
13	.39	.01	-	.55	-	-	-	-	Tr	.02	.06	.30	13
14	.51	.01	.43	.01	-	.01	-	-	-	.12	.25	.42	14
15	.09	.01	.15	-	.13	-	.01	-	-	.12	.12	.38	15
16	.01	.01	.20	-	.01	-	-	-	.01	.02	.01	.27	16
17	.26	-	.05	.13	.03	-	.02	-	.28	.05	Tr	.12	17
18	.09	.01	.31	.47	-	-	-	-	.02	Tr	.01	.03	18
19	.03	.01	.25	.01	.03	.05	-	Tr	.04	.01	-	.13	19
20	Tr	.01	.05	.07	-	-	.02	-	Tr	.14	-	.01	20
21	-	Tr	.25	-	-	.14	.02	.04	.03	.11	-	.52	21
22	.05	.01	.03	.05	-	.01	.10	.02	.28	.03	.01		22
23	.05	.01	.02	.11	-	1.00	-	-	.24	.04	Tr	.78	23
24	.01	.05	.04	.02	-	.28	.10	-	-	.07	-		24
25	.29	.04	Tr	.20	-	.02	Tr	-	.07	.27	-	.75	25
26	.01	-	.09	.09	-	.22	-	-	.04	-	.04	.18	26
27	.02	-	-	.04	-	-	Tr	.06	.05	.05	.04	.16	27
28	Tr	-	-	.10	-	-	.01	.29	.32	.04	.04	.59	28
29	-	-	-	-	-	-	-	.12	.07	.08	.04	.03	29
30	.01	X	-	-	-	-	.01	.13	.02	.11	.01	.13	30
31		X	-	X	-	X	-	.06	X	.05	X	.06	31
TOTAL	3.06	.26	3.19	2.98	1.48	2.05	.39	3.64	2.21	2.09	1.87	9.08	YEAR'S TOTAL 32.30
*Days with .01 in. or more.	24	17	21	20	9	10	10	18	19	24	20	30	222
*Days with .04 in. or more.	15	2	16	14	6	6	3	16	12	18	12	27	147

40-9999

*See Instruction 2 (f) on other side.

(Signed) Selman, Leonard P.T.O.

COPY FOR OFFICIAL USE.

File No. 232377/33

Section

A

for the entry of Daily Observations.

Station No. S. Devon 6 Exe

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 177715

FORM 1090.

REGISTER OF RAINFALL IN 1935.

(is the above right?)

Kept at Medland Manor, Chertsey, Berks.
in the County of DevonDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 7 ft. in.,, Ground ,, Sea Level 55.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	.03	.62	-	-	-	.02	-	.26	.25	.05	.27		1
2	Tn	.04	.08	-	-	.06	-	-	✓ .38	.21	.11	.14		2
3	.01	.29	.13	.04	.23	.11	-	-	✓ .38	.20	.22	.06		3
4	.03	.08	.01	.09	-	.08	-	-	.05	.27	.11	.12		4
5	.02	-	.14	.09	-	.06	-	-	.15	1.07	.09	-		5
6	-	-	.01	.19	.02	.37	-	-	-	.04	.01	.24		6
7	-	-	-	.17	-	.04	-	-	-	.17	.09	-		7
8	-	-	-	.28	-	.06	-	.03	.01	✓ .12	.08	-		8
9	.05	-	-	.46	-	.08	-	-	.08	✓ .80	.30	-		9
10	.15	-	.03	.34	-	.04	-	-	-	.02	✓	-		10
11	.05	-	Tn	-	-	.25	Tn	-	.16	.01	✓ .51	-		11
12	.04	.12	Tn	-	-	.14	-	.05	.01	Tn	.03	-		12
13	.01	.02	-	.23	-	.02	-	-	.01	Tn	.50	-		13
14	-	.03	-	.42	-	.16	-	-	.32	Tn	.71	.27		14
15	-	.02	-	.21	.08	✓	-	-	.09	.01	.27	.14		15
16	Tn	.09	.08	.07	-	✓ .10	-	-	.63	-	.57	-		16
17	-	Tn	-	.10	.85	.21	-	.20	✓	.01	-	.18		17
18	-	-	-	.16	.02	Tn	.22	.24	✓	.05	-	-		18
19	-	-	.01	.12	.11	.04	-	-	✓	.22	.39	-		19
20	-	.29	.01	.37	.32	-	.05	-	.20	-	.17	-		20
21	-	.43	-	.24	-	-	-	-	-	.07	-	-		21
22	-	.02	.14	.19	-	-	-	-	.06	.04	-	-		22
23	-	.04	.11	.22	.09	-	-	.38	.07	.32	-	.35		23
24	.03	.48	-	.02	.12	.85	-	.29	.04	.29	-	.21		24
25	.13	.19	-	-	.04	.09	-	-	Tn	Tn	-	.25		25
26	-	.69	Tn	-	-	.01	.01	.19	.22	.04	-	.55		26
27	-	.11	-	-	-	-	.05	.05	.09	-	-	.42		27
28	.01	.17	-	-	-	.09	-	.21	.10	✓ .07	-	.48		28
29	-	×	Tn	-	-	.04	-	.02	.07	.01	.29	.48		29
30	.01	×	-	-	-	.14	-	.53	.14	.01	.50	.46		30
31	-	×	-	×	-	×	-	.01	×	.55	×	.44		31
TOTAL	.61	3.14	1.37	4.01	1.88	3.04	.35	2.20	3.14	4.73	5.04	4.66	Year's Total	34.17
*Days with ".01 in. or more.	13	18	12	20	10	23	5	12	24	24	20	18	200	199
*Days with ".04 in. or more.	6	13	7	19	8	21	3	9	21	19	18	18	160	160

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Selma h. Renard

[P.T.O.]

Section



for the entry of Daily Observations.

Station No.

1777/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Horslake, Cheriton Bishop.
in the County of Devon

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....3.....ft. 9.....in.
„ Ground „ Sea Level.....5.00.....ft.

Treat as continuation
X { Jan & Feb records taken at Medland
Manor, Cheriton Bishop, after which
the gauge was transferred to Horslake.
llws.

232377/33

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.02	.10	.01	—	.10	.27	Tr.	—	—	.06	.03		1
2	.05	.17	Jr	.04	—	.31	.85	.02	—	—	.10	.01		2
3	—	.06	.03	.73	—	.03	.50	.03	.45	—	.07	.06		3
4	—	.02	.13	—	—	.07	.14	—	.47	—	.10	.35		4
5	.64	.02	.07	—	—	—	.25	.01	.25	—	.02	—		5
6	.07	.12	.05	—	—	Jr	.21	—	.10	—	.10	—		6
7	.14	.02	.03	—	—	—	.32	—	.02	—	.42	.03		7
8	.19	—	.32	—	—	—	.34	—	—	—	.74	.10		8
9	.48	—	.33	—	—	—	.37	—	.02	—	.16	—		9
10	—	.78	Jr	—	—	.13	.12	—	—	—	.38	—		10
11	Two days record (Snow) .50	.21	—	—	—	Jr	.09	.06	.10	—	.63	.10		11
12		.26	—	.07	.02	Jr	.44	—	.60	—	.10	.03		12
13	.17	—	.02	.06	—	—	.92	—	.05	.04	.06	1.05		13
14	—	.01	—	—	—	—	.05	—	.30	.10	.02	.55		14
15	—	.08	—	.02	—	—	.05	—	.15	.05	.09	—		15
16	.20	Jr	—	—	.34	—	.08	—	.02	—	.11	.25		16
17	.15	.19	—	—	.05	—	.33	—	Jr	.06	.05	.64		17
18	.47	.95	.06	—	—	—	.40	—	—	Jr	—	.05		18
19	.32	.18	.42	.11	—	.30	.10	.03	—	—	—	—		19
20	.07	.05	.15	Jr	—	.01	.07	.03	.40	.09	—	.02		20
21	.02	.65	.14	1.20	—	—	.01	—	.02	Jr	Jr	—		21
22	.11	.33	.14	Jr	—	—	.04	—	—	Jr	—	.04		22
23	.01	.10	.15	.15	.10	—	.02	—	.02	.04	—	—		23
24	.24	.01	.16	Jr	.30	—	.27	—	.02	.40	Jr	—		24
25	+	Jr	.43	.10	—	—	.08	—	.05	.20	—	.02		25
26	Four days record +	.02	.17	Jr	—	—	.01	—	.04	.25	—	—		26
27		1.94	.07	.07	Jr	—	.18	—	—	.37	—	—		27
28	+	.03	.47	.02	—	—	.10	—	Jr	.02	.02	.12		28
29	.05	.04	.01	—	—	.07	.30	—	—	.03	.04	.14		29
30	.22	✗	—	—	Jr	.02	Jr	—	—	.08	—	—		30
31	.20	✗	.32	✗	.05	✗	.09	—	✗	—	✗	.26		31
TOTAL	6.24	4.39	3.77	2.51	.86	1.04	7.00	.18	3.08	1.73	3.27	3.85	37.92	
* Days with .01 in. or more.	25	24	22	11	6	9	30	6	18	13	19	19	202	
* Days with .04 in. or more.	23	16	18	8	5	6	27	1	12	11	16	16	159	

Year's Total

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) L. Lillingworth [P.T.O.]

† Moved from CHERITON BISHOP (MEDLAND MANOR) March 1936. LADY LENNARD

Section



for the entry of Daily Observations

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at HORSLAKE, CHERITON BISHOPin the County of DEVONDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 2 ft. 9 in.,, Ground ,, Sea Level 500 ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	.10	-	.57	-	-	-	-	-	.15	.02	~~.20~~		1
2	.10	.27	.03	.26	-	-	-	-	-	.35	-	.01		2
3	Tr	.34	-	.09	.22	-	-	-	.10	-	-	.02		3
4	.17	.35	-	.26	.10	-	-	.04	-	-	-	.55		4
5	.03	.03	-	.04	.01	-	.50	-	-	-	-	.60		5
6	.25	.35	.32	.09	.02	-	.25	-	-	-	-	.05		6
7	-	.51	.16	.10	Tr	.03	-	-	-	.01	Tr	-		7
8	-	.09	Tr	-	.37	.02	.09	-	-	.05	.15	-		8
9	.13	.03	.14	.10	.10	-	.01	.05	.81	.02	-	-		9
10	.10	.03	.68	<u>1.10</u>	-	.03	Tr	.17	-	.10	-	.30		10
11	.05	-	.30	.12	.62	.02	.32	.02	-	-	-	-		11
12	.45	.41	.10	.09	.02	.38	.08	.12	.09	~~.20~~	-	.45		12
13	-	.05	.73	.17	-	-	Tr	.28	.21	-	-	.15		13
14	-	.01	.03	.02	-	-	Tr	.08	.03	-	-	.20		14
15	.63	.06	.08	.26	-	-	.14	-	.15	-	.26	.25		15
16	~~.46~~	.16	.96	.32	-	-	.03	.18	.35	-	.38	-		16
17	.70	.13	.48	-	-	-	Tr	.02	.09	-	.22	-		17
18	.24	.11	.15	-	-	.35	-	-	.02	-	.23	.16		18
19	.26	.09	.17	.30	.14	-	-	-	.31	-	-	.06		19
20	.59	.16	.14	.03	.04	-	-	-	.05	Tr	.03	.33		20
21	.73	.67	.02	-	.32	-	-	-	.09	.03	.25	.03		21
22	.22	.04	.04	-	.20	-	.04	-	.09	.56	.20	.03		22
23	.57	.37	-	-	.06	-	-	-	Tr	.32	.33	Tr		23
24	.35	.50	.14	-	-	-	-	-	-	.85	.02	Tr		24
25	.03	.35	.52	-	.05	-	-	-	.01	.26	-	Tr		25
26	-	.18	.05	-	-	-	-	-	Tr	.01	-	-		26
27	.05	.48	-	-	-	-	-	-	-	.83	-	-		27
28	.29	.10	-	-	-	-	-	-	Tr	.06	.02	-		28
29	.05	-	-	-	-	-	-	-	-	.35	.05	-		29
30	.31	~~X~~	-	-	-	.04	-	-	.05	.02	.15	-		30
31	.44	~~X~~	Tr	~~X~~	-	~~X~~	-	-	~~X~~	.43	~~X~~	.02		31
TOTAL	7.40	5.97	5.24	3.92	2.27	.87	1.46	.96	2.45	4.40	2.31	3.91	Year's Total 41.16	✓
* Days with .01 in. or more.	25	27	20	17	14	7	9	9	15	17	14	17	191	✓
* Days with .04 in. or more.	22	23	17	15	11	3	7	7	12	12	10	12	151	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

K. Collings-Wells [P.T.O.]

Section



for the entry of Daily Observations

Station No. 1777/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Marslake, Chilton Bishop...

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

„ Ground „ Sea Level 500 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.28	—	.25	.03	.05	—	—	.04	—	—	1.25	.05		1
2	.17	—	—	.13	TR	—	.05	.18	.25	—	.19	.15		2
3	.18	—	.02	.45	TR	—	—	.05	.38	—	.40	.38		3
4	.02	—	.35	.26	.32	—	.30	TR	—	—	.35	.39		4
5	TR	—	.03	.35	—	—	.26	—	—	—	.92	.04		5
6	.45	—	.02	.19	—	—	.51	.03	—	.76	.10	—		6
7	.02	.05	.05	—	.03	.46	—	.02	—	.28	.19	.24		7
8	TR	.28	.04	—	.05	—	.12	TR	—	.15	.45	.08		8
9	.01	—	.05	—	—	—	—	.02	—	.05	.02	.20		9
10	.35	—	TR	—	—	—	—	.04	—	.94	.02	.32		10
11	TR	—	.09	—	—	—	—	.03	—	.16	.01	.01		11
12	.05	.07	—	.02	—	—	TR	—	.10	.07	.05	—		12
13	—	.02	—	—	TR	.05	.15	—	.06	.07	.03	—		13
14	.74	TR	—	—	.05	.03	.55	—	.04	.05	.26	.06		14
15	.67	—	—	.06	.11	.25	.50	—	—	.53	.02	TR		15
16	.22	.01	TR	.13	.02	.01	.17	—	—	.06	.33	—		16
17	1.09	—	TR	—	—	.09	.20	—	—	.01	.14	.02		17
18	.08	.02	.05	—	TR	—	1.03	—	—	—	.96	.06		18
19	.15	—	TR	—	—	—	.35	.12	—	—	.03	.15		19
20	.35	TR	—	—	.03	.72	.28	.77	—	—	—	—		20
21	.04	.35	.05	—	—	.07	.02	.03	.01	—	—	—		21
22	1.05	.38	.17	.05	—	TR	.08	—	—	—	.34	.05		22
23	—	TR	.13	.25	—	.48	.16	—	—	—	.70	—		23
24	.60	.02	.60	.10	—	.66	.27	—	—	—	—	.04		24
25	—	.27	—	.12	—	.02	.12	.39	—	.05	.52	—		25
26	.40	.03	—	.15	—	—	.02	—	—	.14	.79	.02		26
27	—	.35	—	.05	—	.07	TR	—	—	.19	.10	—		27
28	—	.04	—	.06	—	.03	.03	—	—	.31	.25	—		28
29	—	X	TR	.04	—	.02	.08	—	—	.03	.16	—		29
30	—	X	.03	.45	—	.08	.02	.03	—	.45	.05	.01		30
31	—	X	X	X	—	X	—	.06	X	.81	X	.05		31
OTOTAL	6.92	1.89	1.93	2.89	.66	3.04	5.27	1.81	.84	5.11	8.63	2.32	41.31	✓
* Days with .01 in. or more.	20	13	15	18	8	15	22	14	6	29	27	19	196	✓
* Days with .04 in. or more.	17	8	11	16	5	10	18	8	5	17	21	15	151	✓

† Spare column, no entries required.

(Signed) H. L. Wells

P.O.

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No.

1777/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at **HORSLAKE, CHERITON**
in the County of **DEVON** (**BISHOP**)

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground..3.....ft. 6.....in.

,, Ground ,, Sea Level 500.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.04	—	—	.09	—	TR	—	—	—	.30	—		1
2	—	.12	—	.17	—	—	—	—	—	—	.00	—		2
3	.01	.83	—	.01	—	—	—	—	—	.18	.28	.12		3
4	.04	.15	—	.25	—	—	.06	—	—	.02	.14	.01		4
5	.02	TR	—	—	—	—	.02	—	—	.12	.80	.19		5
6	.01	.12	—	—	—	—	.01	—	—	.02	.10	.37		6
7	.05	.38	—	—	—	—	.36	—	TR	.11	TR	.13		7
8	—	.05	—	—	—	—	TR	—	TR	.17	.15	.30		8
9	—	TR	—	.04	—	—	.39	.15	TR	—	.89	.73		9
10	—	—	—	—	—	TR	.12	—	.06	—	.25	.01		10
11	—	—	.01	—	—	.15	.36	—	TR	—	.80	.03		11
12	—	—	.12	—	—	.05	.53	—	.57	.04	.78	—		12
13	—	—	.20	—	—	—	.01	—	TR	.52	.91	.10		13
14	—	—	—	.14	.05	—	.12	.03	.35	.45	—	.37		14
15	.10	.04	.50	.24	.02	—	—	—	.09	.05	.56	.02		15
16	.03	.01	.50	.41	—	—	.09	—	.05	.07	.06	—		16
17	—	.08	.60	—	—	—	.10	—	.01	.02	TR	.12		17
18	.05	.44	.32	.79	—	—	.01	.06	.02	.15	.02	TR		18
19	—	.06	.18	.20	—	—	.02	—	.21	.03	.10	—		19
20	—	—	—	.02	—	—	—	.09	TR	.02	.02	—		20
21	—	TR	.02	—	.14	—	—	—	.05	—	.48	—		21
22	—	TR	.05	.15	.02	.65	—	—	.16	.12	.02	—		22
23	—	.13	.15	—	.05	TR	—	—	TR	—	.01	—		23
24	—	TR	.02	—	—	—	.31	—	—	—	.02	—		24
25	.12	.03	.20	.15	.29	.23	—	—	—	—	.02	—		25
26	.49	.18	—	.04	.12	.05	—	—	—	—	.03	—		26
27	.48	.12	—	.51	.43	TR	.13	—	—	—	TR	—		27
28	.39	.13	—	.02	.05	—	TR	.03	—	—	—	—		28
29	—	—	.04	.06	—	—	TR	—	—	.30	—	.08		29
30	—	✕	.10	.23	—	—	—	—	—	.35	—	.32		30
31	.14	✕	—	✕	—	✕	—	—	✕	.59	✕	—		31
TOTAL	1.94	3.54	2.51	4.43	1.26	1.13	2.64	.36	1.57	3.43	8.74	2.90	34.45	Year's Total
* Days with .01 in. or more.	13	17	14	17	10	5	16	5	10	19	23	15	164	
* Days with .01 in. or more.	9	15	11	14	8	5	11	3	8	14	16	11	125	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

H. Collings-Wells

P.T.O.

Kept at Baltimore
in the County of Dec

1778
BALTIMORE RECTORY
1931 — 34

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea

780308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.02	—	.23	—	.03	.10	—	.34	.03	—	—	1
2	.20	.04	—	.75	—	—	—	—	.14	—	.21	.09	2
3	.12	—	1.01	—	—	—	.02	—	.17	—	1.23	.03	3
4	.02	—	.30	—	.05	.07	.25	.46	.10	.07	.05	—	4
5	—	.33	.20	.04	—	.56	.01	.01	—	—	.02	.14	5
6	—	.10	—	—	.09	.22	.06	—	—	.16	.32	.57	6
7	—	.02	—	—	.33	.37	.26	.18	—	.08	.65	.09	7
8	—	.16	—	.37	—	.43	.01	.08	—	.01	.08	.08	8
9	.03	.10	—	—	—	.02	.03	—	—	—	.28	.01	9
10	—	.06	—	—	.20	.02	—	.09	.03	—	.35	.01	10
11	.15	.46	—	—	—	.28	.05	—	.01	—	.29	—	11
12	.01	.08	—	—	—	—	.13	—	.14	.12	—	—	12
13	—	.06	.01	—	.13	—	.18	.09	—	—	—	—	13
14	.04	.05	—	—	.03	.47	.62	.13	.01	—	.46	—	14
15	—	.12	—	.03	.10	—	—	.35	.02	—	.01	.02	15
16	.01	.23	—	.09	.14	.37	—	.16	.06	—	.01	—	16
17	.01	.06	—	.15	—	—	.43	—	—	—	.20	—	17
18	.05	.11	.07	.14	—	.10	.04	.74	—	—	.35	—	18
19	.03	.08	—	.14	—	.06	.04	.08	.05	—	.27	—	19
20	.01	.04	.30	—	—	—	—	.30	—	—	.01	.01	20
21	.15	—	.02	—	.12	—	—	—	—	—	.01	—	21
22	.15	.03	.03	.04	.13	—	—	—	—	—	.24	—	22
23	.30	.02	—	.48	.65	—	.01	—	—	—	—	—	23
24	.18	.01	—	.52	.10	—	.68	.49	—	—	.02	—	24
25	.29	.01	—	.39	.04	—	.24	—	—	—	.25	—	25
26	—	.05	—	.28	—	—	.35	—	—	—	.76	—	26
27	.12	.15	—	—	.95	—	.15	—	—	.02	.22	—	27
28	.13	.19	.12	.01	.14	—	—	.01	—	.07	—	.17	28
29	.08	X	.14	—	.09	—	.04	.19	—	.04	.05	.20	29
30	.10	X	—	.02	.01	—	—	—	.10	.01	—	—	30
31	.55	X	—	X	.09	X	.02	—	X	—	X	.42	31
TOTAL	2.73	2.58	2.20	3.68	3.39	3.00	3.72	3.36	1.17	.61	6.34	1.84	34.62
*Days with ".01 in. or more.	22	25	10	16	18	13	22	15	12	10	24	13	200
*Days with ".04 in. or more.	15	19	7	13	16	10	16	13	8	6	18	8	149

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. H. Hopkinson

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Saltmore Rectory, Exeter
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.02	—	.23	—	.03	.10	—	~~.34~~	.03	—	—	1
2	.20	.04	—	~~.75~~	—	—	—	—	.14	—	.21	.09	2
3	.12	—	<u>1.01</u>	—	—	—	.02	—	.17	—	<u>1.23</u>	.03	3
4	.02	—	.30	—	.05	.07	.25	.46	.10	.07	.05	—	4
5	—	.33	.20	.04	—	<u>.56</u>	.01	.01	—	—	.02	.14	5
6	—	.10	—	—	.09	.22	.06	—	—	.16	.32	<u>.57</u>	6
7	—	.02	—	—	.33	.37	.26	.18	—	.08	.65	.09	7
8	—	.16	—	.37	—	.43	.01	.08	—	.01	.08	.08	8
9	.03	.10	—	—	—	.02	.03	—	—	—	.28	.01	9
10	—	.06	—	—	.20	.02	—	.09	.03	—	.35	.01	10
11	.15	<u>.46</u>	—	—	—	.28	.05	—	.01	—	.29	—	11
12	.01	.08	—	—	—	—	.13	—	.14	.12	—	—	12
13	—	.06	.01	—	.13	—	.18	.09	—	—	—	—	13
14	.04	.05	—	—	.03	.47	.62	.13	.01	—	.46	—	14
15	—	.12	—	.03	.10	—	—	.35	.02	—	.01	.02	15
16	.01	.23	—	.09	.14	.37	—	.16	.06	—	.01	—	16
17	.01	.06	—	.15	—	—	.43	—	—	—	.20	—	17
18	.05	.11	.07	.14	—	.10	.04	<u>.74</u>	—	—	.35	—	18
19	.03	.08	—	.14	—	.06	.04	.08	.05	—	.27	—	19
20	.01	.04	.30	—	—	—	—	.30	—	—	.01	.01	20
21	.15	—	.02	—	.12	—	—	—	—	—	.01	—	21
22	.15	.03	.03	.04	.13	—	—	—	—	—	.24	—	22
23	.30	.02	—	.48	.65	—	.01	—	—	—	—	—	23
24	.18	.01	—	.52	.10	—	<u>.68</u>	.49	—	—	.02	—	24
25	.29	.01	—	.39	.04	—	.24	—	—	—	.25	—	25
26	—	.05	—	.28	—	—	.35	—	—	—	.76	—	26
27	.12	.15	—	—	<u>.95</u>	—	.15	—	—	.02	.22	—	27
28	.13	.19	.12	.01	.14	—	—	.01	—	.07	—	.17	28
29	.08	X	.14	—	.09	—	.04	.19	—	.04	.05	.20	29
30	.10	X	—	.02	.01	—	—	—	.10	.01	—	—	30
31	<u>.55</u>	X	—	X	.09	X	.02	—	X	—	X	.42	31
TOTAL	2.73	2.58	2.20	3.68	3.39	3.00	3.72	3.36	1.17	.61	6.34	1.84	YEAR'S TOTAL 34.62
*Days with ≥.01 in. or more.	22	25	10	16	18	13	22	15	12	10	24	13	200
*Days with ≥.04 in. or more.	15	19	7	13	16	10	16	13	8	6	18	8	149

40-9999

*See Instruction 2 (f) on other side.

(Signed) J. A. Hopkinson [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1778

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Poltimore Rectory

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

Ground Sea Level 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	—	—	.11	—	.01	.05	.24	.01	—	.05	.01	1
2	.01	—	—	.11	—	—	—	.02	.13	.02	.01	.18	2
3	—	—	.02	—	—	.49	.05	—	.46	.08	.01	.07	3
4	.01	—	—	—	—	.12	—	.13	.01	—	.24	—	4
5	.10	—	.06	—	—	—	.03	—	.13	—	—	.01	5
6	.34	—	.02	.25	.04	—	.05	—	.15	—	—	—	6
7	.06	—	.05	.09	.03	—	.23	—	.43	1.40	—	—	7
8	.02	—	.59	.01	.28	—	—	—	.05	.08	—	—	8
9	1.05	—	—	.16	.03	—	—	—	—	.05	—	—	9
10	.24	—	—	.24	—	.04	—	—	.03	.25	—	—	10
11	.04	—	—	.07	.10	—	—	—	—	.36	—	.09	11
12	.24	—	—	—	.30	—	—	—	.04	.29	—	.03	12
13	.06	—	—	.21	.04	—	.38	.59	—	.92	—	.13	13
14	.26	—	—	.09	.44	—	—	—	—	.05	.05	.04	14
15	—	—	—	.20	.11	—	—	—	—	.04	.01	.02	15
16	.29	—	—	.05	—	—	.72	—	—	.02	—	—	16
17	.01	—	—	.01	—	—	—	—	—	.04	—	—	17
18	—	—	—	—	.25	—	—	—	.35	.01	.35	.01	18
19	.04	—	—	.01	.24	—	—	—	.05	.40	.01	.01	19
20	.04	—	—	—	1.12	—	—	.03	.05	.62	.26	.14	20
21	.02	—	.09	.08	—	—	—	.16	—	.29	.09	.44	21
22	—	—	.01	—	—	—	.04	.04	.62	.24	.25	—	22
23	—	.02	—	—	—	—	.20	—	—	.44	.08	.14	23
24	—	—	—	.01	—	—	.70	—	.08	.09	.02	.01	24
25	—	—	.55	—	.03	—	.08	—	.07	.29	.09	.01	25
26	—	—	.05	.05	—	—	.16	—	—	.12	.04	—	26
27	—	—	.28	.37	.15	—	.11	—	—	.15	.04	.08	27
28	—	—	.05	.04	.15	—	—	—	—	—	—	.06	28
29	—	—	.42	.15	.21	.25	—	.78	.63	.46	.06	.51	29
30	—	×	.06	.06	—	1.39	.41	—	.74	.13	1.11	.02	30
31	—	×	—	×	.09	×	.15	—	×	.01	×	.60	31
TOTAL	2.89	.02	2.25	2.37	3.61	2.30	3.36	1.99	4.03	6.85	2.77	2.61	YEAR'S TOTAL 35.05
*Days with or in. or more.	19	1	13	21	14	6	15	8	18	26	18	21	183
*Days with .04 in. or more.	13	none	10	17	14	5	14	6	15	22	13	12	141

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. H. Hopkinson

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1933 . Station No 1778

Kept at *Pollnare Rectory, Exeter* June $\frac{3}{4}$ " High
in the County of *Devon*

948293/29

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
,, Ground ,, Sea Level *80* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	<i>.48</i>	<i>.20</i>	<i>.15</i>	—	<i>.07</i>	<i>.05</i>	—	—	—	—	<i>.11</i>	<i>.98</i>	I
2	<i>.32</i>	—	<i>.39</i>	—	<i>.72</i>	—	—	—	—	—	<i>.03</i>	<i>.08</i>	2
3	<i>.12</i>	<i>.13</i>	<i>.15</i>	—	<i>.01</i>	<i>.48</i>	—	—	—	—	—	—	3
4	<i>.33</i>	—	<i>.01</i>	—	<i>.12</i>	—	—	—	—	—	—	—	4
5	<i>.03</i>	—	<i>.28</i>	—	<i>.15</i>	—	—	—	—	<i>.08</i>	—	—	5
6	<i>.01</i>	<i>.42</i>	<i>.04</i>	—	<i>.17</i>	—	<i>.06</i>	—	—	<i>.11</i>	—	—	6
7	<i>.01</i>	<i>.26</i>	<i>.02</i>	—	<i>.05</i>	—	<i>.03</i>	—	—	<i>.09</i>	—	<i>.01</i>	7
8	—	<i>.01</i>	—	—	<i>.06</i>	—	<i>.08</i>	—	—	—	—	—	8
9	<i>.03</i>	<i>.08</i>	—	—	<i>.50</i>	<i>.01</i>	<i>.19</i>	—	—	<i>.20</i>	<i>.02</i>	—	9
10	<i>.03</i>	<i>.12</i>	—	—	—	—	<i>.20</i>	<i>.02</i>	—	<i>.78</i>	<i>.03</i>	—	10
II	<i>.07</i>	—	—	—	—	—	<i>.07</i>	<i>.68</i>	—	<i>.05</i>	—	—	II
12	—	—	—	<i>.23</i>	<i>.08</i>	<i>.09</i>	<i>.17</i>	—	<i>.69</i>	—	<i>.01</i>	—	12
13	<i>.01</i>	—	—	—	<i>.08</i>	<i>.09</i>	<i>.14</i>	<i>.23</i>	—	<i>.15</i>	<i>.09</i>	<i>.02</i>	13
14	<i>.05</i>	—	—	—	—	—	<i>.15</i>	<i>.08</i>	—	<i>.01</i>	<i>.13</i>	—	14
15	<i>.33</i>	—	<i>.27</i>	—	—	—	<i>.65</i>	<i>.01</i>	—	<i>.05</i>	<i>.03</i>	—	15
16	—	<i>.01</i>	<i>.83</i>	—	—	<i>.01</i>	<i>.01</i>	—	—	<i>.07</i>	—	—	16
17	<i>.05</i>	<i>.06</i>	<i>.18</i>	—	—	<i>.10</i>	—	—	<i>.08</i>	—	—	—	17
18	<i>.06</i>	—	<i>.38</i>	—	—	<i>.12</i>	—	—	—	—	<i>.02</i>	—	18
19	<i>.16</i>	—	<i>.26</i>	—	—	<i>.04</i>	—	—	<i>.15</i>	—	<i>.49</i>	<i>.03</i>	19
20	—	<i>.04</i>	<i>.01</i>	—	—	<i>.50</i>	—	<i>.05</i>	<i>.02</i>	—	<i>.01</i>	<i>.02</i>	20
21	—	<i>.03</i>	—	—	—	<i>.48</i>	—	<i>.14</i>	<i>.30</i>	<i>.08</i>	—	—	21
22	—	—	—	<i>.10</i>	—	<i>3.23</i>	—	<i>.28</i>	<i>.21</i>	<i>.29</i>	—	—	22
23	—	<i>1.20</i>	—	<i>.20</i>	—	<i>.17</i>	—	—	<i>.13</i>	<i>.02</i>	—	—	23
24	—	<i>.18</i>	—	<i>.11</i>	—	<i>.19</i>	—	—	<i>.48</i>	—	—	—	24
25	—	<i>.67</i>	—	<i>.14</i>	—	—	—	—	<i>.05</i>	<i>.08</i>	—	<i>.13</i>	25
26	—	<i>.40</i>	—	<i>.31</i>	<i>.35</i>	—	—	—	<i>.08</i>	<i>.02</i>	—	<i>.01</i>	26
27	—	<i>.02</i>	—	<i>.01</i>	—	—	—	—	<i>.01</i>	<i>.36</i>	<i>.01</i>	<i>.41</i>	27
28	—	<i>.12</i>	—	<i>.29</i>	<i>.38</i>	—	<i>.21</i>	—	—	<i>.21</i>	—	<i>.04</i>	28
29	<i>.06</i>	<i>X</i>	—	<i>.42</i>	—	—	<i>.03</i>	—	<i>.01</i>	—	—	<i>.04</i>	29
30	<i>.02</i>	<i>X</i>	<i>.15</i>	<i>.26</i>	—	—	<i>.02</i>	—	<i>.13</i>	<i>.01</i>	—	<i>.06</i>	30
31	<i>.05</i>	<i>X</i>	<i>.08</i>	<i>X</i>	—	<i>X</i>	—	—	<i>X</i>	—	<i>X</i>	<i>.01</i>	31
TOTAL	<i>2.22</i>	<i>3.95</i>	<i>3.20</i>	<i>2.07</i>	<i>2.74</i>	<i>5.56</i>	<i>2.01</i>	<i>1.49</i>	<i>2.34</i>	<i>2.66</i>	<i>.98</i>	<i>1.84</i>	YEAR'S TOTAL <i>31.06</i>
Days with .01 in. or more.	<i>19</i>	<i>17</i>	<i>15</i>	<i>10</i>	<i>13</i>	<i>14</i>	<i>14</i>	<i>8</i>	<i>13</i>	<i>18</i>	<i>12</i>	<i>13</i>	<i>156</i>
Days with .04 in. or more.	<i>12</i>	<i>13</i>	<i>12</i>	<i>9</i>	<i>12</i>	<i>12</i>	<i>10</i>	<i>6</i>	<i>10</i>	<i>14</i>	<i>4</i>	<i>7</i>	<i>121</i>

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at St. Germans Lodge, Exeter
in the County of Devon

(late of Poltimore Rectory
Exeter)

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 3.50 ft.

Copy from 25th June
Exeter (St. Germans Lodge)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.02	—	—	—	—	—	—	.75	.01	.01	.20	.43	I
2	.08	—	.05	—	—	—	—	.01	.63	.03	.22	.15	2
3	.02	—	—	—	—	—	—	.20	—	.21	—	.38	3
4	.09	—	.20	.02	.34	—	—	.04	.09	.13	—	.49	4
5	.01	—	.19	—	.28	.20	—	.84	—	.10	.18	.35	5
6	.01	.01	.30	.08	.44	—	—	—	.01	.38	.05	.48	6
7	.04	—	—	—	—	.05	—	.21	—	.15	.03	.74	7
8	—	—	—	—	.09	—	—	—	—	.02	.19	.56	8
9	.03	—	.29	.15	—	—	—	—	—	—	.24	.29	9
10	.24	—	.33	.37	—	—	—	.15	—	—	.03	.01	10
11	.42	—	.05	.60	—	—	—	.11	—	—	—	.61	11
12	.17	—	.07	—	—	—	.01	.32	—	—	—	.13	12
13	.40	—	—	.50	—	.01	—	—	—	—	.01	.62	13
14	.45	—	.38	.01	—	—	—	—	—	.03	.21	.44	14
15	.12	—	.08	—	.09	—	.05	—	—	.13	.13	.60	15
16	.02	.01	.14	.01	.02	—	—	—	—	.01	.03	.49	16
17	.10	—	.02	.14	—	—	—	—	.33	.03	—	.25	17
18	.11	—	.25	.70	—	—	—	—	.18	.02	—	.25	18
19	.03	—	.16	.12	—	.04	—	—	.04	.01	—	.12	19
20	—	—	.10	.10	—	—	.03	—	—	—	—	.02	20
21	.01	—	.13	—	—	.38	—	.05	—	.17	.01	.44	21
22	.01	—	.07	—	—	—	.89	.06	.33	—	—	.92	22
23	.04	—	.02	.14	—	.90	—	—	.25	.08	—	.15	23
24	.01	.15	.04	.03	—	.18	.09	—	.03	.10	—	.05	24
25	.28	.10	—	.22	—	.05	—	—	—	.34	—	.72	25
26	.01	—	.06	.08	—	—	—	—	.03	—	.02	.20	26
27	—	—	—	.01	—	—	—	.01	.08	.03	.01	.43	27
28	.01	—	—	.02	—	—	—	.34	.30	.04	—	.66	28
29	—	X	—	—	—	—	—	.03	.04	.04	.02	.05	29
30	.02	X	—	—	—	—	.01	.29	.06	.07	—	.15	30
31	—	X	—	X	—	X	.02	.06	X	.02	X	.09	31
TOTAL	2.75	.27	2.93	3.30	1.06	2.05	1.10	3.47	2.41	2.15	1.58	11.27	34.34
* Days with or in. or more.	26	4	20	18	6	10	7	16	15	23	16	31	192
* Days with or in. or more.	13	2	18	12	5	8	3	13	11	13	8	29	135

40-9999

*See Instruction 2 (f) on other side.

(Rev.)
(Signed) H. Hopkinson

[P.T.O.]

8.2

1778/5

REGIS

Kept at **BEAUMONT**
in the County of **DEMO**
Diameter of Funnel of Gauge...**5**
Height of top of Gauge above Grou
,, Ground ,, Sea I

BROADHIST. BEAUMONT
1940

7803 of

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				.05							.21			1
2		.11									.65	.02		2
3		.63		.01						.12	.80	.13		3
4	.05	.20		.06			.16				.05	.01		4
5	.01	.01									.61	.07		5
6	.03	.47								.07	.06	.12		6
7	.21						.10					.02		7
8	.10						.12			.49	.10			8
9							.57	.01	.01	.03	.54	.39		9
10							.24	.02	.02	.05	.16	.50		10
11				.01			.14				.33			11
12		.49	.09			.21	.26		.66	.80	.13			12
13		.21	.31				.04		.03	.48	.00	.15		13
14		.49	.09	.02	.23		.02		.20			.48		14
15				.03	.04				.18		.53			15
16		1.01	.57	.17			.23		.08	.40	.18			16
17		.12	.32	.40			.04		.01		.05			17
18		.36	.35	.01					.07	.05		.08		18
19		.04	.07	.60			.27				.09			19
20				.03				.05		.15				20
21					.20	.02			.26					21
22			.16	.09		.63					.42			22
23		.08	.13		.05		.03		.06	.06				23
24							.33			.08				24
25	.25		.08		.29	.01								25
26	.80	.42		.05	.21		.03							26
27	.45	.07	.02	.01	.21		.05							27
28	.25	.02		1.05	.04					.27				28
29	.23	.10	.09			.05					.20			29
30		X		.11							.12			30
31		X		X		X			X	.57	X	.51		31
TOTAL	241	3.64	2.28	2.70	1.27	.92	2.63	.08	1.49	3.56	5.93	3.02	249.3	Part
* Days with .01 in. or more.	10	14	12	16	8	5	16	3	10	14	17	14	249.3	139
* Days with .04 in. or more.	8	12	11	9	8	3	13	1	6	13	17	12		113

† Spare column, no entries required.

(Signed) **W. H. Leighton** P.O.

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No.

1778/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at BEAUMONT BROADCLYST EXETER
in the County of DEVON

Diameter of Funnel of Gauge... 5 in.

Height of top of Gauge above Ground... 11 ft.

Ground Sea Level... 72 ft.

no file

Nº 2

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				.05							.21			1
2		.11									.65	.02		2
3		.63		.01						.12	.80	.13		3
4	.05	.20		.06			.16				.05	.01		4
5	.01	.01									.61	.07		5
6	.03	.67								.07	.06	.12		6
7	.21						.10					.02		7
8	.10						.12			.49	.10			8
9							.57	.01	.01	.03	.54	.39		9
10							.24	.02	.02	.05	.16	.50		10
11				.01			.14				.33			11
12		.49	.09			.21	.26		.66	.80	.13			12
13		.21	.31				.04		.03	.48	.02	.15		13
14		.44	.09	.02	.23		.02		.20			.48		14
15				.03	.04				.18		.53			15
16		.01	.57	.17			.23		.05	.40	.18			16
17		.12	.32	.40			.04		.01		.05			17
18		.36	.35	.01					.07	.05		.08		18
19		.04	.07	.60			.27				.09			19
20				.03				.05		.15				20
21					.20	.02			.26					21
22			.16	.09		.63					.42			22
23		.08	.13		.05		.03		.06	.06				23
24							.33			.08				24
25	.25		.08		.29	.01								25
26	.80	.42		.05	.21		.03							26
27	.45	.07	.02	.01	.21		.05							27
28	.25	.02		.05	.04					.37				28
29	.23	.10	.09			.05					.20			29
30		X		.11							.12			30
31		X		X		X			X	.57	X	.51		31
TOTAL	241	3.64	2.28	2.70	1.27	.92	2.63	.08	1.49	3.56	5.93	3.02	2493	Part
* Days with .01 in. or more.	10	14	12	16	8	5	16	3	10	14	17	14	39	139
* Days with .04 in. or more.	8	12	11	9	8	3	13	1	6	13	17	12		113

† Spare column, no entries required.

(Signed) W. H. Leighton

* See Instruction 3 (f) on other side.

Kept at Bramford
in the County of S.

Diameter of Funnel of Gauge.....
Height of top of Gauge above Groun
,, Ground ,, Sea L

1779
COPY FOR OFFICIAL USE.
ALL ORGANIZATION.
31.

1779
BRAMFORD SPEKE
1931 — 40

780308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	23	-	-	-	-	18	06	-	-	1
2	20	-	-	04	-	-	05	-	27	-	15	08	2
3	09	-	90	-	-	-	06	-	42	-	80	-	3
4	-	-	35	-	-	04	12	28	05	-	-	-	4
5	-	26	20	04	-	45	-	-	-	-	05	10	5
6	-	11	-	-	15	25	04	-	-	-	08	52	6
7	-	-	-	-	34	24	18	21	-	-	58	08	7
8	-	10	-	30	-	38	03	06	-	-	15	-	8
9	-	06	-	-	18	-	-	-	-	20	24	-	9
10	06	40	-	-	-	03	-	10	10	08	21	-	10
11	15	09	-	-	-	21	-	-	-	05	30	-	11
12	04	06	-	-	-	-	20	-	-	15	-	-	12
13	-	05	-	-	09	-	22	12	-	08	-	-	13
14	04	05	-	-	05	18	69	05	-	-	46	-	14
15	-	09	-	-	14	34	-	25	-	-	-	-	15
16	-	18	-	06	20	-	36	22	-	-	-	03	16
17	-	05	-	16	-	03	05	-	-	-	-	-	17
18	03	-	-	10	-	66	-	70	-	-	18	-	18
19	-	08	06	09	-	-	06	06	05	-	58	-	19
20	-	09	26	-	-	-	-	30	-	-	35	-	20
21	15	04	03	-	13	-	-	04	-	-	-	-	21
22	16	-	-	-	18	-	-	-	-	-	02	-	22
23	14	-	-	30	52	-	-	-	-	-	20	-	23
24	56	-	-	80	07	-	55	48	-	-	-	-	24
25	-	07	-	27	02	-	40	-	-	-	12	-	25
26	-	04	-	30	156	-	08	-	-	-	45	-	26
27	08	13	-	-	-	-	04	-	-	-	31	-	27
28	09	20	11	-	51	-	-	-	-	08	-	-	28
29	08	-	10	-	-	-	-	-	-	06	08	30	29
30	18	X	-	-	12	-	-	-	-	-	-	11	30
31	50	X	-	X	-	X	06	-	X	-	X	-	31
TOTAL	2.55	2.15	2.01	2.69	4.26	2.81	3.21	2.87	1.07	.76	5.31	1.30	30.94
*Days with "or in. or more.	6 x 19	8 x 12	15 x 11	17 x 13	6	8	19	7	15				
*Days with "04 in. or more.	15	19	7	12	14	9	16	13	6	8	18	67	148

40-9999

*See Instruction 2 (f) on other side.

(Signed)

881 Stevens
E. E. STEVENS

P.T.O.

REGISTER OF RAINFALL IN 1931.

Kept at Wramford Speke
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 170 ft.

File Ref 7096/19126
1779
bapt

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	23	-	-	-	-	18	06	-	-	1
2	20	-	-	04	-	-	05	-	27	-	15	08	2
3	29	-	90	-	-	-	06	-	42	-	80	-	3
4	-	-	35	-	-	04	12	28	05	-	-	-	4
5	-	26	20	04	-	45	-	-	-	-	05	10	5
6	-	11	-	-	15	25	04	-	-	-	08	52	6
7	-	-	-	-	34	24	18	21	-	-	58	08	7
8	-	10	-	30	-	38	03	06	-	-	15	-	8
9	-	06	-	-	18	-	-	-	-	20	24	-	9
10	06	40	-	-	-	03	-	10	10	08	21	-	10
11	15	09	-	-	-	21	-	-	-	05	30	-	11
12	04	06	-	-	-	-	20	-	-	15	-	-	12
13	-	05	-	-	09	-	22	12	-	08	-	-	13
14	04	05	-	-	05	18	69	05	-	-	46	-	14
15	-	09	-	-	14	34	-	25	-	-	-	-	15
16	-	18	-	06	20	-	36	22	-	-	-	03	16
17	-	05	-	16	-	03	05	-	-	-	-	-	17
18	03	-	-	10	-	66	-	70	-	-	18	-	18
19	-	08	06	09	-	-	06	06	05	-	58	-	19
20	-	09	26	-	-	-	-	30	-	-	35	-	20
21	15	04	03	-	13	-	-	04	-	-	-	-	21
22	16	-	-	-	18	-	-	-	-	-	02	-	22
23	14	-	-	30	52	-	-	-	-	-	20	-	23
24	56	-	-	80	07	-	55	48	-	-	-	-	24
25	-	07	-	27	02	-	40	-	-	-	12	-	25
26	-	04	-	30	156	-	08	-	-	-	45	-	26
27	08	13	-	-	-	-	04	-	-	-	31	-	27
28	09	20	11	-	51	-	-	-	-	08	-	-	28
29	08	-	10	-	-	-	-	-	-	06	08	30	29
30	18	X	-	-	12	-	-	-	-	-	-	11	30
31	50	X	-	X	-	X	06	-	X	-	X	-	31
TOTAL	2.55	2.15	2.01	2.69	4.26	2.81	3.21	2.87	1.07	.76	5.31	1.30	30.94
*Days with or in. or more.	46 X 19	8 X 12	15 X 11	17 X 13	6	8	19	7	15				
*Days with or in. or more.	15	19	7	12	14	9	16	13	6	8	18	6	148

Section **A** for the entry of Daily Observations. Station No. 1779
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at Bramford Spoke
 in the County of Devon

Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 „ Ground „ Sea Level 170 ft.

File number

709679/26

WD

done for WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

41

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	37	✓	✓	✓	09	✓	1.05	11	✓	51	✓	03	1
2	06	✓	✓	11	✓	✓	05	12	✓	✓	03	13	2
3	✓	✓	✓	09	✓	✓	✓	03	07	✓	05	05	3
4	✓	✓	✓	✓	✓	40	08	✓	55	10	✓	✓	4
5	✓	✓	✓	✓	✓	05	02	15	✓	✓	11	✓	5
6	08	✓	06	✓	✓	✓	✓	✓	27	✓	✓	✓	6
7	21	✓	✓	22	✓	✓	06	✓	25	✓	✓	✓	7
8	04	✓	✓	06	✓	✓	26	✓	30	1.25	✓	✓	8
9	✓	✓	53	✓	27	✓	✓	✓	21	06	✓	✓	9
10	98	✓	✓	12	✓	✓	✓	✓	✓	08	✓	✓	10
11	30	✓	✓	20	✓	✓	✓	✓	✓	24	✓	08	11
12	08	✓	✓	08	09	✓	✓	✓	03	17	✓	✓	12
13	17	✓	✓	✓	22	✓	✓	✓	04	30	✓	✓	13
14	✓	✓	✓	15	✓	✓	48	47	✓	80	✓	15	14
15	29	✓	✓	10	33	✓	✓	✓	✓	05	03	✓	15
16	✓	✓	✓	27	10	✓	✓	✓	✓	04	✓	✓	16
17	20	✓	✓	06	✓	✓	30	✓	✓	✓	✓	✓	17
18	✓	✓	✓	✓	✓	✓	✓	✓	62	04	✓	✓	18
19	✓	✓	✓	✓	25	✓	✓	✓	05	✓	35	✓	19
20	✓	✓	✓	✓	20	✓	✓	✓	✓	38	✓	✓	20
21	✓	✓	✓	✓	92	✓	✓	04	✓	60	22	12	21
22	✓	✓	09	07	✓	✓	✓	31	05	36	05	23	22
23	✓	✓	✓	✓	✓	✓	06	08	60	15	24	✓	23
24	✓	✓	✓	✓	✓	✓	15	✓	✓	39	02	14	24
25	✓	✓	✓	✓	03	✓	65	✓	07	12	01	✓	25
26	✓	✓	40	✓	✓	✓	12	✓	✓	28	04	✓	26
27	✓	✓	10	06	✓	✓	24	✓	✓	10	01	✓	27
28	✓	✓	26	31	14	✓	07	✓	✓	12	07	05	28
29	✓	✓	✓	03	05	✓	02	✓	✓	✓	82	06	29
30	✓	X	43	10	20	23	✓	60	52	56	✓	50	30 d
31	02	X	03	X	10	X	38	02	X	18	X	04	30.50 31
TOTAL	2.43 8.80	✓	1.90	2.12 2.03	2.90 2.99	1.73 8.8	3.05 8.88	1.82 8.88	4.24 8.88	6.37 8.88	2.08	1.96 1.58	30.46 127
*Days with .01 in. or more.	12 X		8 X	16 X	14 X	8 X	16 X	10 X	14 X	25 X	14 X	13 X	15
*Days with .04 in. or more.	10		7	16	12	8	14	8	14	22	9	12	127

FORM 109b.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1933 .

Kept at Brampford Speke
in the County of Devon

File number 709679/26

Diameter of Funnel of Gauge. 5 in.
Height of top of Gauge above Ground 1 ft. ✓ in.
„ Ground „ Sea Level 170 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	41	04	30	10	20	01	-	-	-	-	08	104		1
2	54	19	12	-	08	03	-	-	-	-	02	04		2
3	25	-	39	-	72	44	-	-	-	-	-	-		3
4	01	10	23	-	02	-	-	-	-	-	-	-		4
5	23	-	-	-	12	-	-	-	-	03	-	-		5
6	03	-	27	-	09	-	05	-	-	10	-	-		6
7	02	38	08	-	23	-	-	-	-	09	-	-		7
8	✓	25	-	-	04	-	20	-	-	02	-	-		8
9	04	03	04	-	04	-	09	-	-	14	-	-		9
10	✓	05	-	-	59	-	37	-	-	66	06	-		10
11	-	11	-	-	-	-	07	83	-	06	-	-		11
12	09	-	-	-	-	-	18	-	60	-	-	-		12
13	-	-	-	14	03	12	15	16	-	13	08	-		13
14	-	-	-	-	15	10	01	08	-	05	07	-		14
15	05	-	-	-	-	-	69	-	-	05	05	-		15
16	32	-	20	-	-	-	-	-	-	07	-	-		16
17	-	02	61	-	-	-	-	01	06	-	-	-		17
18	-	04	20	-	-	-	-	-	-	-	02	-		18
19	11	-	51	-	-	16	-	-	06	-	38	-		19
20	16	-	25	-	-	05	-	10	08	-	-	-		20
21	-	07	-	-	-	52	-	12	-	06	-	-		21
22	-	04	-	-	-	73	-	30	24	01	-	-		22
23	-	-	-	07	-	12	-	02	18	35	-	-		23
24	-	120	-	17	-	-	-	-	30	02	-	-		24
25	-	12	-	05	-	10	-	-	06	-	-	15		25
26	-	68	-	08	-	-	-	-	14	07	-	-		26
27	-	48	-	23	20	-	-	-	01	40	01	43		27
28	-	02	-	-	05	-	23	-	-	19	-	01		28
29	-	X	-	35	64	-	02	-	-	-	-	-		29
30	03	X	-	41	-	-	02	-	15	02	-	11		30
31	03	X	10	X	-	X	-	-	X	03	X	01		31
TOTAL	2.32	3.82	3.30	1.60	3.20	2.38	2.08	1.62	1.88	2.55	.77	1.79	27.31	
* Days with "or in. or more:	15	17	13	9	15	11	12	8	11	20	9	7	147	
* Days with .04 in. or more:	10	14	13	9	13	9	9	6	10	14	6	5	118	

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1779

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Warrampford Speke
in the County of Devon

File number 709679/26

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 170 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02	✓	✓	✓	✓	✓	✓	51	✓	✓	19	40		1
2	10	✓	04	✓	✓	✓	✓	02	67	02	25	20		2
3	✓	✓	✓	✓	✓	✓	✓	07	✓	12	✓	29		3
4	07	✓	13	✓	37	✓	✓	04	10	15	✓	46		4
5	✓	✓	04	✓	27	22	✓	76	✓	10	06	38		5
6	✓	✓	41	10	48	✓	✓	✓	✓	30	✓	45		6
7	04	✓	✓	✓	✓	05	✓	12	✓	09	10	56		7
8	✓	✓	✓	✓	09	✓	✓	✓	✓	✓	11	54		8
9	✓	✓	33	07	✓	✓	✓	✓	✓	03	18	23		9
10	30	✓	38	32	✓	✓	✓	✓	✓	✓	04	✓		10
11	33	✓	04	48	✓	✓	✓	15	✓	✓	✓	57		11
12	09	✓	03	06	✓	✓	✓	34	✓	✓	✓	06		12
13	40	✓	✓	57	✓	02	✓	✓	✓	04	03	54		13
14	30	✓	36	✓	✓	✓	✓	✓	✓	04	15	45		14
15	14	✓	06	✓	07	✓	✓	✓	✓	14	07	47		15
16	✓	✓	13	✓	✓	✓	✓	✓	✓	✓	02	30		16
17	15	✓	02	07	10	✓	✓	✓	14	08	✓	15		17
18	07	✓	19	71	✓	✓	✓	✓	03	✓	✓	16		18
19	04	✓	21	✓	✓	✓	✓	✓	05	05	✓	15		19
20	✓	✓	05	10	✓	✓	✓	✓	06	✓	✓	✓		20
21	✓	✓	10	✓	✓	25	✓	✓	✓	12	✓	24		21
22	✓	✓	09	✓	✓	✓	1.45	05	41	✓	03	07		22
23	06	✓	02	12	✓	85	✓	06	16	04	✓	13		23
24	✓	18	05	05	✓	27	04	01	07	13	✓	09		24
25	25	08	✓	25	✓	✓	✓	✓	03	30	✓	60		25
26	✓	✓	03	05	✓	10	✓	✓	✓	05	05	15		26
27	✓	✓	✓	03	✓	13	✓	✓	05	✓	✓	34		27
28	✓	✓	✓	08	✓	03	✓	35	25	06	✓	65		28
29	✓	✓	✓	✓	✓	✓	✓	13	08	07	03	05		29
30	03	✗	✓	✓	✓	✓	✓	01	03	09	✓	09		30
31	✓	✗	✓	✗	✓	✗	09	09	✗	03	✗	07		31
TOTAL	248	26	270	306	138	192	158	271	213	205	131	974	3132	
* Days with .01 in. or more.	16	2	20	15	6	9	3	15	14	21	14	29	164	
* Days with .04 in. or more.	14	2	16	14	6	7	3	12	11	18	10	29	142	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

2.2. Stevens

P.T.O.

Section



for the entry of Daily Observations.

Station No. 1779

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bramford Spoke

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 170 ft.

File number 709679/26
day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	05	06	69	✓	✓	03	02	✓	13	12	15	47		1
2	✓	04	11	✓	✓	03	✓	✓	10	10	03	14		2
3	✓	✓	20	✓	05	10	✓	✓	29	71	12	06		3
4	✓	45	✓	18	16	21	✓	✓	02	05	28	17		4
5	✓	20	04	03	✓	✓	✓	✓	15	111	02	04		5
6	✓	02	✓	29	✓	50	✓	✓	✓	40	01	25		6
7	✓	✓	✓	18	✓	✓	✓	✓	✓	22	04	06		7
8	✓	✓	✓	23	✓	✓	✓	✓	05	12	15	08		8
9	✓	✓	✓	30	✓	✓	✓	✓	10	57	35	✓		9
10	✓	✓	07	17	✓	07	✓	✓	✓	02	✓	01		10
11	✓	✓	06	✓	✓	20	✓	✓	18	01	52	✓		11
12	22	✓	✓	✓	✓	19	✓	14	01	✓	02	✓		12
13	06	13	✓	29	✓	05	✓	✓	✓	✓	30	✓		13
14	05	05	✓	14	✓	15	✓	✓	05	✓	82	26		14
15	✓	06	✓	65	20	38	✓	✓	20	✓	23	20		15
16	✓	04	20	10	01	06	✓	✓	86	01	83	✓		16
17	✓	✓	✓	02	103	27	✓	17	18	03	05	✓		17
18	✓	✓	✓	25	02	04	13	16	23	✓	02	19		18
19	✓	✓	✓	04	10	07	24	✓	01	18	32	✓		19
20	✓	22	✓	28	28	01	05	✓	✓	✓	21	✓		20
21	✓	36	✓	31	✓	✓	✓	✓	06	10	01	✓		21
22	✓	05	04	28	✓	✓	✓	✓	05	02	✓	✓		22
23	✓	✓	13	15	07	✓	✓	48	33	30	✓	28		23
24	✓	56	✓	✓	09	✓	✓	29	06	05	✓	30		24
25	02	64	✓	10	03	07	✓	✓	✓	✓	✓	24		25
26	21	55	✓	✓	✓	05	✓	14	13	✓	✓	60		26
27	✓	04	✓	✓	✓	✓	03	01	05	08	06	51		27
28	✓	05	✓	✓	01	✓	✓	09	08	10	03	02		28
29	✓	X	✓	✓	✓	✓	✓	✓	05	✓	15	50		29
30	✓	X	✓	✓	✓	05	✓	68	13	✓	50	35		30
31	✓	X	✓	X	05	X	✓	01	X	49	X	18		31
TOTAL	61	3.52	1.54	3.99	2.10	2.53	47	2.17	3.50	4.79	5.22	4.91	35.35	
* Days with .01 in. or more.	6X	17X	9✓	19X	134	19X	5X	10X	24X	21X	24X	21X	3X	188✓
* Days with .04 in. or more.	5✓	16✓	9✓	17✓	9✓	16✓	3✓	8✓	21✓	16✓	17✓	19✓	156✓	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) E. E. Stevens P.T.O.

Average Rainfall 31.76

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 1779

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Bramford, Shropshire

in the County of Shropshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

Ground Sea Level 17.0 ft.

File Number 709679/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.1	1.5	✓	0.5	✓	1.8	8.0	✓	✓	✓	0.2	0.6		1
2	✓	0.1	✓	0.6	✓	2.0	3.8	0.3	✓	✓	0.5	✓		2
3	0.2	✓	0.7	1.1.0	✓	0.6	1.5	0.1	8.6	✓	2.1	0.3		3
4	✓	✓	1.7	0.1	✓	1.5	✓	✓	3.9	✓	1.1	1.5		4
5	3.6	0.8	1.3	✓	✓	✓	1.4	✓	2.3	✓	0.1	2.1		5
6	0.5	✓	0.2	✓	✓	0.4	1.4	0.2	2.0	✓	1.9	✓		6
7	0.5	✓	1.9	✓	✓	✓	3.1	✓	0.3	✓	3.0	0.3		7
8	2.3	✓	3.1	✓	✓	✓	1.9	✓	✓	✓	5.0	0.3		8
9	3.3	4.2	4.3	✓	✓	0.2	7.1	✓	1.0	✓	1.4	✓		9
10	0.4	2.2	✓	✓	✓	✓	0.2	✓	✓	✓	2.7	✓		10
11	3.2	0.6	✓	✓	✓	1.0	0.4	0.3	1.6	✓	7.1	0.6		11
12	0.1	✓	✓	0.4	✓	✓	3.0	✓	4.5	✓	1.3	✓		12
13	1.1	✓	✓	✓	✓	✓	0.8	✓	✓	0.2	0.7	5.8		13
14	✓	0.5	✓	✓	✓	✓	7.5	✓	3.6	0.7	✓	4.7		14
15	✓	✓	✓	✓	0.5	✓	0.4	✓	5.3	0.6	0.8	1.1		15
16	✓	1.9	✓	0.5	3.1	✓	1.3	✓	0.5	✓	1.5	0.5		16
17	0.4	1.0.1	✓	✓	✓	✓	2.6	✓	✓	✓	0.5	1.3		17
18	2.1	2.0	1.0	✓	✓	✓	2.0	✓	✓	0.3	✓	0.9		18
19	6.0	0.3	0.6	1.0	✓	5.4	0.5	0.2	✓	0.3	✓	✓		19
20	0.9	3.6	1.8	0.2	✓	0.1	0.1	0.2	5.3	✓	✓	✓		20
21	✓	✓	1.4	1.0.2	✓	0.4	0.2	✓	✓	✓	✓	✓		21
22	1.2	3.8	2.3	1.5	✓	✓	1.7	✓	✓	✓	✓	✓		22
23	0.4	0.7	2.5	0.1	✓	✓	0.2	✓	✓	0.4	✓	✓		23
24	1.5	0.4	0.9	✓	1.6	✓	2.5	✓	0.5	2.2	✓	✓		24
25	3.3	✓	2.9	0.7	✓	✓	1.3	✓	0.8	2.3	✓	0.4		25
26	2.1	0.5	2.6	✓	✓	✓	✓	✓	0.3	0.8	✓	✓		26
27	2.0	✓	0.1	✓	✓	✓	2.1	✓	0.2	2.6	✓	✓		27
28	7.3	✓	5.5	✓	✓	0.2	5.0	✓	✓	0.2	✓	2.0		28
29	0.2	0.4	0.1	✓	✓	7.1	0.8	✓	✓	0.6	0.8	2.1		29
30	1.7	✗	✓	✓	✓	2.4	0.9	✓	✓	1.8	✓	✓		30
31	1.6	✗	4.0	✗	0.2	✗	✓	✓	✗	✓	✗	2.9		31
TOTAL	4.60	3.36	3.89	2.68	5.54	2.31	6.17	1.16	4.07	1.30	3.07	2.74	34.89	✓
* Days with .01 in. or more.	25.4	17.2	20.3	12.3	4.7	13.3	28.2	6.5	16.3	13.4	17.2	17.3	188	✓
* Days with .04 in. or more.	2.1	1.5	1.7	9	3	10	2.4	1	1.3	9	1.5	1.4	15.1	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) E. E. Stevens. [P.T.O.]

Section



for the entry of Daily Observations

Station No. 1779

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Brampton* *Spem*in the County of *Devon*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground...*1*...ft.....in.,, Ground ,, Sea Level...*170*...ft.File Number *709679/26**Total Days*

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.1	0	0	.32	0	0	0	0	.05	.10	.40	.67		1
2	.05	.15	0	.16	0	0	0	0	.09	0	.02	.03		2
3	0	.38	0	.07	.19	0	.04	0	0	0	0	0		3
4	.11	.33	0	0	.04	0	0	0	0	0	0	.48		4
5	.25	0	0	.01	0	0	.50	0	0	0	0	.23		5
6	.05	.39	.30	.14	0	0	.38	0	0	0	0	0		6
7	0	.45	.03	.20	0	.02	0	0	0	0	0	.11		7
8	.03	.05	0	0	.58	0	.02	0	0	0	.07	0		8
9	0	.07	.25	.13	.06	0	.15	0	.73	0	0	0		9
10	.13	0	.75	.74	0	.16	0	.33	0	0	0	0		10
11	.02	0	.21	.23	.40	.12	.42	.82	.11	0	0	.04		11
12	.28	~~1.30~~	.05	.06	.03	.35	.16	.41	0	0	0	.42		12
13	0	.13	.59	.27	0	.13	0	.40	.04	0	0	.02		13
14	0	0	.09	.05	0	0	.10	.05	.04	0	0	.13		14
15	.64	.03	.11	.37	0	0	.04	0	.25	0	0	.21		15
16	.13	.08	.43	.15	0	0	.02	.17	.62	0	.15	0		16
17	1.04	.06	.60	0	0	0	0	0	.10	0	.03	0		17
18	.15	.21	.25	0	0	.24	0	0	.15	0	.11	.22		18
19	.08	.05	.04	.11	.06	0	0	0	.03	0	.21	.07		19
20	.48	.08	.13	.15	.07	0	0	0	.09	0	0	.49		20
21	.42	.61	.03	.03	.42	0	.06	0	0	0	.18	.02		21
22	.39	0	.05	0	.30	.02	.07	0	.06	.11	.53	0		22
23	.31	.26	0	0	.14	0	0	0	0	.51	.55	0		23
24	.64	.65	.04	0	0	0	0	0	.02	.10	0	0		24
25	.06	.60	.40	0	0	0	0	0	0	.66	0	0		25
26	.01	.41	.05	0	.17	0	0	0	0	.16	0	0		26
27	0	.37	0	0	0	0	0	0	0	.39	0	0		27
28	.20	.09	0	0	0	0	0	0	0	.13	0	.03		28
29	.09	X	0	0	0	0	0	0	0	.16	.30	0		29
30	.26	X	0	0	0	0	0	0	0	.31	.28	0		30
31	.52	X	0	X	0	X	0	0	X	.01	X	0		31
TOTAL	6.44	5.75	4.40	3.19	2.50	1.04	1.96	2.18	2.38	2.44	2.83	3.17	Year's Total	38.28 ✓
* Days with .01 in. or more.	25	27	19	17	12	7	12	6	14	1	12	8	15	172
* Days with .04 in. or more.	22	21	17	15	11	5	10	6	11	10	11	11	150	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Atterdens

[P.T.O.]

(Colonel)

Section

A

for the entry of Daily Observations

Station No. 1779

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at Bramford Spekein the County of DevonDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1.....ft.....in.,, Ground ,, Sea Level.....170.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.16	—	—	—	.60	.48	.28	—	.29	.06	.08		1
2	—	.03	—	.02	—	.15	—	—	—	.19	—	.24		2
3	—	—	—	—	.19	.05	.04	.47	—	.37	.01	—		3
4	—	—	—	—	.06	.04	.24	1.41	—	.17	.01	.11		4
5	—	—	—	—	—	.03	.09	—	.04	.45	—	.08		5
6	.13	—	—	—	—	.07	.84	—	.15	.01	—	—		6
7	.10	—	—	—	—	—	.29	.42	.17	.05	—	.12		7
8	.71	.05	—	—	—	—	.25	.03	—	.10	—	—		8
9	.19	.06	—	—	—	.02	—	.10	—	.02	—	.57		9
10	.07	—	—	—	—	.03	.02	.09	—	—	—	.50		10
11	.05	.06	—	—	—	.02	.03	.38	—	—	.42	.62		11
12	.13	—	—	—	.10	—	—	—	—	.32	.68	.01		12
13	.05	—	—	—	.09	—	—	.02	—	—	.02	.71		13
14	.72	—	.03	—	.15	—	.29	—	.05	—	—	—		14
15	.08	—	—	—	—	—	—	—	—	.16	.29	.28		15
16	.02	—	—	—	—	—	—	.04	—	—	.20	—		16
17	—	.07	—	—	.10	—	—	—	.02	.25	—	—		17
18	.22	—	—	—	.04	.08	—	—	.21	.09	.26	—		18
19	—	—	—	—	—	—	—	—	.11	—	.52	—		19
20	—	—	—	—	—	—	—	—	.01	—	.11	—		20
21	.02	—	—	—	—	—	—	.04	.32	—	.21	.09		21
22	—	—	—	.04	—	.04	—	.57	—	.02	.25	.03		22
23	—	—	—	—	—	—	—	—	—	—	.19	.01		23
24	—	—	.08	—	.21	—	—	.04	.06	—	.43	—		24
25	.12	.25	.03	—	.10	—	.35	—	—	.04	.72	.08		25
26	.36	.29	—	—	.46	—	.04	.03	.02	.13	.02	.09		26
27	.16	.04	—	—	.20	.05	.32	.33	—	.06	.21	—		27
28	.16	.10	.02	—	.06	.03	—	.36	—	—	.02	—		28
29	.18	X	—	—	.22	—	—	—	.23	.18	.11	.12		29
30	.04	X	.02	—	.04	.27	—	—	.14	—	.16	.07		30
31	—	X	—	X	.15	X	—	—	X	.15	X	.17		31
TOTAL	3.52	1.11	.18	.06	2.17	1.48	3.28	4.61	1.53	3.05	4.90	3.98	Year's Total 29.87	✓
* Days with .01 in. or more.	19	10	5	2	15	14	13	16	13	19	21	19	166	✓
* Days with .04 in. or more.	17	9	1	1	15	9	11	13	10	16	16	16	134	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

C. F. Stevens

(K. M. P. T. O.)

Section

A

for the entry of Daily Observations

Station No. 1779

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bramford Speke

in the County of Devon

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....in.

,, Ground ,, Sea Level ...1.70.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15	0	.11	.03	.02	0	.05	.04	0	0	.49	.02		1
2	.15	0	0	.20	0	0	0	.32	.32	0	.11	.15		2
3	.12	0	.06	.38	0	0	0	.06	.09	0	.20	.46		3
4	.02	0	.22	.11	.21	0	.43	0	0	.55	.28	.21		4
5	0	0	0	.14	0	0	.48	.18	0	.19	.94	0		5
6	.53	0	.05	.16	0	0	.27	.03	0	.14	.05	0		6
7	0	.07	0	0	0	.01	.02	.13	0	0	.31	.26		7
8	0	.15	.02	0	.05	0	.03	.05	.13	.80	.37	.04		8
9	.01	.02	0	0	0	0	0	.07	0	.12	0	.04		9
10	.19	0	.02	0	0	.02	0	.09	0	.11	.05	.31		10
11	.02	0	.08	0	0	0	0	0	0	.11	.02	0		11
12	.04	.14	0	0	0	.03	0	0	0	.02	.03	0		12
13	0	0	0	.05	0	.02	.27	0	.12	.72	.06	.02		13
14	.54	0	0	.21	.03	.07	.37	0	0	.05	.26	.03		14
15	.42	0	0	.02	.07	.51	1.00	0	0	0	.26	.01		15
16	.14	0	0	.05	.02	0	.24	0	0	0	.25	0		16
17	.68	0	0	0	0	.11	.34	0	0	0	.10	0		17
18	0	.05	.05	0	0	.06	1.09	0	0	0	.84	.06		18
19	.19	0	0	0	0	.09	.01	.26	0	0	0	.09		19
20	.38	0	0	0	.09	.12	.07	0	0	0	0	0		20
21	.09	.23	.06	0	.04	.15	.02	0	0	0	0	0		21
22	.61	.28	.19	.03	0	.24	.20	0	0	0	.26	0		22
23	.02	0	.06	.17	0	0	.17	0	0	.10	.55	0		23
24	.76	0	.39	.08	0	.50	.12	0	0	.07	0	0		24
25	.77	.15	0	0	0	0	0	.20	0	.08	.28	.02		25
26	.02	.05	0	.22	0	0	.02	.03	0	.09	.31	0		26
27	0	.12	0	0	0	.06	0	0	0	0	.14	0		27
28	0	.03	0	.26	0	0	.09	0	0	0	.50	.07		28
29	0		0	.07	0	0	.02	0	0	.13	.02	0		29
30	0	X	.01	.21	0	.26	0	.02	0	.36	.02	0		30
31	0	X	0	X	0	X	.01	.05	X	.34	X	0		31
TOTAL	5.85	1.29	1.32	2.39	.53	2.25	5.32	3.53	.66	3.98	6.64	1.79	Year's Total	35.55 ✓
* Days with .01 in. or more.	21	11	13	17	8	15	22	14	4	17	25	15		182 ✓
* Days with .04 in. or more.	16	9	10	14	5	11	15	11	4	16	21	10		142 ✓

† Spare column, no entries required.

(Signed)

C. F. Stevens

[P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 1779

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Brampford Spekein the County of DrumDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground....1.....ft.....in.,, Ground ,, Sea Level 170.....ft.

File No. 709679/26

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0	.06	0	.10	.06	0	0	0	0	0	.20	0		1
2	0	.08	0	.12	0	0	.02	0	0	0	.67	.04		2
3	.04	.73	0	.10	0	0	0	0	0	.11	.82	.11		3
4	.03	.15	0	.08	0	0	.13	0	0	.09	.06	.11		4
5	.03	0	0	0	0	0	.03	0	0	.01	.52	0		5
6	.21	.39	0	0	0	0	.07	0	0	.06	.07	.32		6
7	.06	0	0	.02	0	0	.14	0	0	0	0	.03		7
8	0	0	0	0	0	0	.06	0	0	.46	.38	.25		8
9	0	0	0	0	0	0	.49	0	0	.04	.47	.22		9
10	0	0	0	0	0	0	.06	.07	.04	.12	.14	.51		10
11	0	.02	.04	.02	0	0	.34	0	0	0	.48	.01		11
12	0	0	.05	0	0	.22	.33	0	.61	0	.12	0		12
13	0	0	.32	0	0	0	.02	0	.10	.91	.94	.33		13
14	0	.06	.01	.13	.16	0	0	.05	.20	.46	.02	.34		14
15	0	0	0	.28	.01	0	.22	0	.18	.02	.40	.02		15
16	.09	.17	.54	.10	0	0	.08	0	0	.26	.17	.03		16
17	0	.20	.39	0	0	0	.12	0	.03	0	.02	.01		17
18	0	.36	.18	.49	0	0	.12	0	.12	.09	.02	.11		18
19	0	.05	.05	.16	0	0	.03	0	.11	.15	.11	0		19
20	0	0	0	.05	0	0	.03	.14	0	0	.02	0		20
21	0	0	0	0	.17	.25	0	0	0	.02	.39	0		21
22	0	0	.07	.11	0	.39	0	0	.10	0	0	0		22
23	0	.06	.12	0	.11	0	.03	0	0	.26	0	0		23
24	0	0	0	.01	.03	0	.54	0	0	0	0	0		24
25	.25	0	.13	.02	.25	.04	0	0	0	0	0	0		25
26	.62	.42	0	.14	.13	0	.11	0	0	0	0	0		26
27	.34	.06	.06	.08	.13	.03	0	0	0	0	0	.02		27
28	.23	.13	0	.09	.02	0	0	0	0	0	0	0		28
29	.15	.03	.08	.12	0	.03	0	0	0	.02	0	.18		29
30	.05	~~X~~	.02	.08	0	0	0	0	0	.32	0	.20		30
31	.06	~~X~~	0	~~X~~	0	~~X~~	0	0	~~X~~	.46	~~X~~	.51		31
TOTAL	2.16	3.97	2.06	3.30	1.07	.96	2.97	.26	1.49	3.86	6.02	3.35	Year's Total	31.47
* Days with .01 in. or more.	13	16	14	20	10	6	20	3	9	18	20	19	168	
* Days with .04 in. or more.	11	14	12	16	7	4	14	3	9	14	16	14	134	

† Spare column, no entries required.

(Signed)

Charles F. Stevens

[P.T.O.]

* See Instruction 3 (f) on other side.

Kept at *the Ship Hotel* **CREDITON, SHIP HOTEL**
in the County of *Devon*
1931 — 33

Diameter of Funnel of Gauge
Height of top of Gauge above Ground.
,, Ground ,, Sea Level

780308 *number on envelope.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				310			070		460	030		005	1
2	220	020	010	650	010	110			300		190	105	2
3	290		1.150				025		230		1.125	030	3
4	025		320	010	030	285	160	280	095			010	4
5		150	140	190	030	410	020			020	115	140	5
6		100		040	050	260	060			220	120	500	6
7		070			320	265	430	390		090	1.130	070	7
8		090		470		360	020	095			250	045	8
9	015	120		030		015	030				140	020	9
10		095		010	190	020	050	050	085		190		10
11	275	510			010	155	040	005	025	230	390		11
12		120			060		450		075				12
13		060	015		160	010	200	080					13
14	040	070		040	160	190	310	100	010		385		14
15	010	120		100	090			500	045			040	15
16	050	010		060	120	320		230	045			010	16
17	050	035		120			425		040		005	d	17
18	010		050	060		530	100	740			215	010	18
19	040	145	100	080			120	480	020		470	d	19
20	005	020	225					015		d	410	d	20
21	040	030	005		150					015	010	d	21
22	160	040			120			020			010		22
23	280	010		305	520		025	010			210		23
24	160			780	040	140	495	610	010				24
25	470	030		560	010		340			d	095	025	25
26	020	110		280			270			d	725	300	26
27	090	220			1.930		015			015	300		27
28	145	170	290	030	020	040		808			010	240	28
29	110	X	045		085		050	190		080	070	190	29
30	140	X		010	055			010		d			30
31	720	X	075	X		X	030	005	X		X	440	31
TOTAL	3.365	2.345	2.425	4.135	4.160	3.110	3.813	4.610	1.310	7.00	6.568	2.180	YEAR'S TOTAL 38.721
Days with or more.	22	23	11	20	21	15	23	17	12	8	21	15	208
Days with or more.	17	16	9	15	15	12	17	13	7	4	18	9	152

Section

A

for the entry of

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at *the Ship Hotel Garden Crediton*
in the County of *Devon*

Diameter of Funnel of Gauge *8* in.Height of top of Gauge above Ground *1* ft. *2* in.,, Ground ,, Sea Level *approx. 200* ft.*h.B.**no Station or File Number on envelope.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I				310			070		460	030		005	I
2	220	020	010	650	010	110			300		140	105	2
3	290		1150				025		230		1125	030	3
4	025		320	010	030	285	160	280	095			010	4
5		150	140	190	030	410	020			020	115	140	5
6		100		040	050	260	060			220	120	500	6
7		070			320	265	430	390		090	1130	070	7
8		090		470		360	020	095			250	045	8
9	015	120		030		015	030				140	020	9
10		095		010	190	020	050	050	085		190		10
11	275	510			010	155	040	005	025	230	390		11
12		120			060		450		075				12
13		060	015		160	010	200	080					13
14	040	070		040	160	190	310	100	010		385		14
15	010	120		100	090			500	045			040	15
16	050	010		060	120	320		230	045			010	16
17	050	035		120			425		040		005	d	17
18	010		050	060		530	100	740			215	010	18
19	040	145	100	080			120	480	020		470	d	19
20	005	020	225					015		d	410	d	20
21	040	030	005		150					015	010	d	21
22	160	040			120			020			010		22
23	280	010		305	520		025	010			210		23
24	160			780	040	140	495	610	010				24
25	470	030		560	010		340			d	095	025	25
26	020	110		280			270			d	725	300	26
27	090	220			1930		065			015	300		27
28	145	170	290	030	020	040		800			010	240	28
29	110	X	045		085		050	190		080	070	190	29
30	140	X		010	055			010		d			30
31	720	X	075	X		X	030	005	X		X	440	31
TOTAL	3365	2345	2425	4135	4160	3110	3813	4610	1310	700	6568	2180	YEAR'S TOTAL
Days with or in. or more.	22	23	11	20	21	15	23	14	12	8	21	15	208
Days with or in. or more.	17	16	9	15	15	12	17	13	7	4	18	9	152

4. Jan. 1932.

(Signed)

R. Stanley Clarke.

Station No. 1780

A

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Ship Hotel garden, Crediton
in the County of Devon.

Diameter of Funnel of Gauge..... 8 in.
Height of top of Gauge above Ground..... 1 ft. 2 in.
Ground " Sea Level..... 200 ft.

See ~~12/1~~
✓ 4/2

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	080			170			035	130	040		040	050	1
2	030		030	100	010		030	050	480	020	~~040~~	180	2
3			030			340	100		200	070	010	080	3
4						010		160			160		4
5	225		070						560			020	5
6	400		025	205	090		050		480	005			6
7	030		030	100	070				035	1.150			7
8	005		~~440~~	010	215				120	070			8
9	990	~~020~~		260	015					080			9
10	245		010	275		015			050	445			10
11	135			100	160					100		120	11
12	160				250				030	340		080	12
13	060			100			340		005	960		140	13
14	050			200	300			300		060	035	030	14
15				310	060		010			050	110	010	15
16	190			050			050			025			16
17				010	010				005	060	005		17
18					110				690	010			18
19	020			050	185				085	295	280		19
20	045			030	700			090		620		110	20
21	010		065	110	130			595	050	470		140	21
22	010	~~020~~	005		040		030	070	510	190		110	22
23		020					220						23
24					030		440		060	090	020		24
25			355	010	030		260		045				25
26			020	080			320		090	155	120		26
27			190	160	140	010	087			180	030	040	27
28			095	070	130		040				070	040	28
29	010		440	180	310	250		800	720	540	010	340	29
30	010	X	090	100	040	870	790	010	700	215	720	020	30
31	005	X	065	X	130	X	080		X	010	X	490	31
TOTAL	2.710	040	1.960	2.770	3.155	1.495	2.882	2.205	4.955	6.210	1.610	2.000	31.992
*Days with for in. or more.	18	2	15	22	22	6	16	9	20	24	12	17	183
*Days with .04 in. or more.	11		9	18	17	3	12	8	16	20	7	13	134

40-9999

*See Instruction 2 (f) on other side.

(Signed) H. Stanley Clarke

~~P.F.O.~~

Section

A

for the entry of Daily Observations.

Station No.

1780

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *the Ship Hotel Garden Crediton*
in the County of *Devon*.

Diameter of Funnel of Gauge *8* in.Height of top of Gauge above Ground *1* ft. *2* in.,, Ground ,, Sea Level *approx. 200* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	310	320	410	—	060	040	—	—	—	—	060	980		1
2	180	105	370	—	1.060	430	—	—	—	—	025	060		2
3	040	105	170	—	010	—	—	—	—	—	—	—		3
4	130	005	—	—	100	—	—	—	—	—	—	—		4
5	060	—	240	—	320	—	—	—	—	050	—	—		5
6	070	420	—	—	260	—	030	—	—	120	—	—		6
7	015	390	—	—	050	—	010	—	—	140	—	020		7
8	035	045	—	—	060	—	180	050	—	—	—	—		8
9	005	—	—	—	870	—	320	005	—	150	010	—		9
10	090	130	—	—	—	—	140	060	—	300	075	—		10
11	010	—	—	—	—	—	120	1.530	—	065	—	—		11
12	020	—	—	060	140	150	220	—	590	—	100	030		12
13	010	—	—	270	160	060	190	200	—	150	010	—		13
14	—	—	210	—	—	—	020	—	—	060	050	—		14
15	310	—	610	—	—	—	470	050	—	070	—	010		15
16	—	005	160	—	—	020	—	—	—	150	—	—		16
17	060	030	400	—	—	090	—	010	010	—	—	—		17
18	090	—	300	—	—	200	010	005	—	—	060	—		18
19	170	005	—	—	—	—	—	—	130	—	600	—		19
20	—	020	—	—	—	380	—	220	180	—	—	—		20
21	—	—	—	—	—	200	—	120	040	100	—	—		21
22	—	—	—	040	—	—	—	310	300	020	010	—		22
23	—	1.220	—	160	040	140	—	—	110	450	—	—		23
24	—	150	—	050	—	—	—	045	100	050	—	—		24
25	—	750	—	080	—	100	—	—	020	—	—	090		25
26	—	350	—	210	330	—	—	—	050	280	—	010		26
27	—	010	—	020	—	—	—	—	005	140	005	350		27
28	—	—	030	220	160	—	210	—	—	260	—	060		28
29	070	—	110	075	—	—	—	—	010	—	—	060		29
30	020	X	150	160	—	—	050	—	120	070	—	110		30
31	080	X	050	X	010	X	—	—	X	035	X	—		31
TOTAL	1.775	4.060	3.210	1.345	3.630	1.810	1.970	2.605	1.665	2.660	1.905	1.780	27.515	
*Days with "or in. or more.	19	14	13	11	15	11	13	10	12	19	10	11	158	
*Days with ".04 in. or more.	13	11	12	10	13	10	9	9	9	17	6	7	126	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries.
(Signed) *R. Stanley Clarke* 1 Feb. 1934

Kept at **Credition (U)**
in the County of **Devon.**
Diameter of Funnel of Gauge **5**
Height of top of Gauge above Ground
,, Ground ,, Sea Level

1780/5
CREDITON. U.D.C.
1931-40

280308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	—	—	27.	—	—	.06	—	.25	—	—	—	I
2	.19	.04	—	X	—	TRACE.	—	—	.42	.06	.20	.12	2
3	X	—	1.05	—	—	—	—	—	.28	—	1.38	.01	3
4	✓.29	—	.35	✓	.07	.28	—	.25	.10	.04	—	—	4
5	—	.13	.15	X	—	.37	.16	—	—	—	.14	X	5
6	—	.09	—	X.78	.05	—	.06	—	—	.24	.14	X.63	6
7	—	.13	—	—	.33	.49	.36	.41	—	.10	X	—	7
8	—	—	—	.48	—	.37	.03	.10	—	—	X.50	—	8
9	—	.12	—	.02	X	—	.02	—	—	—	.27	.01	9
10	—	.10	—	—	X.29	.02	.34	.05	—	—	.20	—	10
11	.26	.48	—	—	—	.14	X	—	—	—	.32	—	11
12	.04	.07	—	—	—	—	X.53	—	.09	.23	—	—	12
13	—	—	—	—	.06	—	.09	.09	—	.01	—	—	13
14	.03	X	—	—	.18	.17	.36	.12	—	—	.39	—	14
15	.01	X.18	—	.03	.07	—	—	X	.05	—	—	—	15
16	.04	.13	—	.10	X	.30	—	X.81	—	—	—	—	16
17	X	.05	—	.05	.12	—	—	—	—	—	—	—	17
18	✓.05	—	—	X	—	.16	X	.56	—	—	.23	—	18
19	.04	.14	.14	X.17	—	.31	X.17	.06	—	—	.41	—	19
20	—	.08	.23	—	.15	—	—	.45	—	—	.45	—	20
21	.09	—	—	—	.12	—	—	—	—	—	—	—	21
22	.14	.06	—	—	.12	—	—	—	—	—	—	—	22
23	.27	.02	—	.31	X	—	—	—	—	—	.21	—	23
24	X	—	—	.97	X	.14	.47	.59	—	—	—	—	24
25	X.62	.03	—	X	✓.54	—	X	—	—	—	.08	✓	25
26	✓	.07	—	X.74	—	—	X.60	—	—	—	.75	X	26
27	.09	.20	—	—	2.15	—	.06	.09	—	.02	.32	—	27
28	.14	.17	X	.04	.06	.03	—	—	—	.10	—	.35	28
29	.11	—	X	—	.06	—	—	X	—	.12	.10	.20	29
30	.06	X	—	—	X	—	—	✓.21	—	—	—	.45	30
31	.79	X	X.38	X	—	X	—	—	X	—	X	—	31
TOTAL	3.26	2.29	2.30	3.86	4.52	2.52	3.01	3.79	1.11	.92	7.09	1.90	36.87
Days with or in. or more.	22	20	8	17	20	12	17	15	6	9	18	12	172 (176)
Days with or in. or more.	17	18	8	14	19	10	15	14	6	7	18	9	159

FORM 1090.

REGISTER OF RAINFALL IN 1931

Kept at X Gred. ton. (U.D.C) X
in the County of Devon.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 198 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	—	—	27.	—	—	06	—	25	—	—	—	I
2	19.	04	—	X	—	TRACE.	—	—	42	06	20	12	2
3	X	—	1.05	—	—	—	—	—	20	—	1.38	01	3
4	✓29.	—	35	✓	07.	28	—	25	10	04	—	—	4
5	—	13	15	X	—	37.	16.	—	—	—	14	X	5
6	—	09	—	X.78.	05	—	06	—	—	24	14	X.63	6
7	—	13	—	—	33	49.	36	41	—	10	X	08	7
8	—	—	—	48	—	37.	03	10	—	—	1.50	05	8
9	—	12	—	02	X	—	02	—	—	—	27.	01	9
10	—	10	—	—	X.29.	02	04	05	—	—	20.	—	10
11	26.	48	—	—	—	14	X	—	—	—	32.	—	11
12	04	07	—	—	—	—	X.53.	—	09.	23	—	—	12
13	—	—	—	—	06	—	09	09	—	01	—	—	13
14	03	X	—	—	18	17.	36	12	—	—	39.	—	14
15	01	X.18.	—	03	07.	—	—	X	05	—	—	—	15
16	04	13	—	10	X	30.	—	X.81.	—	—	—	—	16
17	X	—	—	05	12.	—	—	—	—	—	—	—	17
18	✓05	05	—	X	—	16.	X	56.	—	—	23.	—	18
19	04	14	14	X.17.	—	31.	X.17.	06.	—	—	41	—	19
20	—	08	23	—	15	—	—	45	—	—	45	—	20
21	09	—	—	—	12	—	—	—	—	—	—	—	21
22	14	06	—	—	12	—	—	—	—	—	—	—	22
23	27	02	—	31.	X	—	—	—	—	—	21	—	23
24	X.62	—	—	97.	X	14	47	59.	—	—	—	—	24
25	—	03	—	X	✓54	—	X	—	—	—	08	✓	25
26	✓	07	—	X.74	—	—	X.60	—	—	—	75	X	26
27	09	20	—	—	2.15	—	06	09.	—	02	32	—	27
28	14	17	X	04	06.	03	—	—	—	10	—	35	28
29	11	—	X	—	06	—	—	X	—	12	10	20	29
30	06	X	—	—	X	—	—	✓21	—	—	—	45	30
31	79.	X	X.38.	X	15.	X	—	—	X	—	X	—	31
TOTAL	3.26.	2.29.	2.30	3.86	4.52.	2.52.	3.01	3.79.	1.11	.92	7.09	1.90.	36.87.
Days with 1/4 in. or more.	22	20	8	17	20	12	17	15	6	9	18	12	172 (176)
Days with 1/8 in. or more.	17	18	8	14	19	10	15	14	6	7	18	9	155

Section

A

for the entry of Daily Observations.

Station No.

1780/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Crediton
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
Ground Sea Level 198 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	—	—	.28	—	—	.03	.14	—	—	.04	—	1
2	—	—	—	.09	—	—	.02	.06	—	.02	.02	.20	2
3	—	—	.03	—	—	.33	.10	.24	.48	.10	—	—	3
4	—	—	—	—	—	—	—	.16	.20	—	.17	.09	4
5	.20	—	.11	—	—	—	—	—	.10	—	—	—	5
6	.45	—	.03	.30	.09	—	.05	—	.25	—	—	—	6
7	.08	—	.04	.12	—	—	—	—	.45	1.15	—	—	7
8	—	—	.44	.01	.30	—	—	—	.09	.04	—	—	8
9	.90	.02	—	.26	.02	—	—	—	—	.11	—	—	9
10	.33	—	.01	.27	—	—	—	—	—	.42	—	—	10
11	.15	—	—	.16	.16	—	—	—	.07	.13	—	.11	11
12	.17	—	—	—	.26	—	—	—	.03	.35	—	—	12
13	.09	—	—	.18	—	—	.37	.12	—	.07	—	.21	13
14	.27	—	—	.16	.30	—	—	.18	—	—	—	.05	14
15	—	—	—	.28	.04	—	.02	—	—	.03	—	—	15
16	.18	—	—	.05	—	—	—	—	—	.03	—	—	16
17	—	—	—	—	—	—	.05	—	—	—	.37	—	17
18	—	—	—	—	.12	—	—	—	.71	—	—	—	18
19	—	—	—	.02	.10	—	—	—	.08	.30	—	—	19
20	.06	—	—	.07	.75	—	—	.24	—	.61	.34	.13	20
21	.02	—	.06	.11	.06	—	—	.38	.05	.43	—	.14	21
22	.01	—	—	TRACE	—	—	—	.06	.47	.19	.25	—	22
23	—	—	—	—	—	—	.22	—	.03	.49	.17	—	23
24	—	—	—	—	.02	—	.37	—	—	.28	—	—	24
25	—	—	.35	.01	.05	—	.21	—	.09	.45	—	—	25
26	—	—	.02	.09	—	—	.36	—	.12	.17	.16	—	26
27	—	—	.19	.14	.08	—	.11	—	—	.20	.04	—	27
28	—	—	.09	.07	.15	—	.02	—	—	—	—	—	28
29	.02	—	.45	—	.30	—	—	.81	.78	.47	—	.43	29
30	—	×	.14	.10	.04	.82	.66	—	.71	.22	.81	.05	30
31	—	×	.07	×	.14	×	.09	—	×	—	×	.33	31
TOTAL	3.03	.02	2.03	2.77	2.98	1.15	2.68	2.41	4.71	6.28	2.37	1.74	32.17
*Days with ".01 in. or more.	15	1	14	20	18	2	15	10	17	22	10	10	154
*Days with ".04 in. or more.	14	—	10	17	16	2	11	10	15	19	9	10	133
YEAR'S TOTAL													

J. Johnson

Section

A

for the entry of Daily Observations.

Station No.

1780/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Playning Hills, Crediton.in the County of Devon.Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft 3 in.Ground Sea Level 198 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.36	.33	.19	-	.05	-	-	-	-	.14	.08	.90		1
2	.21	-	.30	-	1.01	.43	-	-	-	-	-	.13		2
3	.05	.12	.28	-	.01	-	-	-	-	-	-	-		3
4	.19	-	-	-	.11	-	-	-	-	-	-	-		4
5	.06	-	(.20)	-	.21	-	-	-	-	.07	-	-		5
6	.07	.41	-	-	.31	-	-	-	-	.11	-	-		6
7	-	.25	-	-	.08	-	-	-	-	.04	-	-		7
8	.03	.05	.10	-	.08	-	.38	-	-	.07	-	-		8
9	-	.07	-	-	.88	-	.27	-	-	.04	-	-		9
10	.05	.17	-	-	-	-	.15	-	-	.73	-	-		10
11	.07	-	-	-	-	-	.07	1.50	-	.07	-	-		11
12	-	-	-	-	-	.17	.25	-	.60	-	-	-		12
13	-	-	-	.06	-	-	.11	.21	-	-	.15	-		13
14	-	-	-	-	-	-	-	.09	-	.07	.07	-		14
15	.37	-	.20	-	-	-	.39	-	-	.04	.05	-		15
16	-	.02	-	-	-	-	-	-	-	.15	-	-		16
17	.06	.05	-	-	-	-	-	-	-	-	-	-		17
18	.12	-	.27	-	-	.33	-	-	-	-	.04	-		18
19	.18	-	-	-	-	.34	-	-	.12	-	.64	-		19
20	-	.06	-	-	-	.10	.14	.02	.19	-	-	-		20
21	-	-	-	-	-	.20	-	.21	-	.10	-	-		21
22	-	-	-	-	-	-	-	.30	-	.02	-	-		22
23	-	.75	-	.21	-	-	-	.05	.16	.42	-	-		23
24	-	-	-	.06	-	-	-	-	.12	.09	-	-		24
25	-	.60	-	.10	-	.12	-	-	.04	-	-	.14		25
26	-	.29	-	.23	.30	.11	-	-	.06	.15	-	-		26
27	-	.03	-	-	-	-	-	-	-	.29	-	.35		27
28	-	.38	-	.26	.19	-	-	-	-	.25	-	.07		28
29	.10	-	-	.09	-	-	-	-	-	-	-	.06		29
30	.03	X	.15	.18	-	-	-	-	-	.05	-	.18		30
31	.09	X	.08	X	-	X	-	-	X	.07	X	-		31
TOTAL	2.04	3.58	2.77	1.19	3.23	1.80	1.76	2.38	1.29	2.97	1.03	1.93.	Year's Total	25.87
*Days with .01 in. or more.	16	15	8	8	11	8	8	7	7	10	6	7	121	
*Days with .04 in. or more.	14	13	8	8	10	8	8	6	7	19	6	7	114	✓

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

REGISTER OF RAINFALL IN 1934.

Kept at *Newcombes Playing Field*
in the County of *DEVON*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *3* in.
Ground Sea Level *198* ft.

Station No. *1780/5*
File No. *895793/29*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07							.25		.02	.27	.30	1
2	.14		.06					.09	.44	.08	.32	.13	2
3	Tr.							.32		.10		.33	3
4	.16		.14	.11	.44			.06	.04	.15		.34	4
5			.14	.07	.36	.30		.84		.11	.17	.51	5
6			.32	.09	.35					.41		.48	6
7	.08				.09			.13		.07	.03	.32	7
8											.10	.75	8
9			.41								.17	.13	9
10	.25		.42	.28				.13			.05	.01	10
11	.37		.08	.48				.12			.01	.46	11
12	.15							.46				.14	12
13	.31			.40				.03		.04	.05	.32	13
14	.53		.40	.01	.01					.14	.20	.34	14
15	.17		.14		.11		.12			.26	.05	.61	15
16			.19		.02					.08	.01	.31	16
17	.22		.09	.28					.21	.08		.10	17
18	.12		.40	.68	.03				.05			.17	18
19			.20	.03	.05	.14			.05	.02		.15	19
20			.08	.11			.08		.04			.03	20
21			.20			.26		.03	.03	.10		.33	21
22			.05				.11	.08	.41	.05		.90	22
23	.15	.05	.02	.15				.01	.28	.01		.11	23
24		.09	.06	.05		1.22	.16		.01	.10		.13	24
25	.23	.08		.21					~~.10~~	.20		.45	25
26	.03		.07	.08		.19	.05	.03	.05		.07	.09	26
27				.03		.12		.05	.03	.05	.03	.23	27
28				.01				.35	.32	.09		.83	28
29								.13	.08	.12	.04	.04	29
30		X						.11	.03	.11		.11	30
31		X		X	.02	X	.06		X	.04	X	.07	31
TOTAL	12.98	.22	3.47	3.07	1.48	2.23	.58	3.17	2.07	2.33	1.57	9.22	YEAR'S TOTAL 32.39
*Days with or in. or more.	15	3	19	17	10	6	6	18	15	23	15	31	178
*Days with .04 in. or more.	14	3	18	13	6	6	6	13	11	18	13	30	151

File No. 895793/29
Station No. 1780/5

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935 .

Kept at NEWCOMBES, CREDITON

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

„ Ground „ Sea Level 198 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.08	.10	.54	—	—	—	—	—	.27	.13	.04	.23		1
2	—	.04	.05	—	—	.02	—	—	.05	.12	.10	.20		2
3	.03	.03	.21	—	.15	.11	—	—	.34	.74	.24	.10		3
4	.02	.41	.01	.03	.07	—	—	—	.04	.17	.21	—		4
5	.03	.33	—	.15	—	.11	—	—	.15	1.31	—	.05		5
6	—	—	—	.05	—	.16	—	—	—	—	—	.31		6
7	—	—	—	.21	—	.03	—	—	—	.22	.11	.10		7
8	—	—	—	.22	—	.04	—	—	—	.25	.14	.08		8
9	—	—	.10 snow	.34	—	.07	—	—	.12	.55	.32	—		9
10	.02	—	.07	.38	—	.09	—	—	—	—	—	.01		10
11	—	—	—	—	—	.26	—	—	.12	.02	.41	.02		11
12	.05	.10	—	.09	—	.15	—	—	—	—	.06	—		12
13	.11	.06	—	.18	—	—	—	—	—	—	.11	—		13
14	.11	.06	—	.20	—	.12	—	—	.01	—	.95	.25		14
15	—	.04	—	.48	.13	.24	—	—	.36	—	.20	.35		15
16	—	.09	.16	.12	—	.02	—	—	.85	—	.71	.02		16
17	—	.02	—	.03	2.32 snow	.30	—	.15	.18	—	.02	—		17
18	—	—	—	.33	.02	—	—	.28	.29	.08	.04	.15		18
19	—	—	—	.13	.09	.09	.25	—	.03	.15	.28	—		19
20	—	.22	—	—	.25	—	—	—	—	—	.20	—		20
21	—	.34	.01	—	—	—	.05	—	.02	.17	—	—		21
22	—	.03	.15	.90	—	—	—	—	.05	.03	—	—		22
23	—	.02	.14	.07	.13	—	—	.41	.17	.29	—	.33		23
24	.05	.38	—	—	.06	—	—	.31	.03	—	—	.25		24
25	.44	.27	—	.08	.01	—	—	—	—	—	—	.23		25
26	—	.62	—	—	—	—	—	.09	.15	.01	.03	.30		26
27	—	—	—	—	—	—	—	.05	.01	.03	.04	.55		27
28	—	.05	—	—	—	—	.09	.19	.06	.12	.04	.02		28
29	—	—	—	—	—	—	—	—	.13	.11	.22	.37		29
30	.05	X	—	—	—	—	—	.71	.10	.02	.66	.40		30
31	—	X	—	X	.70	X	—	—	X	.64	X	.24		31
TOTAL	.88	3.21	1.44	3.99	3.33	1.81	.39	2.19	3.53	5.16	5.13	4.56	Year's Total.	
* Days with .01 in. or more.	10	19	10	18	11	15	3	8	22	20	22	22		35.62
* Days with .04 in. or more.	6	16	8	14	9	12	3	8	18	15	20	18		180 149

Section **A** for the entry of Daily Observations.

Station No. 178015

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at CREDITON
in the County of DEVON
Diameter of Funnel of Gauge..... 5 in.
Height of top of Gauge above Ground..... 1 ft. 3 in.
„ Ground „ Sea Level 19.8 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.16	.02	.06	—	.05	.85	—	—	—	—	.05		1
2	—	.02	—	.06	—	.19	.80	—	—	—	.04	.03		2
3	.02	.02	.07	1.03	—	.05	.14	.03	.64	—	.06	.04		3
4	—	—	.16	.01	—	.05	—	.02	.60	—	.14	.20		4
5	.46	.08	.15	—	—	—	.27	—	.08	—	.13	.23		5
6	.04	—	.04	—	—	.05	.15	—	.06	—	—	.02		6
7	.10	—	.13	—	—	—	.21	—	.05	—	.21	.05		7
8	.15	—	.20	—	—	—	.30	—	—	—	.46	.09		8
9	.33	.62	.32	—	—	—	.41	—	.04	—	.83	—		9
10	.04	.16	—	—	—	—	—	—	—	—	.19	—		10
11	1.37	—	—	—	.22	.16	.04	.05	.20	—	.36	.11		11
12	—	—	—	.04	—	—	.27	—	.58	—	.57	—		12
13	—	—	.02	.08	—	—	.14	—	.03	—	.12	.66		13
14	—	.06	—	—	—	—	.77	—	.24	.09	.11	.25		14
15	—	—	—	—	.20	—	.07	—	.28	.10	—	.10		15
16	—	.14	—	.20	—	—	.10	—	.03	—	.15	.06		16
17	.29	.95	—	—	—	—	.20	—	—	—	.13	.17		17
18	—	.16	.10	—	—	.34	.18	—	—	.06	.04	.03		18
19	.66	.02	.12	—	—	.18	.05	.01	—	.08	—	—		19
20	.03	.55	.33	—	—	—	—	.02	.43	.03	—	—		20
21	.02	.07	.17	1.15	—	.05	.06	—	—	—	—	—		21
22	.18	.27	.22	—	—	—	.03	—	—	—	—	.02		22
23	—	.10	.12	.19	.03	—	—	—	—	—	—	—		23
24	.23	.02	.11	—	.18	—	.08	—	.05	.03	—	—		24
25	.43	—	.32	.03	—	—	.21	—	.07	.23	—	—		25
26	.18	.08	.24	.04	—	—	—	—	.03	.34	—	—		26
27	.17	.02	.14	—	—	—	.22	—	.04	.15	—	—		27
28	.76	.02	.30	—	—	.02	.10	—	—	.35	—	.21		28
29	.03	.05	—	—	—	.07	.02	—	—	.02	—	.15		29
30	.18	~~X~~	—	—	—	.06	.03	—	—	.09	.04	—		30
31	.22	~~X~~	.39	~~X~~	.05	~~X~~	.09	—	~~X~~	.13	~~X~~	.18		31
TOTAL	5.92	3.57	3.67	2.86	.68	1.27	5.79	.13	3.45	1.70	3.58	2.65	35.27	✓
* Days with .01 in. or more.	22	20	21	11	5	12	26	5	17	13	16	19	187	✓
* Days with .04 in. or more.	17	14	19	9	4	11	23	1	14	10	16	15	153	✓

Section



for the entry of Daily Observations.

Station No. 1780/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at *Playington Fields Crediton*
in the County of *Devon*
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. 3 in.
,, Ground ,, Sea Level 19.8 ft.

Local

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.17	.	.06	.41	.	.	.	.	.03	.17	.	.41		1
2	.08	.20	.	.18	.	.	.	.	.10	.	.	.03		2
3	.	.19	.03	.09	.07	.	.03	.	.	.	.	.		3
4	.19	.21	.	.32	.10	.	.	.	.	.	.	.76		4
5	.29	.	.	.02	.	.	.45	.	.	.	.	.37		5
6	.14	.46	.34	.20	.02	.	.21	.	.	.02	.	.		6
7	.	.48	.07	.16	.	.03	.	.	.	.	.06	.16		7
8	.	.04	.	.	.40	.08	.13	.	.	.	.09	.		8
9	.	.	.	.11	.03	.	.06	.	.78	.	.	.		9
10	.06	.	.84	.80	.	.12	.02	.08	.	.	.	.19		10
11	.02	.	.25	.24	.36	.13	.54	.17	.	.	.	.08		11
12	.19	.36	.05	.	.04	.32	.18	.15	.14	.	.	.30		12
13	.	.14	.59	.22	.	.15	.	.37	.06	.	.	.07		13
14	.	.	.08	.03	.	.	.	.	.04	.	.	.21		14
15	.64	.05	.32	.50	.	.	.03	.	.39	.	.04	.23		15
16	.35	.11	.61	.06	.	.	.	.18	.47	.	.	.		16
17	.82	.09	.44	.	.	.	.	.	.16	.	.13	.		17
18	.04	.18	.21	.	.	.25	.	.	.05	.	.11	.21		18
19	.12	.05	.16	.10	.08	.	.	.	.09	.	.	.04		19
20	.50	.07	.03	.19	.06	.	.	.	.	.	.	.45		20
21	.48	.68	.	.	.41	.	.03	.	.10	.13	.05	.		21
22	.18	.	.16	.	.15	.17	.06	.	.06	.48	.31	.02		22
23	.32	.24	.	.	.04	.	.	.	.	.32	.38	.		23
24	.39	.71	.04	.	.	.	.	.	.	.95	.	.		24
25	.15	.95	.38	.	.	.	.	.	.	.41	.	.		25
26	.	.23	.03	.	.	.	.	.	.	.	.	.		26
27	.	.32	.	.	.	.	.	.	.	.65	.	.		27
28	.13	.28	.	.	.	.	.	.	.	.13	.	.		28
29	.	.	.	.	.	.	.	.	.	.43	.27	.		29
30	.53	X	.	.	.	.	.	.	.03	.02	.25	.		30
31	.48	X	.	X	.	X	.	.	X	.63	X	.		31
TOTAL	6.27	6.04	4.69	3.63	1.75	1.25	1.74	.95	2.49	4.04	1.69	3.53	38.07	
* Days with .01 in. or more.	22	21	19	16	12	8	11	5	14	12	10	15	165	
* Days with .04 in. or more.	21	21	16	14	10	7	7	5	12	10	10	13	146	

Year's Total

Section

A

for the entry of Daily Observations

Station No. 1780/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Slaying Field, Breckon

in the County of Decon

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....3.....in.

„ Ground „ Sea Level.....19.8.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.	.15	.	.	.	.61	.23	.19	.	.29	.11	.14		1
2	.	.08	.	.05	.	.	.	.	.	.18	.	.16		2
3	.	.	.	.	.18	.07	.	.72	.	.35	.02	.		3
4	.	.	.	.	.10	.09	.28	1.27	.	.20	.	.		4
5	.	.	.	.	.	.	.04	.	.	.65	.	.15		5
6	.14	.	.	.	.	.	.78	.	.16	.	.	.02		6
7	.17	.	.	.	.	.	.31	.35	.12	.09	.	.13		7
8	.75	.06	.	.	.	.	.22	.04	.	.12	.	.05		8
9	.30	.	.	.	.	.	.	.	.	.03	.	.66		9
10	.13	.08	.	.	.	.05	.	.06	.	.05	.	.40		10
11	.06	.03	.	.	.	.	.06	.68	.	.	.31	1.00		11
12	.18	.	.	.	.05	.	.	.	.	.34	.62	.		12
13	.05	.	.	.	.04	.	.	.	.	.03	.11	.69		13
14	.51	.	.	.	.07	.	.22	.	.06	.	.	.		14
15	.08	.	.	.	.14	.	.	.02	.	.10	.22	.36		15
16	.10	.	.	.	.	.	.	.04	.	.	.34	.		16
17	.	.11	.	.	.13	.	.	.	.	.22	.04	.		17
18	.27	.	.	.	.19	.06	.	.	.30	.03	.38	.		18
19	.	.	.	.	.	.	.	.	.07	.	.37	.		19
20	.	.	.	.	.	.	.	.	.	.	.20	.		20
21	.03	.	.	.	.	.03	.	.	.04	.	.24	.		21
22	.	.	.	.04	.	.	.	.75	.	.	.29	.		22
23	.	.	.	.07	.	.	.	.	.	.	.19	.22	Snow	23
24	.	.	.04	.	.07	.	.	.	.09	.	.42	.		24
25	.16	.18	.09	.	.23	.	.18	.	.	.05	1.00	.		25
26	.32	.15	.	.	.26	.	.03	.	.	.18	.03	.		26
27	.21	.09	.	.	.32	.	.23	.48	.	.03	.22	.		27
28	.29	.14	.05	.	.20	.11	.	.31	.	~~.22~~	.09	.16		28
29	.20	X	.	.	.12	.	.	.	.08	.20	.11	.07		29
30	.04	X	.02	.	.	.13	.	.	.14	.	.25	.10		30
31	.48	X	.	X	.25	X	.	.	X	.15	X	.21	"d"	31
TOTAL	4.47	1.07	.20	.16	2.35	1.15	2.58	4.91	1.06	3.29	5.56	4.52	Year's Total	31.32
* Days with .01 in. or more.	20	10	4	3	15	8	11	12	9	19	21	16		148
* Days with .04 in. or more.	19	9	3	3	15	7	10	11	9	15	19	15		135

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1780/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ... Exeter

in the County of ... Devon

Diameter of Funnel of Gauge ... 5 in.

Height of top of Gauge above Ground ... 1 ft ... 3 in.

Ground Sea Level ... 198 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.18	.	.08	.02	.02	.	.	.	.	.	.06	.03	.39	1
2	.35	.	.	.15	.	.	.	.32	.	.	.14	.40	1.36	2
3	.14	.	.	.37	.	.	.	.19	.18	.	.27	.20	1.35	3
4	.	.	.23	.50	(13)	.	.30	.	.37	.	.23	.37	2.00	4
5	.	.	.03	.18	.	.	.38	.	.	.60	.50	.	1.69	5
6	.53	.	.07	.16	.	.13	.38	.16	.	.20	.12	.	1.75	6
7	.	.07	.05	.	.	.	.	.12	.	.	.11	.	.35	7
8	.	.13	.	.	.02	.	.	.05	.	.35	.31	.27	1.13	8
9	.05	.03	.	.	.	.	.04	.02	.	.16	.	.25	.55	9
10	.31	.	.06	.	.	.	.	.15	.	.09	.	.	.61	10
11	.	.	.09	.	.	.	.	.	.13	.21	.	.	.43	11
12	.11	.12	.	.	.	.08	.	.	.	.03	.10	.	.44	12
13	.	.	.	.09	.	.03	.	.	.	.55	.	.	.67	13
14	.50	.	.	.10	.09	.07	.66	.	.14	.10	.18	.08	1.92	14
15	.50	.	.	.	.	.38	.64	.	.	.	.20	.	1.72	15
16	.20	.	.	.10	.	.	.34	.	.	.	.21	.	.85	16
17	.92	.	.	.	.	.	.34	.	.	.	.15	.	1.41	17
18	.	.	.	.	.	.13	.86	.	.	.	.95	.	1.94	18
19	.19	.11	.	.	.	.	.18	.	.	.	.	.70	.58	19
20	.36	.	.	.	.	.45	.	1.00	.	.	.	.	1.81	20
21	.	.15	.22	.05	.06	.07	.	.	.	.	.	.	.55	21
22	.85	.32	.29	.	.	.42	.28	.	.	.	.	.	2.16	22
23	.07	.02	.08	.30	.	.	.35	.	.	.04	.	.	.86	23
24	1.69	.	.70	.19	.	.47	.23	.	.	.14	.14	.	3.56	24
25	.	.19	.	.13	.	.	.30	.	.	.15	.13	.	.90	25
26	.	.09	.	.14	.	.	.	.45	.	.17	.49	.	1.34	26
27	.	.20	.	.	.	.	.02	.	.	.	.24	.	.46	27
28	.	.06	.	.10	.	.06	.	.	.	.	.40	.02	.64	28
29	.	X	.	.	.	.	.11	.	.	.22	.09	.	.42	29
30	.	X	.	.32	.	.03	.12	.	.	.31	.04	.	.82	30
31	.	X	.05	X	.	X	.	.03	X	.60	X	.	.68	31
TOTAL	6.95	1.49	1.95	2.90	.19	2.32	5.53	2.49	.82	3.92	5.06	1.72	35.34	Year's Total
* Days with .01 in. or more.	16	12	12	16	4	12	17	10	4	16	21	9	149	"d"
* Days with .04 in. or more.	16	10	11	15	2	10	16	9	4	15	21	7	136	"v"

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) ...

Section

A

for the entry of Daily Observations

Station No. 1780/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Breckton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

Ground Sea Level 19.8 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.30		.02							.26		.58	1
2														2
3		1.00		.04						.30	1.50	.18	3.02	3
4	.15	.21		.21			.21				.10		.88	4
5											.42	.19	.61	5
6	.02	.31								.18	.10	.43	1.04	6
7							.22						.22	7
8									.50	.20	.60	.25	1.55	8
9							.28		.45	.10		.27	1.10	9
10							.15		.12		.45	.64	1.86	10
11		.02					.35	.40			.72		1.49	11
12			.10	.04		.07	.70		.75		.21		1.87	12
13			.34							.45	.75	.25	1.79	13
14				.15	.10			.65		.31	.12		1.33	14
15		.46					.15		.45		.37	.30	1.73	15
16		.30	.61	.05						.25			1.21	16
17		.36	.38				.34				.10		1.18	17
18		.69	.19	.85						.15		.15	2.03	18
19		.08	.11	.15			.20		.45		.16		1.15	19
20										.10			.10	20
21				.10	.15		.37				.44		1.06	21
22			.14		.10	.64							.88	22
23		.03			.25					.50			.78	23
24			.21				.35						.56	24
25	.33		.14	.09	.13	.14							.83	25
26	.87	.14		.11	.30	.04	.16						1.62	26
27	.30			.12	.43								.85	27
28	.57		.08	.08									.73	28
29		.17	.06	1.17		.03				.25		.16	1.84	29
30		X		.26						.15		.17	.58	30
31		X		X		X			X	.25	X	.46	.71	31
TOTAL	2.24	4.07	2.36	3.44	1.46	.92	3.48	1.05	2.72	3.14	6.80	3.45	35.18	
* Days with .01 in. or more.	6	13	11	15	7	5	12	2	6	13	15	12	117	
* Days with .04 in. or more.	5	11	11	14	7	4	12	2	6	13	15	12	112	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) J.B. Angus

P.T.O.

REGIS

Kept at *Haywards School*
in the County of *Alameda*

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea

1781
CREDITON, HAYWARDS SCHOOL
1931—40

780308

1781
COPY FOR OFFICIAL USE.
FALL ORGANIZATION.

Below are the
the measurements

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

1st
2nd
52

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.05	—	.17	—	.03	—	.03	—	.01	1
2	—	.91	.09	.28	—	.01	.06	—	.30	—	—	.01	2
3	.47	.08	—	—	.02	—	.01	—	.39	.03	.17	.09	3
4	~~.26~~	—	1.01	.62	—	—	.03	—	.22	—	1.25	.05	4
5	—	.15	.33	—	.09	.33	.15	.23	.10	.03	.01	.16	5
6	—	—	.13	—	—	.37	.02	—	—	—	.09	—	6
7	—	—	—	—	.04	.32	.04	—	—	.22	.14	.47	7
8	—	—	—	.14	.35	.16	.36	.45	—	.08	1.44	.08	8
9	—	.23	—	.47	—	.34	.03	.04	—	.01	.09	.05	9
10	—	.12	—	—	—	.02	.03	—	—	—	—	.02	10
11	—	~~.18~~	—	—	.18	.02	—	—	—	—	.19	.01	11
12	.26	.42	—	—	.02	.15	.08	.05	.09	—	.33	—	12
13	.02	.16	—	—	—	—	.54	—	—	.22	.01	—	13
14	—	—	—	—	.06	.01	.09	.08	—	.01	.41	—	14
15	.03	—	—	—	.17	.19	.42	.12	.02	—	.02	—	15
16	.02	.24	—	—	.09	—	—	—	.08	—	.01	.03	16
17	—	.12	—	.03	.12	.3	.02	—	.06	—	—	.02	17
18	—	.06	—	.09	—	—	.4	—	.02	—	.01	—	18
19	.1	—	.02	—	—	.17	.08	—	—	—	.20	—	19
20	.04	.14	.13	.25	—	.23	.17	—	—	—	.43	—	20
21	.02	—	—	—	—	—	.01	—	—	—	.42	.06	21
22	.1	—	—	—	.15	—	—	—	.03	.02	.01	—	22
23	.14	.14	.22	—	.12	—	—	2.78	—	—	.01	—	23
24	—	.02	—	1.63	.54	.15	.01	—	—	—	.22	—	24
25	—	.04	—	—	—	—	.5	—	—	—	.01	—	25
26	.89	—	—	—	.02	—	.4	—	—	—	.09	—	26
27	.02	.07	—	.45	—	—	.22	—	—	—	.77	—	27
28	.09	.28	—	—	2.21	—	.05	—	—	.02	.31	—	28
29	.13	—	—	.04	.03	.03	—	—	—	.08	.01	.36	29
30	.14	×	—	—	.06	—	.04	—	—	—	.09	.06	30
31	.71	×	.305	×	—	×	.03	.02	×	—	×	.4201	31
TOTAL	3.18	2.37	2.28	4.00	4.44	2.80	3.73	3.77	1.34	.72	6.75	1.49	36.86
	2.49	3.08	2.23	4.05	4.27	2.97	3.70	3.80	1.31	.75	6.74	1.90	37.88
*Days with or in. or more.													
*Days with or in. or more.													

REGISTER OF RAINFALL IN 1931.

Kept at Haywards School Crediton
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground one ft. in.
Ground Sea Level 186 ft.

The Dates below are the dates when the measurement was taken.

corr. for WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following
1st
2nd
-52

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.05	—	.17	—	.03	—	.03	—	.01	1
2	—	.91	.09	.28	—	.01	.06	—	.30	—	—	.01	2
3	.47	.08	—	—	.02	—	.01	—	.39	.03	.17	.09	3
4	~~.47~~	—	1.01	.62	—	—	.03	—	.22	—	1.25	.05	4
5	—	.15	.33	—	.09	.33	.15	.23	.10	.03	.01	.16	5
6	—	—	.13	—	—	.37	.02	—	—	—	.09	—	6
7	—	—	—	—	.04	.32	.04	—	—	.22	.14	.47	7
8	—	—	—	.14	.35	.16	.36	.45	—	.08	1.44	.08	8
9	—	.23	—	.47	—	.34	.03	.04	—	.01	.09	.05	9
10	—	.12	—	—	—	.02	.03	—	—	—	—	.02	10
11	—	~~.18~~	—	—	.18	.02	—	—	—	—	.19	.01	11
12	.26	.42	—	—	.02	.15	.08	.05	.09	—	.33	—	12
13	.02	.16	—	—	—	—	.54	—	—	.22	.01	—	13
14	—	—	—	—	.06	.01	.09	.08	—	.01	.41	—	14
15	.03	—	—	—	.17	.19	.42	.12	.02	—	.02	—	15
16	.02	.24	—	—	.09	—	—	—	.08	—	.01	.03	16
17	—	.12	—	.03	.12	.3	.02	—	.06	—	—	.02	17
18	—	.06	—	.09	—	—	.4	—	.02	—	.01	—	18
19	.1	—	.02	—	—	.17	.08	—	—	—	.20	—	19
20	.04	.14	.13	.25	—	.23	.11	—	—	—	.43	—	20
21	.02	—	—	—	—	—	.01	—	—	—	.42	.06	21
22	.1	—	—	—	.15	—	—	—	.03	.02	.01	—	22
23	.14	.14	.22	—	.12	—	—	2.78	—	—	.01	—	23
24	—	.02	—	1.63	.54	.15	.01	—	—	—	.22	—	24
25	—	.04	—	—	—	—	.5	—	—	—	.01	—	25
26	.89	—	—	—	.02	—	.4	—	—	—	.09	—	26
27	.02	.07	—	.45	—	—	.22	—	—	—	.77	—	27
28	.09	.28	—	—	2.21	—	.05	—	—	.02	.31	—	28
29	.13	—	—	.04	.03	.03	—	—	—	.08	.01	.36	29
30	.14	×	—	—	.06	—	.04	—	—	—	.09	.06	30
31	.71	×	.3	×	—	×	.03	.02	×	—	×	.01	31
TOTAL	3.18 2.49	2.37 3.08	2.28 2.23	4.00 4.05	4.44 4.27	2.80 2.97	3.73 3.70	3.77 3.80	1.34 1.31	.72 1.75	6.75 6.74	1.49 1.90	36.86
*Days with ".01 in. or more.													
*Days with ".04 in. or more.													

Section

A

for the entry of Daily Observations.

Station No.

1781

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Haywards School, Brixton
in the County of DevonDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground One ft. in.,, Ground ,, Sea Level 186 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10			.26	.01	.02	.02	.18	.03		.03	.02	1
2	.03			.02	.01		.02	.05	.66	.03	.02	.20	2
3			.05			.35	.10		.03	.07	.01	.09	3
4						.02		.15		.01	.18		4
5	.20		.09						.30				5
6	.42		.02	.30	.06		.05		.25	.02		.02	6
7	.03		.03	.08	.07		.01		.44	1.15		.01	7
8	.01		.45	.04	.22				.10	.04			8
9	1.13	.02		.24	.02				.01	.13			9
10	.20			.22	.01	.02			.05	.41			10
11	.15			.12	.14					.09		.11	11
12	.18			.03	.24		.02		.03	.33		.08	12
13	.10			.11	.01		.37			.96		.15	13
14	.28			.12	.27				.01	.06	.02	.06	14
15			.01	.26	.07		.02			.05	.12	.01	15
16	.15			.02			.05			.03	.01		16
17				.01	.02			.95	.02	.05			17
18					.09				.68	.02	.34		18
19	.02			.03	.23				.08	.28			19
20	.04			.03	.63				.01	.68	.28	.12	20
21	.02		.07	.10	.04				.05	.37	.08	.14	21
22	.01		.01				.03		.49	.18	.23	.02	22
23		.02					.22		.08	.47	.17	.06	23
24				.01	.02		.45		.23	.02	.06		24
25			.35	.01	.06		.24		.03	.41	.05	.02	25
26			.02	.08			.31		.07	.20	.16	.01	26
27			.20	.18	.11	.01	.10				.04	.03	27
28			.18	.06	.15		.02			.06	.02	.05	28
29		.03	.32	.18	.31	.22		.80	.66	.53	.02		29
30	.02	X	.16	.10	.04	.84	.66	.02	.72	.22	.75	.37	30
31		X	.03	X	.13	X	.10		X	.01	X	.52	31
TOTAL	3.09	.07	1.99	2.61	2.96	1.48	2.79	2.15	4.80	7.09	2.55	2.15	33.73
*Days with .01 in. or more.	18	3	15	24	24	7	18	10	23	28	19	22	211
*Days with .04 in. or more.	11	0	9	16	17	3	11	9	15	22	11	14	138

40-9999

*See Instruction 2 (f) on other side.

(Signed)

E. J. J. J. J.

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 1781

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Haywards School, CREDITON.

in the County of DEVON.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground one ft. in.

,, Ground ,, Sea Level 186 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.24	.31	.18		.07	.04	—							1
2	.22	—	.43		1.04	.45	—							2
3	.04	.11	.17		.02	—	—							3
4	.17	.02	—		.10		—							4
5	.10	—	.24		.23		—							5
6	.01	.39	.02		.37		.03							6
7	.02	.23	.02		.04		.04							7
8	.03	.05	.06		.05		.14	.02						8
9	—	.04	—		.84		.46	.01						9
10	.04	.16	.01		.01		.15	.06						10
11	.05	—	—		—		.07	1.00						11
12	—	—	—	.08	.13	.16	.23	—						12
13	.02	—	—		.14	.07	.17	.19						13
14	—	—	—				.10	.09						14
15	.33	—	.20				.35	.01						15
16	.01	.01	.59			.03		.02						16
17	.03	.04	.19			.10		.03						17
18	.11	—	.41			.20		.01						18
19	.17	—	.32			.09		.02						19
20	.01	.04	—		.03	.32		.16						20
21	—	.02	.01			.36		.21						21
22	—	—	—	.05		—		.31						22
23	—	.11		.16		.13		—						23
24	—	.22		.05		—		.02						24
25	—	.75		.10		.14		—						25
26	—	.31		.22	.30	—		—						26
27	—	.02		—		—		—						27
28	—	.30		.28	.21	—	.19	—						28
29	.09	X		.15		—	.05	—						29
30	.02	X	.13	.13		—	.03							30
31	.09	X	.09	X	.01	X			X		X			31
TOTAL	1.80	4.13	3.07	1.22	3.59	2.09	2.01	2.16					Year's Total	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

BMonthly
Summary.**C**

Particulars of Station.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Haywards School, CREDITON,
In the County of DEVON.

Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground — ft. 9 in.
Height of Ground above Sea Level 200 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with
	Inches	Inches	'01 in. or more
JAN.	2.95		
FEB.	1.20		
MAR.	3.45		
APRIL	3.03		
MAY	1.39		
JUNE	2.10		
JULY	.23		
AUG.	2.85		
SEPT.	1.82		
OCT.	2.11		
NOV.	1.50		
DEC.	8.93		
Total	31.56		

Signature S. Luxton.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Mr C. Luxton, Haywards Boys' Council School,
CREDITON, Devon.

Hour of observation by the clock—in Winter 9.30 a.m. in Summer 9.30 a.m.

Nearest Railway Station Crediton. Distance 1 mile Direction from gauge SSE

Nearest Parish Church at Crediton Distance 20 yds Direction from gauge N

Nature of objects nearest to gauge	Fruit trees			
Height of objects	Up to 20 ft.			
Distances	15 ft.	20 ft.	20 ft.	30 ft.
Directions from gauge	N	S	E	SW

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
 - The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
 - If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
 - The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
 - The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
 - If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
 - The heaviest daily fall for each month should be underlined.
3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt. 283/202 16,000 5/34. Gp. 119/110.

BMonthly
Summary.**C**Particulars of Station,
As for 1934.

1781

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At CREDITONIn the County of DEVON

Rain Gauge { Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with	0.1 in. or more	0.4 in. or more
	Inches	Inches	Date	*	*
JAN.	.91				
FEB.	3.17				
MAR.	1.85				
APRIL	4.29				
MAY	1.65				
JUNE	2.12				
JULY	.54				
AUG.	1.54				
SEPT.	4.38				
OCT.	5.08				
NOV.	5.38				
DEC.	4.29				
TOTAL	35.20				

Signature C. Luxton

*See Instruction 2 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Mr. C. Luxton,
Hayward Boys' Council Sch., CREDITON.
Devon.

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....


Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- It is known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

BMonthly
Summary.**C**

Particulars of Station,

1781

*. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At CreditonIn the County of Devon

Rain Gauge { Diameter of Funnel 5 ins. in.
Height of Top above Ground 9 in.
Height of Ground above Sea Level 200 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with	Number of Days with
	Inches	Inches	*0.1 in. or more	*0.4 in. or more
JAN.	<u>5.94</u>			
FEB.	<u>3.86</u>			
MAR.	<u>3.39</u>			
APRIL	<u>3.08</u>			
MAY	<u>.73</u>			
JUNE	<u>.99</u>			
JULY	<u>5.22</u>			
AUG.	<u>.36</u>			
SEPT.	<u>3.26</u>			
OCT.	<u>1.66</u>			
NOV.	<u>2.51</u>			
DEC.	<u>2.73</u>			
TOTAL	<u>33.73</u>			

Signature B. Lutton

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

The Head Teacher,Hayward Boys' Council School,Crediton, Devon.

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge.....

Height of objects..... No change.

Distances.....

Directions from gauge.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- It is known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt. 3430/1699 15,000 2/35 W. H. & S. 668/91.

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937.

At CREDITON

In the County of DEVON

Rain Gauge (Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. - in.
Height of Ground above Sea Level 186 ft.)

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with .01 in. .04 in. or more or more
JAN.	6.30			
FEB.	6.04			
MAR.	5.04			
APRIL	3.41			
MAY	1.70			
JUNE	1.06			
JULY	1.67			
AUG.	1.04			
SEPT.	2.05			
OCT.	2.85			
NOV.	3.29			
DEC.	3.58			
TOTAL	38.03			

Every observer is requested to fill in this section and also the space for notes as far as possible—

Name and Address to which any inquiry relating to this register should be sent:—

Mr C. Luxton, Headmaster,
Hayward Boys' School, CREDITON, Devon.

Hour of observation by the clock—in Winter 9.30 a.m. in Summer 9.30 a.m. (S.T.)

Nearest Railway Station Crediton 1 mile Distance 1 mile Direction from gauge SSE

Nearest Parish Church at Crediton Distance 50 yds Direction from gauge N by W


Nature of objects nearest to gauge				
Height of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move No. Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Signature

* See Instruction 3 (f) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the

morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

1781

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At CREDITON
In the County of DEVON

Rain Gauge (Diameter of Funnel five in.
Height of Top above Ground 90 in.
Height of Ground above Sea Level 190 ft.)

Month	Total Depth	Greatest Fall	Number of
	Inches	Inches	Days with
			0.1 in. or more
JAN.	8.86		
FEB.	7.74		
MAR.	.18		
APRIL	.10		
MAY	1.72		
JUNE	.84		
JULY	1.76		
AUG.	5.01		
SEPT.	1.14		
OCT.	3.22		
NOV.	5.66		
DEC.	4.42		
TOTAL	28.65		

Signature C. Luaton

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

The Headmaster,

Hayward Boys' Council School,

Crediton.

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station As before. Direction from gauge.....

Nearest Parish Church at..... Direction from gauge.....

Nature of objects nearest to gauge.....

Height of objects.....

Distances ...


Directions from gauge.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Jan. and Feb. data adjusted to agree with nearby station.

M.C. 7
11 JAN. 1939

* See Instruction 3 (f) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W.H.&S. 668/91

S.O. Code No. 40-9999

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

Station no. 1781.

At CREDITON

In the County of DEVON

Rain Gauge { Diameter of Funnel... five in.
Height of Top above Ground... 1 ft.
Height of Ground above Sea Level... 190 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with	0.1 in.	0.4 in.
	Inches	Inches	Date	*	*
JAN.	6.65				
FEB.	1.24				
MAR.	1.58				
APRIL	2.54				
MAY	.23				
JUNE	2.17				
JULY	5.42				
AUG.	.37				
SEPT.	2.18				
OCT.	4.31				
NOV.	6.63				
DEC.	2.29				
TOTAL	35.61				

Signature *C. Luxton*

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

The Head Teacher, Hayward Boys' Cl. Schl.,
CREDITON, Devon.

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge

Height of objects

Distances ...


Directions from gauge ...

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

10 JAN. 1940

* See Instruction 3 (f) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 | would show that the reading on the

morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W. H. & S. 658/91

S.O. Code No. 40-999

BMonthly
Summary.**C**

Particulars of Station.

1781

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At CreditonIn the County of Devon

Rain Gauge
Diameter of Funnel.....5.....in.
Height of Top above Ground.....ft. 9.....in.
Height of Ground above Sea Level.....200.....ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Number of Days with 0.1 in. or more	Number of Days with 0.4 in. or more
JAN.	2.28			
FEB.	3.80			
MAR.	2.11			
APRIL	2.73			
MAY	.99			
JUNE	.85			
JULY	1.75			
AUG.	.31			
SEPT.	1.52			
OCT.	3.44			
NOV.	7.75			
DEC.	2.77			
TOTAL	30.30			

Signature C. Luaton

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Headmaster Hayward Bay Council Sch.,
Crediton, Devon

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station Crediton Distance 2.2 miles Direction from SSENearest Parish Church at..... Distance 50 yds Direction from N

Nature of objects nearest to gauge

Height of objects

Distances


Directions from gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

I am sorry I cannot vouch for the correctness of these figures as I have not the time to supervise the recording personally.

* See Instruction 3 (f) below.

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather when the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the

morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 2778/2036 21,000 10/38 W.H. & S. 668/91

S.O. Code No. 40-9999

Section **A** for the entry of
AIR MINISTRY
FORM 1090. **REGIST**

Kept at *(Kinross)*
in the County of *(Dumfries)*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea Level.....

1781/5
CREDITON, KINROSS
1934-38

318/26
Station No. **1781/5**
ALL ORGANIZATION.
4. *V/S. Devon/b*
c 1934
for station no. 1780

280308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												0.28		1
2												0.13		2
3												0.32		3
4												0.41		4
5												0.54		5
6												0.41		6
7												0.34		7
8												0.76		8
9												0.15		9
10												0.01		10
11												0.51		11
12												0.12		12
13												0.25		13
14												0.25		14
15											0.05	0.58		15
16											TR	0.35		16
17											—	0.10		17
18											—	0.15		18
19											—	0.13		19
20											—	0.04		20
21											0.02	0.34		21
22											—	0.82		22
23											—	0.12		23
24											—	0.07		24
25											—	0.49		25
26											0.06	0.07		26
27											0.02	0.22		27
28											0.01	0.73		28
29											0.02	0.02		29
30		X									0.01	0.09		30
31		X		X		X			X		X	0.07		31
TOTAL												2.79	8.81	Year's Total
*Days with 0.1 in. or more.												31		
*Days with 0.4 in. or more.												29		

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *W. Lockert* *W. Thomson* [P.T.O.]
X W. LOCKERT W. THOMSON B. SC X

Section

A

for the entry of Daily Observations.

Station No.

1781/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

V/S. Devon/b

c 1934

Kept at Kilross, Cheddon
in the County of Devon

not a
continuation for station no. 1780
surface pending

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												0.28		1
2												0.13		2
3												0.32		3
4												0.41		4
5												0.54		5
6												0.41		6
7												0.34		7
8												0.76		8
9												0.15		9
10												0.01		10
11												0.51		11
12												0.12		12
13												0.25		13
14												0.25		14
15											0.05	0.58		15
16											TR	0.35		16
17											—	0.10		17
18											—	0.15		18
19											—	0.13		19
20											—	0.04		20
21											0.02	0.34		21
22											—	0.82		22
23											—	0.12		23
24											—	0.07		24
25											—	0.49		25
26											0.06	0.07		26
27											0.02	0.22		27
28											0.01	0.73		28
29											0.02	0.02		29
30		X									0.01	0.09		30
31		X		X		X			X		X	0.07		31
TOTAL												0.79 8.81		
*Days with 0.1 in. or more.												31		
*Days with 0.4 in. or more.												29		

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

X W. LOCKERIE THOMSON B. SC X

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1781/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Kimross Cheddar*in the County of *Devon**Devon/b.*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *in.*,, Ground ,, Sea Level *300* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.07	0.11	0.56	—	—	0.01	<i>T₄</i>	—	0.25	0.12	0.03	0.18		1
2	<i>TR</i>	0.04	0.10	—	—	0.09	—	—	0.04	0.17	0.13	0.23		2
3	0.02	<i>TR</i>	0.15	0.01	0.15	0.10	—	—	0.31	0.64	0.24	0.12		3
4	0.03	0.43	—	0.13	0.03	0.07	<i>T₄</i>	—	0.02	0.16	0.18	0.30		4
5	0.01	0.31	0.07	0.05	—	0.03	—	—	0.15	1.14	0.02	0.06		5
6	—	—	—	0.22	—	0.32	—	—	—	0.01	—	0.30		6
7	—	—	—	0.19	—	0.02	—	—	—	0.19	0.08	0.09		7
8	—	—	—	0.24	—	—	—	—	<i>T₄</i>	0.24	0.13	0.07		8
9	~~0.01~~	—	—	0.30	—	0.04	—	—	0.13	0.52	0.29	—		9
10	0.04	—	0.10	0.28	—	0.11	—	—	<i>T₄</i>	—	—	0.02		10
11	0.24	<i>TR</i>	0.13	—	—	0.14	—	—	0.10	0.02	0.40	0.01		11
12	0.10	0.09	—	—	—	0.15	—	—	—	<i>TR</i>	0.04	—		12
13	0.10	0.07	—	0.27	—	<i>T₄</i>	—	—	—	—	0.27	—		13
14	—	0.06	—	0.12	<i>TR</i>	0.09	—	—	0.36	<i>T₄</i>	0.88	0.33		14
15	—	0.05	<i>TR</i>	0.44	0.11	0.25	—	—	0.03	—	0.16	0.29		15
16	—	0.08	0.15	0.09	—	0.02	0.02	—	0.74	0.02	0.72	—		16
17	—	0.02	—	0.02	0.84	0.30	0.02	—	0.16	—	0.02	—		17
18	—	—	—	0.37	0.01	<i>T₄</i>	0.19	—	0.28	0.04	0.03	0.14		18
19	—	<i>TR</i>	—	0.08	0.15	0.09	0.03	—	0.05	0.15	0.30	<i>T₄</i>		19
20	—	0.20	—	0.26	0.38	—	—	0.34	—	—	0.18	—		20
21	—	0.36	—	0.16	—	—	0.04	—	0.02	0.14	—	—		21
22	—	0.03	0.13	0.55	—	—	—	—	0.05	0.02	—	—		22
23	—	0.02	0.14	0.05	0.13	—	—	0.42	0.15	0.29	—	0.30		23
24	0.06	0.39	0.01	0.02	0.06	<i>T₄</i>	—	0.32	0.05	0.09	—	0.18		24
25	0.39	0.27	—	0.06	0.01	0.06	—	—	—	—	—	0.31		25
26	—	0.62	—	—	—	<i>T₄</i>	—	0.12	0.15	0.04	0.02	0.44		26
27	—	0.07	—	—	—	<i>T₄</i>	0.02	0.04	0.04	0.12	0.03	0.47		27
28	0.01	0.05	—	—	—	—	0.07	0.18	0.07	0.09	0.05	0.01		28
29	—	<i>X</i>	—	—	—	<i>T₄</i>	—	—	0.12	<i>T₄</i>	0.22	0.38		29
30	0.03	<i>X</i>	—	<i>TR</i>	0.06	0.12	—	0.72	0.08	0.01	0.60	0.40		30
31	—	<i>X</i>	—	<i>X</i>	0.03	<i>X</i>	—	0.01	<i>X</i>	0.57	<i>X</i>	0.28		31
TOTAL	1.07	3.27	1.54	3.91	1.96	2.01	0.39	2.15	3.35	4.79	5.02	4.91	34.37	
* Days with .01 in. or more.	12	19	10	21	12	18	7	9	22	22	23	22	197	
* Days with .04 in. or more.	6	16	9	18	8	15	3	8	19	17	17	19	155	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

Section



for the entry of Daily Observations.

Station No.

1781/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at KINROSS, CREDITON,in the County of DEVONDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01	0.16	0.01	0.04	—	0.04	0.94	0.01	—	—	0.03	0.06		1
2	—	0.13	—	0.06	—	0.15	0.33	0.02	0.16	—	0.10	0.02		2
3	0.01	—	0.08	1.07	—	0.05	0.12	0.01	0.37	—	0.09	0.02		3
4	~~T₄~~	—	0.13	0.01	—	0.05	—	~~—~~	0.55	—	0.12	0.19		4
5	0.53	0.07	0.13	—	—	—	0.30	0.01	0.04	—	~~T₄~~	0.19		5
6	0.07	—	0.03	—	—	0.03	0.17	~~T₄~~	0.06	—	0.21	—		6
7	0.08	—	0.13	—	—	~~T₄~~	0.22	—	0.05	—	0.40	0.05		7
8	0.20	—	0.21	—	—	—	0.41	—	0.03	—	0.67	0.10		8
9	0.28	0.67	0.37	—	—	—	0.38	—	0.03	—	0.21	—		9
10	0.03	0.34	—	—	—	—	~~T₄~~	—	—	—	0.33	—		10
11	0.39	—	—	—	~~T₄~~	0.15	0.04	0.04	0.07	—	0.56	0.01		11
12	0.01	—	—	—	~~T₄~~	—	0.27	—	0.49	0.03	0.08	—		12
13	0.15	—	0.01	0.19	—	—	0.12	—	0.01	0.05	0.09	0.86		13
14	—	0.05	—	—	—	~~T₄~~	0.81	—	0.20	0.10	~~T₄~~	0.06		14
15	—	—	—	—	0.01	—	0.04	—	0.15	—	0.16	0.29		15
16	—	0.13	—	0.16	0.30	—	0.09	—	0.02	—	0.10	0.06		16
17	0.30	0.94	—	—	0.02	~~T₄~~	0.20	—	—	0.05	0.03	0.15		17
18	0.07	0.15	0.05	—	~~T₄~~	0.26	0.20	~~T₄~~	—	0.09	~~T₄~~	0.01		18
19	0.61	0.01	0.14	0.05	—	0.17	0.04	~~T₄~~	—	~~T₄~~	—	~~T₄~~		19
20	0.03	0.57	0.28	0.03	—	—	—	0.01	0.41	—	—	~~T₄~~		20
21	—	0.10	0.30	1.07	—	0.04	0.03	—	—	—	—	—		21
22	0.17	0.23	0.07	—	0.01	—	0.03	—	—	0.01	—	0.01		22
23	0.01	0.07	0.12	0.17	0.03	—	—	—	0.01	0.01	—	—		23
24	0.24	—	0.10	—	0.18	—	0.04	—	0.03	0.20	~~T₄~~	~~T₄~~		24
25	0.42	—	0.37	0.09	—	—	0.22	—	0.07	0.34	—	—		25
26	0.22	0.08	0.19	0.01	—	—	—	—	0.02	0.12	—	—		26
27	0.14	0.01	0.13	—	—	—	0.18	—	0.03	0.36	—	—		27
28	0.73	—	0.37	0.01	—	0.02	0.06	—	—	0.01	~~T₄~~	0.17		28
29	0.02	0.04	—	—	—	0.06	—	—	—	0.07	0.01	0.14		29
30	0.16	~~—~~	—	—	0.01	0.11	0.04	—	—	0.14	—	—		30
31	0.18	~~—~~	0.37	~~—~~	—	~~—~~	0.08	—	~~—~~	~~T₄~~	~~—~~	0.18		31
TOTAL	5.06	3.69	3.59	2.96	0.56	1.13	5.36	0.10	2.80	1.58	3.19	2.27	32.29	Year's total
* Days with .01 in. or more.	25	17	21	13	7	12	25	6	20	14	16	18	194	
* Days with .04 in. or more.	18	15	18	9	2	10	23	1	12	10	13	0.13	144	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 1781/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at 'KINROSS,' CREDITON

in the County of DEVON

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.ft.....in.

„ Ground „ Sea Level ..300.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.16	0.01	0.05	0.43	-	-	-	-	Tr.	0.16	Tr.	0.42		1
2	0.07	0.13	-	0.17	-	-	-	-	0.10	-	Tr.	0.01		2
3	-	0.18	0.01	0.08	0.05	-	(.01)	-	-	-	-	Tr.		3
4	0.17	0.18	-	0.42	0.08	-	(.01)	-	-	-	-	0.79		4
5	0.28	Tr.	Tr.	0.01	Tr.	-	0.59	-	-	-	-	0.32		5
6	0.13	0.43	0.35	0.17	Tr.	Tr.	0.14	-	Tr.	0.02	Tr.	Tr.		6
7	-	0.48	0.03	0.16	-	0.01	-	-	0.01	-	-	0.09		7
8	-	0.03	-	-	0.42	0.09	0.09	-	Tr.	-	0.11	-		8
9	Tr.	Tr.	0.14	0.11	0.04	-	0.04	0.01	0.79	-	-	-		9
10	0.05	0.01	0.79	0.80	Tr.	0.10	✓	0.02	-	-	-	0.17		10
11	0.02	-	0.23	0.21	0.38	0.10	0.60	0.31	-	-	-	0.08		11
12	0.18	0.34	0.02	0.01	0.06	0.31	0.12	0.17	0.13	-	-	0.28		12
13	-	0.13	0.59	0.21	-	0.21	-	0.25	0.04	-	-	0.05		13
14	-	Tr.	0.06	0.01	-	-	Tr.	Tr.	0.03	Tr.	-	0.21		14
15	0.62	0.05	0.30	0.47	-	-	Tr.	Tr.	0.33	-	-	0.22		15
16	0.42	0.08	0.59	0.02	-	-	Tr.	0.17	0.46	-	0.28	-		16
17	0.77	0.11	0.43	-	-	-	-	Tr.	0.16	-	0.08	-		17
18	0.02	0.17	0.18	-	-	0.21	-	-	0.04	-	0.17	0.22		18
19	0.09	0.02	0.17	0.07	0.10	-	-	-	0.06	-	0.21	0.11		19
20	0.50	0.07	0.02	0.16	0.05	-	-	-	Tr.	-	-	0.31		20
21	0.47	0.65	0.05	0.02	0.33	-	0.01	-	0.09	0.11	✓	0.01		21
22	0.22	Tr.	0.11	-	0.14	(.16)	0.05	-	0.06	0.52	0.35	-		22
23	0.31	0.20	-	-	0.02	-	-	-	-	0.26	0.38	-		23
24	0.33	0.70	Tr.	-	-	-	0.01	-	0.05	0.92	-	-		24
25	0.09	0.97	0.37	-	0.04	-	-	-	-	0.16	-	.01 ✓		25
26	-	0.18	0.02	Tr.	0.02	-	-	-	-	-	-	-		26
27	Tr.	0.32	-	-	-	-	-	-	-	0.66	-	-		27
28	0.25	0.30	-	-	-	(.01)	-	-	-	0.12	-	.01 ✓		28
29	0.11	X	-	-	-	-	-	-	-	0.44	0.23	-		29
30	0.30	X	-	-	-	-	-	-	0.14	0.01	0.24	-		30
31	0.49	X	-	X	-	X	-	-	X	0.47	X	0.02		31
TOTAL	6.05	5.74	4.51	3.53	1.73	1.20	1.48	0.93	2.49	3.85	2.05	3.31	Year's Total	✓
* Days with .01 in. or more.	23	23	20	18	13	9	12	6	15	12	10	17	178	✓
* Days with .04 in. or more.	21	19	15	13	11	7	7	4	13	10	9	13	142	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *W. C. Stevenson* P.T.O.

Section

A

for the entry of Daily Observations

Station No.

1781/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Kilnsey, Creetington*in the County of *Down*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level *200* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	0.15	—	0.04	<i>TR</i>	<i>TR</i>	—	0.18	—	0.24	0.10	0.12		1
2	<i>TR</i>	0.05	—	—	—	0.05	0.04	—	—	0.23	—	0.14		2
3	—	—	—	—	0.17	0.04	0.24	0.89	—	0.35	0.01	<i>TR</i>		3
4	—	—	—	<i>TR</i>	0.09	<i>TR</i>	0.03	0.93	—	0.22	—	0.05		4
5	<i>TR</i>	—	—	—	—	0.04	0.81	—	—	0.61	—	✓		5
6	0.13	—	—	—	—	—	0.30	—	0.16	0.01	—	0.01		6
7	0.13	—	—	—	—	—	0.19	0.25	0.07	0.06	—	0.11		7
8	0.72	0.05	—	—	—	<i>TR</i>	✓	0.02	—	0.11	<i>TR</i>	0.02		8
9	0.26	0.07	<i>TR</i>	—	—	0.07	—	0.02	—	0.02	<i>TR</i>	0.67		9
10	0.13	0.01	~~<i>TR</i>~~	—	—	0.01	—	0.02	—	0.03	—	0.33		10
11	0.05	0.02	—	—	0.04	<i>TR</i>	✓	1.13	—	—	0.33	1.01		11
12	0.18	<i>TR</i>	—	—	0.07	—	—	—	0.05	0.30	0.69	0.01		12
13	0.04	—	—	—	0.08	—	—	—	—	0.03	0.02	0.69		13
14	0.48	—	—	—	0.10	—	✓	—	—	—	—	0.01		14
15	0.07	—	—	—	—	—	—	0.01	—	0.09	0.19	0.36		15
16	0.04	0.02	—	—	0.15	—	—	0.02	—	—	0.31	0.01		16
17	—	0.07	—	—	0.12	0.05	—	—	—	0.18	0.02	0.01		17
18	0.23	—	—	—	—	—	—	<i>TR</i>	0.22	0.02	0.39	—		18
19	<i>TR</i>	—	—	—	—	—	—	—	0.06	—	0.36	—		19
20	—	—	<i>TR</i>	—	—	<i>TR</i>	—	—	0.01	—	0.16	—		20
21	0.01	—	—	0.03	—	0.03	—	0.02	0.05	—	0.18	—		21
22	—	—	—	0.07	—	—	—	0.74	0.02	—	✓	0.21		22
23	—	—	0.04	—	0.08	—	0.24	<i>TR</i>	—	—	0.45	—		23
24	✓	—	0.11	—	0.19	—	—	0.01	0.04	—	0.38	—		24
25	0.44	0.19	0.02	—	0.27	<i>TR</i>	0.17	—	—	0.04	0.96	✓		25
26	0.31	0.17	—	—	0.29	0.08	0.05	—	—	0.17	0.02	✓		26
27	0.20	0.06	0.01	—	0.45	0.02	0.22	0.38	<i>TR</i>	0.05	0.20	—		27
28	0.25	0.18	—	—	0.13	—	—	0.40	0.01	—	0.08	0.17		28
29	0.18	✓	0.01	—	0.03	0.07	—	—	0.06	0.20	0.10	0.05		29
30	0.04	✗	<i>TR</i>	—	0.22	0.24	—	—	0.10	<i>TR</i>	0.19	0.06		30
31	0.43	✗	—	✗	0.28	✗	—	—	✗	0.14	✗	0.21		31
TOTAL	4.02	1.04	0.19	0.14	2.76	0.70	2.29	5.02	0.90	3.10	5.09	4.25	39.50	
* Days with .01 in. or more.	21	12	5	3	17	11	(13)	15	12	20	21	22	172	
* Days with .04 in. or more.	20	9	2	2	16	8	(12)	8	9	15	17	15	133	
Year's Total													29.50	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section **A** for the entry of
AIR MINISTRY
FORM **REGIST**

Kept at *Killerton*
in the County of *Devon*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
,, Ground ,, Sea L

1782
KILLERTON
1931 — 40

1782
FOR OFFICIAL USE.
ALL ORGANIZATION.
31. 283

780308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									.43				1
2													2
3			1.04								.95		3
4													4
5						.57							5
6										.14		.67	6
7													7
8													8
9													9
10													10
11		.75											11
12													12
13													13
14													14
15													15
16													16
17													17
18								.78					18
19													19
20													20
21													21
22													22
23													23
24				.76			.65						24
25													25
26													26
27					1.04								27
28													28
29													29
30		X											30
31	.61	X		X		X			X		X		31
TOTAL	2.83	2.98	1.97	3.46	3.32	3.13	3.41	3.30	1.10	0.48	5.80	1.83	33.61
*Days with "or in. or more.	19	24	10	14	19	12	21	16	11	10	19	11	186
*Days with ".04 in. or more.	16	18	7	14	14	11	15	13	7	6	18	8	147

40-9999 **71.8 75.7 50.0 87.8 84.4 79.4 86.6 83.8 27.9 12.1 147.3 46.4 833.2**
(Signed) **U.T.O.**

*See Instruction 2 (f) on other side.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 9.

REGISTER OF RAINFALL IN 1937.

Kept at Killerton
in the County of Devon

Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground ft in.
Ground Sea Level 159 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									.43				1
2													2
3			1.04								.95		3
4													4
5						.57							5
6										.14		.67	6
7													7
8													8
9													9
10													10
11		.75											11
12													12
13													13
14													14
15													15
16													16
17													17
18								.78					18
19													19
20													20
21													21
22													22
23													23
24				.76			.65						24
25													25
26													26
27					1.04								27
28													28
29													29
30		X											30
31	.61	X		X		X			X		X		31
TOTAL	2.83	2.98	1.97	3.46	3.32	3.13	3.41	3.30	1.10	0.48	5.80	1.83	33.61
*Days with or in. or more.	19	24	10	14	19	12	21	16	11	10	19	11	186
*Days with .04 in. or more.	16	18	7	14	14	11	15	13	7	6	18	8	147

40-9999 71.8 75.7 50.0 87.8 84.4 79.4 86.6 83.8 27.9 12.1 147.3 46.4 833.2
(Signed) B.T.O.

*See Instruction 2 (f) on other side.

Section **A**

for the entry of Daily Observations.

1782
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1932.

283

Kept at Killerton
in the County of Devon
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 159 ft.

mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I													I
2													2
3													3
4													4
5													5
6													6
7										1.37			7
8			70										8
9	87												9
10													10
11													11
12													12
13													13
14													14
15													15
16							1.19						16
17													17
18									.78				18
19													19
20					1.05								20
21													21
22													22
23		.02											23
24													24
25													25
26													26
27				.37									27
28													28
29								.75					29
30		X				1.01					0.96		30
31		X		X		X			X		X	.79	31
TOTAL	2.28	0.02	2.12	2.20	3.31	1.82	3.87	2.04	4.03	7.97	2.59	2.74	34.99
*Days with or in. or more.	15	1	12	22	17	6	17	10	15	24	18	16	173
*Days with .04 in. or more.	10	0	7	17	13	5	12	6	13	20	13	13	129

40-9999 57.9 0.5 53.9 56.0 84.1 46.3 98.3 51.7 102.4 202.4 65.8 69.5

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Kept at Killerton

in the County of Devon

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. 0 in.

Ground Sea Level 159 ft.

283

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												1.91	1
2					.63								2
3													3
4													4
5													5
6													6
7													7
8													8
9							.41						9
10										.68			10
11								.79					11
12									.67				12
13													13
14													14
15	0.32												15
16			.71										16
17													17
18													18
19											.38		19
20													20
21													21
22						.69							22
23													23
24													24
25		.93											25
26													26
27													27
28				.29									28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	1.65	4.06	3.28	1.77	2.73	2.50	1.89	1.72	1.93	2.85	0.79	1.69	26.86
*Days with .01 in. or more.	16	17	14	10	13	13	13	10	9	20	10	12	157
*Days with .04 in. or more.	13	14	13	9	11	11	9	7	7	16	4	6	120

40-9999 41.8

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

FORM 1090

REGISTER OF RAINFALL IN 1934.

1782

283

Kept at Killerton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 159 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									.81				2
3													3
4													4
5								1.01					5
6					.49								6
7													7
8													8
9											.22		9
10													10
11				.60									11
12													12
13	.46												13
14			.43										14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22							.96					.78	22
23						.86							23
24		.23											24
25										.37			25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.45	0.33	2.78	3.30	1.53	1.90	1.28	3.18	2.87	2.38	1.28	10.13	YEAR'S TOTAL 33.41
*Days with .01 in. or more.	20	3	20	19	7	10	7	16	16	25	15	31	189
*Days with .04 in. or more.	12	2	17	13	7	7	5	13	12	17	10	29	144

Sect

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at

in the County of

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 159 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			65											1
2														2
3														3
4														4
5										47				5
6						57								6
7														7
8														8
9														9
10														10
11	0.85													11
12														12
13														13
14											1.09			14
15				62										15
16									86					16
17					94									17
18														18
19							17							19
20														20
21														21
22														22
23														23
24														24
25	0.85	93												25
26												63		26
27														27
28														28
29														29
30		x						45						30
31		x		x		x			x		x			31
TOTAL	0.80	4.26	1.55	3.44	2.05	3.00	0.41	2.43	3.75	3.80	6.02	5.00	36.51	
*Days with .01 in. or more.	10	24	10	20	11	22	5	10	23	21	24	21	198	
*Days with .04 in. or more.	6	15	7	17	8	16	3	9	20	17	17	18	153	

40-9999

*See Instruction 2 (5) on other side.

* Spare column, no entries required.

(Signed)

[P.T.O.]

Section **A** for the entry of Daily Observations.

Station No. 1782 283

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Killerton
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 159 ft. mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							1.05	.02						1
2									.47					2
3				.91										3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11											.53			11
12														12
13												.76		13
14														14
15														15
16					.30									16
17		1.03												17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27										.32				27
28	.68		.53											28
29						.52								29
30		X												30
31		X		X		X			X		X			31
TOTAL	4.87	3.68	3.82	2.49	0.43	2.02	5.67	0.10	3.18	1.48	3.03	2.87	33.64	(33.65)
* Days with .01 in. or more.	27	20	21	12	2	15	29	7	17	13	19	21	203	
* Days with .04 in. or more.	22	17	15	9	2	11	22	0	14	10	14	14	150	

Section

A

for the entry of Daily Observations.

Station No.

1782

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 283

FORM 1091.

Silverton (Killexton)

Kept at

in the County of Devon

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1 ft. 0.....in.

" Ground " Sea Level 159.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1												.63		1
2														2
3														3
4														4
5														5
6														6
7														7
8					.65									8
9														9
10														10
11							.69							11
12						.32		.47						12
13														13
14														14
15				.57										15
16									.81					16
17	.98		.83											17
18														18
19														19
20														20
21														21
22														22
23											.67			23
24										1.60				24
25		.92												25
26														26
27														27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	6.42	6.10	4.70	3.29	2.52	.89	1.76	1.53	2.74	4.05	2.51	3.51	40.02	
* Days with 0.2 mm. or more.	23	24	21	17	13	7	12	6	15	11	13	17	179	
* Days with 1.0 mm. or more.	21	20	18	14	13	5	8	6	12	10	10	13	150	

(141w)

* See Instruction 2 (f) on other side.

† Spare column, no entries required, except year's total.

40-9999,

163.6 154.8 119.5 83.5 63.9 22.5 44.7 (Signed) 38.9 69.6 102.8 63.8 89.2 1016.2

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1782

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1.

REGISTER OF RAINFALL IN 1938.

Kept at Silverton (KulleaTen)in the County of DevonDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 159 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1						.72								1
2														2
3														3
4								1.75						4
5										.45				5
6							1.06							6
7									.63					7
8														8
9														9
10												.73		10
11														11
12														12
13														13
14	.74													14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23				.07										23
24			.12	.20										24
25		.27									.77			25
26					.39									26
27														27
28														28
29														29
30		X												30
31		X		X		X		X		X				31
TOTAL	101.0	26.8	6.2	2.7	56.7	12.9	2.97	4.91	2.29	2.96	165.9	107.8	843.8	843.8
* Days with 0.2 mm. or more.	21	10	3	2	11	8	11	10	9	15	18	15	136	136
* Days with 1.0 mm. or more.	18	7	3	2	14	8	11	10	9	15	18	15	130	130

(141w)

* See Instruction 2 (f) on other side.

† Spare column, no entries required, except year's total.

40-9999. 3.98 1.06

.24 11 2.23 1.69

75.5 (Signed)

124.8 58.2 75.3

6.54 4.24 33.60

22 P.O.

Section

A

for the entry of Daily Observations.

Station No. 1782

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Silvertown (Killerntony).

in the County of Devon

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. 0 in.

Ground Sea Level 159 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2									.50					2
3				.38								.37		3
4			.45		.23									4
5														5
6														6
7														7
8										.75				8
9														9
10														10
11														11
12														12
13														13
14														14
15						.60	.95							15
16														16
17														17
18											.76			18
19														19
20								1.81						20
21														21
22		.28												22
23														23
24														24
25	1.51													25
26														26
27														27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	169.8	36.5	28.9	63.9	13.4	52.5	166.1	93.4	22.3	107.2	184.5	42.5	981.0	Year's Total
* Days with 0.2 mm. or more.	15	9	8	15	4	9	17	13	4	15	21	9	139	
* Days with 1.0 mm. or more.	15	9	8	15	4	9	17	13	4	15	21	9	139	

(141w) * See Instruction 2 (f) on other side.

40-9999. 6.69 1.44 1.14 2.52 .53 2.0

† Spare column, no entries required, except year's total.

6.54 (Signed) .88 4.22 7.26 1.67 38.64 P.T.O.

Section



for the entry of Daily Observations

Station No. 1782 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 1934

Kept at Silverton (Kilbenton) ✓

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 159 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9							57							9
10												48		10
11														11
12									84					12
13										83	111			13
14														14
15														15
16		80	61											16
17														17
18														18
19														19
20								21						20
21														21
22						68								22
23														23
24														24
25					46									25
26	69													26
27														27
28														28
29				111										29
30		X												30
31		X		X		X			X		X			31
TOTAL	57.9	103.0	58.7	68.2	28.9	26.8	78.2	5.3	42.7	97.7	159.3	88.0	814.7	Year's Total
* Days with 0.2 mm. or more.	9	14	9	12	5	2	12	1	5	12	14	12	110	
* Days with 1.0 mm. or more.	9	14	9	12	5	2	12	1	5	12	14	12	110	

(114w)

* See Instruction 3 (f) on other side.

+ Spare column, no entries required, except year's total.

2.28 4.06 +89 2.69 1.14 1.06 3.08 (Signed) 21 1.68 3.85 6.27 3.46 346 ✓ P.T.O.

Section **A** for the entry of Data
AIR MINISTRY.

FORM 1090.

REGIST

Kept at School House
in the County of Der

Diameter of Funnel of Gauge 5"

Height of top of Gauge above Ground

Ground Sea Level 94 ft.

1782/5

THORVERTON, SCHOOL HOUSE 4.

1934 — 40

Station No. 1782/5

L ORGANIZATION.

1931 + 1932

Number 4050/301

NR 1923

78030P

3599

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	-	-	-	-	-	-	.48	-	-	.2	.57		1
2	.1	-	.05	-	-	-	-	.1	.74	.03	.3	.20		2
3	.01	-	-	-	-	-	-	.15	-	.17	-	.38		3
4	.1	-	.17	.02	.4	-	-	.03	.03	.36	-	.59		4
5	-	-	.09	-	.33	.2	-	.79	-	.37	.15	.62		5
6	-	-	.3	-	.58	-	-	-	-	.43	.04	.49		6
7	.04	-	-	.13	-	-	-	.1	-	.07	.05	.61		7
8	-	-	-	-	.1	-	-	.01	.02	-	.16	.21		8
9	.01	-	.35	.3	-	-	-	-	-	.04	.26	-		9
10	.28	-	.38	.13	-	-	-	.01	-	.02	.03	.77		10
11	.37	-	.01	.52	-	-	-	.63	-	-	-	.58		11
12	.14	.01	.04	.06	-	-	-	.03	-	-	-	.24		12
13	.4	-	-	.68	-	.06	-	-	-	.03	.03	.81		13
14	.5	-	.38	-	-	-	-	-	-	.03	.08	.36		14
15	.06	-	.09	-	.09	-	.02	-	-	.14	.06	.41		15
16	.01	-	.2	-	-	-	-	-	.07	.02	-	.26		16
17	.18	-	.06	.08	-	-	-	-	.04	.12	-	.16		17
18	.09	-	.23	.72	-	-	-	-	.17	.01	-	.16		18
19	-	-	.18	.02	-	.01	-	-	.1	.04	-	.24		19
20	-	-	.05	.11	-	-	-	.01	.08	.15	-	.04		20
21	-	-	.13	-	-	.25	-	-	.04	.01	.02	.27		21
22	.05	.03	-	-	-	.01	.94	.02	.45	-	-	.1		22
23	.05	-	.02	.16	.46	.9	-	.03	.24	-	-	.24		23
24	.01	.14	.08	.05	.05	.23	.08	-	.04	.14	-	.13		24
25	.26	.11	-	.21	.24	.01	-	-	-	.34	-	.66		25
26	.01	-	.04	.08	.08	.21	.02	-	.02	.01	.08	.2		26
27	-	-	-	.01	.04	.06	-	.02	.05	.09	-	.32		27
28	.01	-	-	.01	-	.01	-	.37	.25	.08	.01	.62		28
29	-	X	-	-	-	-	-	.3	.08	.05	.01	.07		29
30	.01	X	-	-	-	-	-	.01	.025	-	-	.07		30
31	-	X	-	X	.01	X	.08	.03	X	.73	X	.1		31
TOTAL	2.74	.29	2.86	3.29	1.51	1.95	2.13	3.09	2.435	2.88	1.48	11.48	36.13	
* Days with .01 in. or more.	22	4	19	17	6	11	5	16	17	24	15	30	186	
* Days with .04 in. or more.	15	2	17	13	5	7	3	8	13	16	10	30	139	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Wm H. Hill

P.T.O.

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. *1782/5*

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at *School House Thorverton*
in the County of *Devon.*Diameter of Funnel of Gauge. *5"* in.Height of top of Gauge above Ground *1* ft. — in.,, Ground ,, Sea Level *194* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	-	-	-	-	-	-	.48	-	-	.2	.57		1
2	.1	-	.05	-	-	-	-	.1	.74	.03	.3	.20		2
3	.01	-	-	-	-	-	-	.15	-	.17	-	.38		3
4	.1	-	.17	.02	.4	-	-	.03	.03	.36	-	.59		4
5	-	-	.09	-	.33	.2	-	.79	-	.37	.15	.62		5
6	-	-	.3	-	.58	-	-	-	-	.43	.04	.49		6
7	.04	-	-	.13	-	-	-	.1	-	.07	.05	.61		7
8	-	-	-	-	.1	-	-	.01	.02	-	.16	.21		8
9	.01	-	.35	.3	-	-	-	-	-	.04	.26	-		9
10	.28	-	.38	.13	-	-	-	.01	-	.02	.03	.77		10
11	.37	-	.01	.52	-	-	-	.63	-	-	-	.58		11
12	.14	.01	.04	.06	-	-	-	.03	-	-	-	.24		12
13	.4	-	-	.68	-	.06	-	-	-	.03	.03	.81		13
14	.5	-	.38	-	-	-	-	-	-	.03	.08	.36		14
15	.06	-	.09	-	.09	-	.02	-	-	.14	.06	.41		15
16	.01	-	.2	-	-	-	-	-	.07	.02	-	.26		16
17	.18	-	.06	.08	-	-	-	-	.04	.12	-	.16		17
18	.09	-	.23	.72	-	-	-	-	.17	.01	-	.16		18
19	-	-	.18	.02	-	.01	-	-	.1	.04	-	.24		19
20	-	-	.05	.11	-	-	-	.01	.08	.15	-	.04		20
21	-	-	.13	-	-	.25	-	-	.04	.01	.02	.27		21
22	.05	.03	-	-	-	.01	.94	.02	.45	-	-	.1		22
23	.05	-	.02	.16	.76	.9	-	.03	.24	-	-	.24		23
24	.01	.14	.08	.05	.06	.23	.08	-	.04	.14	-	.13		24
25	.26	.11	-	.21	.4	.01	-	-	-	.34	-	.66		25
26	.01	-	.04	.08	.08	.21	.02	-	.02	.01	.08	.2		26
27	-	-	-	.01	.04	.06	-	.02	.05	.09	-	.32		27
28	.01	-	-	.01	-	.01	-	.37	.25	.08	.01	.62		28
29	-	X	-	-	-	-	-	.3	.08	.05	.01	.07		29
30	.01	X	-	-	-	-	-	.01	.025	-	-	.07		30
31	-	X	-	X	.01	X	.08	.03	X	.13	X	.1		31
TOTAL	2.74	.29	2.86	3.29	1.51	1.95	2.13	3.09	2.435	2.88	1.48	11.48	36.13	
* Days with .01 in. or more.	22	4	19	17	6	11	5	16	17	24	15	30	186	
* Days with .04 in. or more.	15	2	17	13	5	7	3	8	13	16	10	30	139	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

H. H. Hill

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1782/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

File No
71050/30

Kept at Thorverton School

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 194 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.10	.64	—	—	—	.01	—	.13	.12	.14	.41		1
2	—	.05	.06	—	—	.03	—	—	.08	.10	.03	.36		2
3	.06	—	.20	.01	.06	.11	—	—	.35	.54	.20	.01		3
4	.02	.45	—	.18	.16	.18	—	—	.07	.09	.24	.21		4
5	—	.21	.07	.03	—	.01	—	—	.17	1.03	.04	.06		5
6	—	.01	—	.24	—	.41	—	—	—	.30	.01	.25		6
7	—	—	—	.26	—	.01	—	—	—	.20	.05	.07		7
8	—	—	—	.31	—	—	—	.05	.03	.44	.13	.07		8
9	—	—	—	.28	—	.01	—	—	.09	.01	.38	—		9
10	.04	—	—	.25	—	.06	—	—	—	—	—	.01		10
11	.28	—	.15	—	—	.19	—	—	.18	.03	.72	.01		11
12	.06	.20	—	—	—	.17	—	—	—	—	.01	—		12
13	.11	.13	—	.29	—	.03	—	.10	—	.01	.43	—		13
14	.01	.12	—	.15	—	.15	—	—	.23	—	1.24	.29		14
15	—	—	—	.65	—	.29	—	—	.07	.02	.21	.20		15
16	—	—	.17	.11	.20	.05	.01	—	.89	—	.82	—		16
17	—	—	—	.02	.98	.28	—	.18	.10	—	.14	—		17
18	—	.02	—	.42	.03	.06	.10	.29	.25	.05	.02	.17		18
19	—	.17	—	.10	.15	.07	.18	—	.03	.27	.58	—		19
20	—	.37	—	.40	.34	.01	.10	—	.08	—	.22	—		20
21	—	—	—	.26	—	—	—	—	.04	.11	.01	—		21
22	—	.04	.14	.32	—	—	—	—	.25	.02	—	—		22
23	—	—	.15	.21	.07	—	—	.42	.04	.32	—	.33		23
24	.14	.50	—	.06	.03	—	—	.30	—	.04	—	.36		24
25	.30	.55	—	.07	.04	.09	—	—	—	—	—	.22		25
26	—	1.01	—	—	—	.04	—	.10	.10	.03	.04	.62		26
27	—	.05	—	—	—	—	.02	.02	.05	.15	.05	.53		27
28	—	.11	—	—	—	—	.05	.10	.06	.10	.03	.03		28
29	—	X	—	—	.02	—	—	—	.09	.01	.25	.53		29
30	.03	X	—	—	.01	.11	—	.78	.02	.01	.49	.40		30
31	—	X	—	X	.03	X	—	.03	X	.48	X	.20		31
TOTAL	1.11	4.09	1.58	4.62	2.12	2.36	.47	2.38	3.4	4.48	6.48	5.34	38.48	2
* Days with .01 in. or more.	11	17	8	21	13	21	7	11	23	24	25	22	203	
* Days with .04 in. or more.	8	15	8	18	8	15	4	9	20	16	19	18	158	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Wm. H. Gill [D.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1782/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936 File No. 71050/30

Kept at Thorverton
 in the County of Devon
 Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 „ Ground „ Sea Level 194 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02	19	—	03	—	12	93	—	—	—	01	09		1
2	—	01	—	04	—	14	21	01	05	—	07	03		2
3	06	—	05	1.17	—	08	15	—	97	—	16	03		3
4	01	—	18	01	—	09	—	—	45	—	09	20		4
5	40	06	05	—	—	—	20	01	26	—	—	(~~24~~)		5
6	07	—	03	—	—	05	15	02	20	—	20	(~~24~~)		6
7	14	—	14	—	—	—	19	~~01~~	01	—	41	04		7
8	16	—	30	—	—	—	23	—	01	—	68	05		8
9	33	35	43	—	—	01	35	—	09	—	21	—		9
10	07	24	—	—	—	—	(~~49~~)	—	—	—	26	—		10
11	31	01	—	—	—	13	(~~49~~)	04	14	—	70	09		11
12	01	—	—	03	—	—	41	—	54	02	11	—		12
13	09	01	01	—	—	—	13	01	01	09	10	62		13
14	—	04	—	—	—	—	89	—	34	11	—	29		14
15	—	—	—	—	—	—	03	—	37	—	11	12		15
16	—	11	—	07	32	—	13	—	04	—	13	10		16
17	23	1.04	—	—	01	—	22	—	—	08	03	14		17
18	04	16	07	—	18	31	28	—	—	04	—	08		18
19	64	01	05	12	—	26	16	—	—	—	—	—		19
20	06	38	16	01	—	(~~05~~)	01	04	46	—	—	02		20
21	02	10	23	1.05	—	(~~05~~)	—	01	—	—	—	—		21
22	16	27	20	—	—	—	16	—	—	—	—	01		22
23	04	09	14	16	03	—	—	—	—	01	—	—		23
24	30	02	08	—	18	—	22	—	03	22	—	—		24
25	23	—	31	08	—	—	23	—	13	20	—	—		25
26	23	07	24	—	—	—	—	—	03	08	—	—		26
27	14	01	01	—	—	—	19	—	—	34	—	—		27
28	68	—	48	—	—	01	34	—	—	01	—	22		28
29	08	05	—	—	—	02	—	—	—	09	08	22		29
30	16	~~2~~	—	—	—	16	06	—	—	17	—	—		30
31	25	~~2~~	42	~~2~~	02	~~2~~	10	—	~~2~~	—	~~2~~	26		31
TOTAL	4.93	3.22	3.58	2.77	.74	1.43	6.16	14	4.13	1.46	3.35	2.85	Year's Total	34.76
* Days with .01 in. or more.	27	20	20	11	6	13 ¹⁴	25 ²⁶	7	18	13	16	19 ²⁰	195	198 ✓
* Days with .04 in. or more.	23	14	17	7	3	10 ⁹	28 ²⁴	2	13	10	14	15 ¹⁶	151	152 ✓

† Spare column, no entries required.

(Signed)

Wm. H. Gill

[P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 1782/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

File No

71050/30

Kept at Thorverton

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 19.4 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.17	.02	.01	.30	—	—	—	—	—	.09	.02	.53		1
2	.08	.17	—	.22	—	—	—	—	.05	—	—	.03		2
3	—	.30	.03	.03	.16	—	—	—	—	—	—	{.60}		3
4	.10	.31	—	—	.06	—	—	—	—	—	—			4
5	.33	—	—	—	—	—	—	—	—	—	—	.32		5
6	.12	.46	.25	.17	.01	—	.64	—	.01	—	—	—		6
7	—	.40	.01	.14	—	—	.44	—	—	—	.01	.20		7
8	—	.03	—	—	.60	—	.15	—	—	—	.06	—		8
9	.02	—	.19	.12	.05	—	.04	.03	.75	—	—	—		9
10	.09	.02	.78	1.01	—	.12	.04	.74	—	—	—	.17		10
11	.02	—	.26	.24	.46	.06	.62	.27	—	—	—	.03		11
12	.21	.37	.08	.03	.02	.36	.14	.30	.14	—	—	.35		12
13	—	.15	.72	.26	—	.05	—	.33	—	—	—	—		13
14	—	—	.04	.04	—	—	.08	—	.01	—	—	.18		14
15	.83	.05	.22	.51	—	—	.04	—	.25	—	—	.34		15
16	.21	.08	.41	.01	—	—	.01	.02	.53	—	.13	—		16
17	1.00	.07	.56	—	—	—	—	.20	.09	—	.04	—		17
18	.12	.25	.17	—	—	.24	—	—	.15	—	.13	.20		18
19	.10	.05	.15	.18	.11	—	—	—	.07	—	.36	.05		19
20	.55	.08	.02	.22	.01	—	—	—	—	—	—	.38		20
21	.48	.67	.07	.07	.46	—	.04	—	.05	.08	.11	.02		21
22	.22	.04	.10	—	.28	—	.10	—	.04	.65	.44	—		22
23	.38	.27	—	—	.10	—	—	—	—	.13	.69	—		23
24	.53	.56	.03	—	—	—	—	—	—	1.23	—	—		24
25	.10	.88	.40	—	.02	—	—	—	.02	.18	—	.01		25
26	—	.25	.03	—	.10	—	—	—	—	—	—	—		26
27	.02	.65	—	—	—	—	—	—	—	.49	—	—		27
28	.20	.11	—	—	—	.01	—	—	—	.18	—	.03		28
29	.11	X	—	—	—	—	—	—	—	.34	.28	—		29
30	.31	X	—	—	—	.03	—	—	.02	.01	.30	—		30
31	.45	X	—	X	—	X	—	—	X	.42	X	—		31
TOTAL	6.75	6.24	4.53	3.55	2.44	.87	2.34	1.89	2.18	3.80	2.57	3.44	40.6	✓
* Days with .01 in. or more.	25	24	21	16	14	7	12	7	14	11	12	17	180	✓
* Days with .04 in. or more.	22	21	15	13	10	5	11	5	10	10	10	12	144	✓

† Spare column, no entries required

(Signed) Wm H. Gull [P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 1782/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Thorverton School

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 194 ft.

File No. 71050/30

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.10	—	—	—	.63	—	.29	—	.58	.03	.09		1
2	—	.05	—	.03	—	.02	.06	—	—	.08	.03	.17		2
3	—	—	—	—	.17	.05	.01	.42	—	.39	.02	—		3
4	—	—	—	—	.07	.05	.16	1.64	—	.11	—	.11		4
5	.10	—	—	—	—	.02	.06	—	.03	.52	—	.10		5
6	—	—	—	—	—	.07	.76	—	.09	—	—	.01		6
7	.18	—	—	—	—	—	.37	.19	.23	.24	—	.13		7
8	.66	.02	—	—	—	—	.23	.06	—	—	—	—		8
9	.34	.12	—	—	—	.02	—	—	—	—	—	.48		9
10	.12	—	—	—	—	.05	.05	.10	—	.02	—	.45		10
11	.08	—	—	—	—	.01	.01	.80	—	—	.41	.74		11
12	.14	.02	—	—	.12	—	—	—	—	.36	.71	.01		12
13	.09	—	—	—	.09	—	—	—	—	.01	.03	.76		13
14	.62	—	—	—	.17	—	.25	.01	.07	—	—	—		14
15	.06	—	—	—	.17	—	—	—	—	.16	.37	.32		15
16	.03	.02	—	—	—	—	—	.02	—	—	.25	—		16
17	—	.10	—	—	.06	—	—	.03	.01	.25	.03	—		17
18	.21	—	—	—	.23	.08	—	—	.08	.04	.27	—		18
19	.02	—	—	—	—	—	—	—	.11	—	.44	—		19
20	—	—	—	—	—	—	—	—	.02	—	.25	—		20
21	—	—	—	—	—	—	—	—	.21	.02	.17	.28		21
22	—	—	—	.04	—	.04	—	—	—	—	.33	.07		22
23	—	—	—	.05	—	—	—	.70	—	—	.12	—		23
24	—	—	.09	—	.14	—	—	.05	.06	—	.42	—		24
25	.15	.09	—	—	.24	—	.30	.05	—	.04	.93	—		25
26	.43	.10	.10	—	.45	—	—	—	—	.17	.07	.18		26
27	.18	.31	—	—	.19	.05	.30	.41	—	.06	.31	—		27
28	.26	.10	.02	—	.08	.02	—	.50	—	—	.03	—		28
29	.23	.10	—	—	.21	—	—	—	.12	.22	.19	—		29
30	.10	X	.01	—	.06	.09	—	—	—	—	.23	.16		30
31	.32	X	—	X	.17	X	—	—	X	.18	X	.31		31
TOTAL	4.32	1.13	.22	.12	2.62	1.2	2.56	5.27	1.03	3.45	5.64	4.37	31.93	✓
* Days with .01 in. or more.	20	11	4	3	16	14	12	15	11	18	22	17	16	✓
* Days with .04 in. or more.	18	8	2	2	16	9	10	12	8	15	16	15	13	✓
Year's Total														

† Spare column, no entries required.

(Signed) Wm H. Gill

[P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 1782/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Thorverton School

in the County of Devon

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. in.

Ground Sea Level 194 ft.

File No 71050/30

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15	—	.08	.03	—	—	.10	.17	.01	—	.42	.05		1
2	.18	—	—	.20	—	—	—	.34	.33	—	.25	.21		2
3	.19	—	—	.34	—	—	—	.07	.05	—	.22	.47		3
4	—	—	.31	.18	.19	—	.44	—	—	.41	—	.42		4
5	—	—	—	.21	—	—	.35	.12	—	.27	.81	—		5
6	.56	.08	.02	.14	—	—	.30	.08	—	.17	.16	—		6
7	—	—	—	—	—	—	.06	.06	—	—	.56	.23		7
8	—	—	.02	—	.02	—	.06	.06	—	.85	.29	.09		8
9	.05	—	.02	—	—	—	—	.06	—	.15	—	.05		9
10	.21	.11	—	—	—	—	—	.09	.18	.06	.01	.29		10
11	—	—	.09	—	—	—	—	—	—	.11	.03	—		11
12	—	.09	—	—	—	—	—	—	—	.03	—	—		12
13	—	—	—	.16	—	.02	.12	—	.14	.65	.04	—		13
14	.49	—	—	.02	.05	.08	.38	—	.02	.06	.21	—		14
15	.35	—	—	.07	.10	.59	.79	—	—	—	.18	—		15
16	.16	—	—	.09	—	.01	.25	—	—	—	.36	—		16
17	.77	.01	—	—	—	.13	.32	—	—	—	.31	—		17
18	.03	.06	.05	—	—	.10	.80	—	—	—	.90	.09		18
19	.16	—	—	—	—	.06	.12	.01	—	—	—	.05		19
20	1.45	—	—	—	—	.19	.02	1.30	—	—	—	—		20
21	.03	.23	.06	—	—	.10	.05	—	—	—	—	—		21
22	—	.32	.21	.04	—	.31	.18	—	—	—	.32	—		22
23	—	—	.04	.28	—	—	.18	—	—	—	.54	—		23
24	1.0	—	.34	.13	—	.45	.22	—	—	.13	—	—		24
25	.71	.18	—	—	—	—	.15	.11	—	.08	.37	—		25
26	.02	.14	—	.28	—	—	—	.15	—	.08	.35	—		26
27	—	.14	—	—	—	.05	—	.01	—	—	.20	.17		27
28	—	.04	—	.20	—	—	—	—	—	—	.68	—		28
29	.02	—	—	.14	—	—	.08	—	—	.16	.06	—		29
30	—	X	—	.34	—	.05	.04	—	—	.25	—	—		30
31	—	X	—	X	—	X	.02	.05	X	.55	X	—		31
TOTAL	6.53	1.4	1.24	2.85	.36	2.14	5.03	2.68	.73	4.01	7.27	2.12	36.36	Year's Total
* Days with .01 in. or more.	18	11	11	17	4	13	22	15	6	16	22	11	166	
* Days with .04 in. or more.	14	10	8	15	3	11	20	13	4	15	21	11	145	

† Spare column, no entries required

(Signed)

W. H. Gill

P.T.O.

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 1782/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340.

Kept at Thorverton School

in the County of Devon 6

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 1.94 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	.01	—	—	—	—	—	.20	—		1
2	—	—	—	—	—	—	—	—	—	—	X } .02			2
3	—	.98	—	—	—	—	—	—	—	.08	1.73 } .20			3
4	—	.15	—	.20	—	—	.21	—	—	.17	.08	.04		4
5	.03	.02	—	—	—	—	.13	—	—	✓	.61	.11		5
6	—	.37	—	—	—	—	.39	—	—	X .09	.17	X		6
7	.38	—	—	—	—	—	—	—	—	.04	—	X		7
8	—	—	—	—	—	—	✓	—	—	X	.34	X .78		8
9	—	—	—	—	—	—	X .41	.15	.01	.49	.56	.22		9
10	—	—	—	—	—	—	.08	—	—	.14	.22	.55		10
11	—	—	—	—	—	—	.40	—	—	—	.63	—		11
12	—	—	—	—	—	.11	.51	—	.82	1.36	.06	—		12
13	—	—	.42	—	—	—	.03	—	.04	1.06	.99	X		13
14	—	.08	—	.70	.13	—	—	—	.17	.29	—	X .60		14
15	(.09)	—	—	.31	—	—	.24	—	.28	—	.50	—		15
16	.90	1.09	.70	—	—	—	.10	—	.01	—	.15	.02		16
17	—	.19	.37	—	—	—	.19	—	—	—	.01	—		17
18	(.66)	.45	.15	X .66	—	—	.05	—	.03	.07	—	X .11		18
19	—	—	.10	.16	—	—	.04	—	.30	—	✓	—		19
20	—	—	—	.05	—	—	.10	.12	.04	.18	✓ .16	—		20
21	—	.04	—	—	.18	—	—	—	—	—	—	—		21
22	—	—	.10	.13	—	.67	—	—	.13	—	—	—		22
23	—	.05	.17	.05	.09	—	—	—	—	—	—	—		23
24	—	—	.01	—	.10	—	.47	—	—	—	—	—		24
25	.17	—	.10	—	.21	—	—	—	—	—	—	—		25
26	—	.29	—	.06	.16	—	.14	—	—	—	—	—		26
27	1.26	.09	—	.15	.15	—	—	—	—	—	.37	—		27
28	.31	.05	—	.06	.04	—	—	—	—	—	—	—		28
29	—	—	.18	1.11	—	—	—	—	—	.01	—	X		29
30	—	X	—	.10	—	—	—	—	—	.24	—	X .56		30
31	—	X	—	X	—	X	—	—	X	.43	X	—		31
TOTAL	2.30 3.31	3.85	2.30	3.74	1.07	.78	3.49	.27	1.83	4.65	6.78	3.21	Year's Total 35.28	34.87 130 1/2
* Days with .01 in. or more.	7	13	10	13	9	2	17	2	10	X 16	16	X 15	123	130 1/2
* Days with .04 in. or more.	6	12	9	13	8	2	15	2	8	X 14	15	X 13	112	117

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Wm. H. Gill [P.T.O.]

Section



for the entry

AIR MINIS'

FORM 1090.

REGI

Kept at Silver
in the County of C

Diameter of Funnel of Gauge
Height of top of Gauge above Gr
,, Ground ,, Sea

1783
SILVERTON
1931—36

1783
FOR OFFICIAL USE.
INFALL ORGANIZATION.
931.

780308

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	trace	.04	.01	.22	trace	trace	.07	trace	.41	.02	—	trace	I
2	.20	.02	—	.76	trace	trace	trace	—	.26	trace	.14	.10	2
3	.07	—	1.04	trace	—	—	.02	—	.22	—	.99	.07	3
4	.03	—	.22	.03	.03	.02	.18	.35	.17	.02	trace	trace	4
5	trace	.40	.17	.18	.03	.57	.01	trace	.01	—	.10	.12	5
6	trace	.08	.01	.01	.07	.21	.25	—	trace	.16	.15	.64	6
7	trace	.02	—	Trace	.39	.33	.29	.25	—	.06	.68	.09	7
8	—	.20	—	.01	trace	.45	.01	.08	—	.02	.19	.07	8
9	—	.10	—	.01	—	.01	.02	trace	—	—	.45	.01	9
10	—	.10	—	trace	.23	.03	.04	.09	trace	—	.24	—	10
II	.24	.69	—	trace	.02	.23	.09	trace	.03	—	.29	.01	II
12	.01	.19	—	—	trace	.01	.13	—	.04	.16	.01	trace	12
13	—	.06	trace	—	.07	.01	.17	.09	trace	.01	.02	—	13
14	.04	.05	trace	—	.11	.23	.61	.13	.02	—	.59	—	14
15	.02	.14	—	.06	.13	—	trace	.32	.03	—	—	—	15
16	.05	.25	—	.11	.17	.41	.01	.20	.09	—	—	.01	16
17	.01	.06	—	.13	.01	trace	.38	—	trace	—	trace	—	17
18	.04	.01	.01	.14	—	.04	.12	.84	—	—	.19	—	18
19	.08	.11	.04	.08	—	.04	.01	.08	.02	—	.21	—	19
20	.02	.10	.27	trace	—	trace	—	.62	—	—	.50	—	20
21	.20	.05	.07	trace	.14	—	—	trace	—	—	trace	—	21
22	.18	.05	trace	.01	.11	—	—	.02	—	—	.03	—	22
23	.31	.05	—	.37	.56	trace	.02	—	—	—	.18	—	23
24	.16	trace	trace	.56	.07	—	.77	.30	—	—	.02	trace	24
25	.23	.02	—	.53	.02	—	.19	trace	—	—	.13	trace	25
26	.01	.11	—	.27	trace	—	.24	—	—	—	.69	trace	26
27	.15	.21	trace	.01	1.24	—	.14	—	—	.02	.21	.01	27
28	.15	.25	.13	.02	.02	—	—	.02	—	.03	trace	.20	28
29	.10	X	.13	trace	.05	—	.10	.18	.03	.08	.06	.19	29
30	.07	X	trace	.01	.03	—	trace	.01	.09	.01	trace	—	30
31	.85	X	trace	X	.15	X	.02	trace	X	trace	X	.46	31
TOTAL	3.22	3.36	2.10	3.52	3.65	2.59	3.89	3.58	1.42	0.59	6.07	1.98	YEAR'S TOTAL 35.97
*Days with or in. or more.	23	25	11	20	21	14	24	16	13	11	22	13	213
*Days with or in. or more.	17	21	8	12	14	9	16	13	7	4	18	9	148

40-9999

*See Instruction 2 (f) on other side.

(Signed)

G.B. Savery

[P.T.O.]

Section

A

for the entry

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Silvertown
in the County of Devon

Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. — in.
,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	trace	.04	.01	.22	trace	trace	.07	trace	.41	.02	—	trace	1
2	.20	.02	—	.76	trace	trace	trace	—	.26	trace	.14	.10	2
3	.07	—	1.04	trace	—	—	.02	—	.22	—	.99	.07	3
4	.03	—	.22	.03	.03	.02	.18	.35	.17	.02	trace	trace	4
5	trace	.40	.17	.18	.03	.57	.01	trace	.01	—	.10	.12	5
6	trace	.08	.01	.01	.07	.21	.25	—	trace	.16	.15	.64	6
7	trace	.02	—	Trace	.39	.33	.29	.25	—	.06	.68	.09	7
8	—	.20	—	.01	trace	.45	.01	.08	—	.02	.19	.07	8
9	—	.10	—	.01	—	.01	.02	trace	—	—	.45	.01	9
10	—	.10	—	trace	.23	.03	.04	.09	trace	—	.24	—	10
11	.24	.69	—	trace	.02	.23	.09	trace	.03	—	.29	.01	11
12	.01	.19	—	—	trace	.01	.13	—	.04	.16	.01	trace	12
13	—	.06	trace	—	.07	.01	.17	.09	trace	.01	.02	—	13
14	.04	.05	trace	—	.11	.23	.61	.13	.02	—	.59	—	14
15	.02	.14	—	.06	.13	—	Trace	.32	.03	—	—	—	15
16	.05	.25	—	.11	.17	.41	.01	.20	.09	—	—	.01	16
17	.01	.06	—	.13	.01	trace	.38	—	trace	—	trace	—	17
18	.04	.01	.01	.14	—	.04	.12	.84	—	—	.19	—	18
19	.08	.11	.04	.08	—	.04	.01	.08	.02	—	.21	—	19
20	.02	.10	.27	trace	—	trace	—	.62	—	—	.50	—	20
21	.20	.05	.07	trace	.14	—	—	trace	—	—	trace	—	21
22	.18	.05	trace	.01	.11	—	—	.02	—	—	.03	—	22
23	.31	.05	—	.37	.56	Trace	.02	—	—	—	.18	—	23
24	.16	trace	Trace	.56	.07	—	.77	.30	—	—	.02	trace	24
25	.23	.02	—	.53	.02	—	.19	trace	—	—	.13	trace	25
26	.01	.11	—	.27	trace	—	.24	—	—	—	.69	trace	26
27	.15	.21	trace	.01	1.24	—	.14	—	—	.02	.21	.01	27
28	.15	.25	.13	.02	.02	—	—	.02	—	.03	trace	.20	28
29	.10	X	.13	trace	.05	—	.10	.18	.03	.08	.06	.19	29
30	.07	X	trace	.01	.03	—	trace	.01	.09	.01	trace	—	30
31	.85	X	trace	X	.15	X	.02	trace	X	trace	X	.46	31
TOTAL	3.22	3.36	2.10	3.52	3.65	2.59	3.89	3.58	1.42	0.59	6.07	1.98	YEAR'S TOTAL 35.97
*Days with "or in. or more.	23	25	11	20	21	14	24	16	13	11	22	13	213
*Days with ".04 in. or more.	17	21	8	12	14	9	16	13	7	4	18	9	148

40-9999-

*See Instruction 2 (f) on other side.

(Signed)

G.B. Savory

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Silverton
in the County of Devon
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. — in.
Ground Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	—	—	.08	trace	.07	.14	.17	.04	—	.04	.02	1
2	.03	—	trace	.07	.08	Trace	.02	.03	.57	trace	.03	.27	2
3	trace	—	.02	.01	.01	.37	.06	trace	.22	.05	trace	.03	3
4	—	—	trace	—	—	.01	trace	.21	.01	—	.18	—	4
5	.16	—	.05	—	trace	—	.06	.01	.31	trace	.01	—	5
6	.29	—	.02	.25	trace	—	.04	—	.42	trace	—	—	6
7	.07	—	.02	.19	.02	—	.10	—	.49	1.26	—	—	7
8	.01	—	.73	.02	.21	trace	trace	—	.02	.15	—	—	8
9	1.01	.02	—	.18	.02	—	—	trace	—	.01	—	—	9
10	.33	—	—	.24	.01	.02	—	—	.04	.37	trace	—	10
11	.05	—	—	.12	.08	trace	—	trace	.05	.58	—	.09	11
12	.22	—	—	.01	.29	—	.03	—	.07	.34	—	.02	12
13	.08	trace	—	.16	.02	—	.40	.58	trace	.82	—	.15	13
14	.25	—	—	.11	.33	—	.01	.01	Trace	.02	.03	.01	14
15	trace	—	—	.24	.10	—	trace	—	—	.06	.01	.03	15
16	.16	—	—	.12	trace	—	.31	—	.01	.02	—	.01	16
17	trace	—	—	.02	.01	—	.01	—	.01	.08	—	trace	17
18	—	—	—	trace	.22	—	—	—	.87	trace	.33	trace	18
19	.03	—	—	.02	.21	—	—	—	.06	.55	.02	—	19
20	.03	—	.01	—	1.00	—	—	.02	.01	.61	.20	.10	20
21	.02	—	.08	.09	trace	—	—	.23	.06	.44	.14	.28	21
22	trace	—	trace	.02	.04	—	.02	.07	.60	.13	.18	—	22
23	—	.03	—	trace	.01	trace	.22	trace	.01	.72	.08	.18	23
24	—	trace	—	—	.02	—	.59	—	.05	.16	.03	.02	24
25	—	—	.47	.01	.07	—	.15	—	.06	.36	.06	.02	25
26	—	—	.08	.12	trace	—	.17	—	.01	.17	.07	trace	26
27	—	—	.43	.39	.13	—	.13	—	trace	.16	.07	.05	27
28	—	—	.03	.06	.14	—	.04	—	—	.01	trace	.07	28
29	—	—	.48	.16	.18	.32	.01	.86	.61	.56	.04	.44	29
30	.01	×	.09	.06	.01	1.09	.46	.03	.60	.17	.80	.03	30
31	trace	×	.02	×	.06	×	.27	—	×	.02	×	.59	31
TOTAL	2.84	0.05	2.53	2.75	3.27	1.88	3.24	2.22	5.20	7.82	2.32	2.41	YEAR'S TOTAL 36.53
*Days with ".01 in. or more.	17	2	14	24	24	6	21	11	24	25	18	19	205
*Days with ".04 in. or more.	11	—	8	17	15	4	15	6	17	20	12	10	135

Section **A**

for the entry of Daily Observations.

FORM 1090.

COPY FOR OFFICIAL USE.

File No 759/85/27

Station No 1783

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1933 .

Kept at Silverton
in the County of Devon

Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft one in.
,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.63	.29	.15	—	.12	.05	—	—	—	trace	.10	1.14	1
2	.23	.01	.35	trace	.59	.46	—	—	trace	—	.02	.09	2
3	.02	.05	.24	—	.02	—	—	—	—	—	trace	—	3
4	.20	.01	.03	—	.13	—	—	—	—	—	—	—	4
5	.03	trace	.28	—	.09	—	—	—	—	.04	—	—	5
6	.02	.43	.09	—	.16	—	.04	—	—	.08	—	—	6
7	.02	.27	.02	—	.01	trace	.03	trace	—	.09	—	.01	7
8	.06	.05	.02	—	.02	—	.14	trace	—	.02	—	—	8
9	trace	.03	trace	—	.66	.02	.67	—	—	.09	.02	—	9
10	.02	.07	—	—	—	trace	.13	.07	—	.73	.03	—	10
11	.08	.01	—	trace	—	—	.07	.76	—	.04	trace	—	11
12	—	trace	—	.15	.06	.11	.19	—	.69	.04	—	.01	12
13	.01	—	—	—	.12	.14	.20	.18	—	.27	.06	—	13
14	.03	—	—	—	—	trace	.06	.05	—	.03	.12	—	14
15	.37	—	.24	—	—	—	.75	trace	—	.08	.03	.02	15
16	.01	.01	.67	—	—	—	—	.02	.01	.10	trace	—	16
17	.01	.08	.23	—	—	.09	—	trace	.06	trace	—	—	17
18	.07	.01	.41	—	—	.11	.01	trace	—	—	.02	—	18
19	.14	trace	.24	—	—	.03	—	trace	.06	—	.58	trace	19
20	trace	.06	.01	—	trace	.35	—	.05	.05	—	.01	trace	20
21	trace	.06	trace	—	—	.33	—	.09	trace	.12	trace	.02	21
22	—	—	—	.11	.01	.26	—	.39	.22	trace	trace	—	22
23	—	1.18	—	.27	—	.17	—	.01	.13	.31	—	—	23
24	—	.20	—	.11	—	trace	—	.01	.48	trace	—	—	24
25	—	.71	—	.19	—	.08	—	—	.04	—	—	.10	25
26	—	.41	—	.21	.37	—	—	—	.52	.12	—	.02	26
27	—	.03	—	.02	.01	—	—	—	.01	.35	.01	.44	27
28	—	.14	—	.37	.56	—	.27	—	—	.20	—	.03	28
29	.04	X	trace	.33	—	—	.08	—	trace	—	—	.04	29
30	.02	X	.08	.13	—	—	.03	—	.20	.05	—	.06	30
31	.05	X	.11	X	.02	X	trace	—	X	.03	X	trace	31
TOTAL	2.06	4.11	3.17	1.89	2.95	2.20	2.67	1.63	2.47	2.79	1.00	1.98	YEAR'S TOTAL 28.92
*Days with .01 in. or more.	20	21	16	10	16	13	14	10	12	19	11	12	174
*Days with .04 in. or more.	10	14	12	9	10	11	11	7	10	16	4	6	120

Section **A**

FORM 1090.

COPY FOR OFFICIAL USE.

File No. 759185/27

Station No. 1783

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1934

Kept at Silberton
in the County of Devon

Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. one in.
,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	—	—	—	—	—	—	.50	.02	Trace	.23	.62		1
2	.12	—	.04	—	—	—	—	.07	.84	.02	.20	.27		2
3	.02	Trace	Trace	—	—	—	—	.09	Trace	.17	Trace	.40		3
4	.09	—	.22	.03	.39	—	—	.02	.09	.32	Trace	.47		4
5	Trace	—	.09	.01	.33	.14	—	1.06	Trace	.21	.27	.52		5
6	Trace	—	.34	.13	.56	Trace	—	—	Trace	.44	.06	.52		6
7	.02	—	.01	.01	—	.02	—	.12	—	.09	.05	.56		7
8	.01	—	—	—	.12	—	—	—	—	.01	.17	.61		8
9	Trace	—	.28	.11	—	—	—	Trace	—	.04	.22	.18		9
10	.28	—	.36	.38	—	—	—	.07	—	.03	.03	.03		10
11	.35	—	.02	.54	—	—	Trace	.02	Trace	Trace	Trace	.65		11
12	.13	Trace	.02	.08	—	—	—	.60	—	—	Trace	.08		12
13	.47	—	—	.71	—	.03	—	Trace	—	.03	.01	.47		13
14	.52	—	.44	.02	—	—	—	—	—	.03	.09	.55		14
15	.08	—	.10	Trace	.12	.04	.02	—	.02	.13	.07	.41		15
16	.03	—	.20	.02	.02	—	—	—	.12	.02	.01	.34		16
17	.17	—	.02	.10	.01	—	Trace	—	.04	.10	—	.18		17
18	.08	—	.25	.78	Trace	—	—	—	.06	.02	—	.16		18
19	.02	—	.18	.08	.02	.02	—	.01	.14	.02	—	.14		19
20	—	—	.09	.13	—	—	.02	—	.19	.01	—	.02		20
21	.01	—	.11	Trace	Trace	.27	—	.03	.02	.09	.03	.23		21
22	.03	.02	.08	—	—	.02	.87	.06	.44	.02	Trace	.80		22
23	.05	Trace	.02	.23	—	.94	.03	.02	.30	.04	Trace	.25		23
24	Trace	.18	.09	.03	—	.30	.08	—	.02	.13	—	.06		24
25	.25	.15	—	.30	—	.04	Trace	—	Trace	.33	—	.71		25
26	.01	.01	.03	.06	—	.28	.02	—	.02	.02	.06	.13		26
27	—	—	—	.03	—	.08	Trace	.02	.05	.09	.01	.36		27
28	Trace	Trace	—	.01	—	.04	.02	.41	.28	.08	—	.65		28
29	—	X	—	Trace	—	Trace	—	.25	.10	.07	.01	.12		29
30	.02	X	—	—	—	—	—	.01	.03	.05	Trace	.10		30
31	—	X	—	X	.01	X	.09	.08	X	.07	X	.10		31
TOTAL	2.79	0.36	2.99	3.79	1.58	2.22	1.15	3.44	2.78	2.68	1.52	10.69	Year's Total	35.99
*Days with ".01 in. or more.	22	4	21	21	9	13	8	18	18	28	16	31		209
*Days with ".04 in. or more.	12	2	15	13	5	9	3	11	12	17	10	29		138

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required
(Signed) W B Savery

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1783

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Holman, Silveston

in the County of Devon

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. one in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	.10	.49	—	—	.02	Trace	—	.13	.11	.10	.55		1
2	Trace	.04	.05	—	—	.09	Trace	—	.10	.08	.03	.20		2
3	.01	.02	.16	.03	.10	.21	Trace	—	.34	.31	.16	.04		3
4	.02	.39	.01	.11	.04	.21	—	—	.10	.07	.25	.20		4
5	.01	.21	.02	.04	—	.05	—	—	.18	.93	.05	.06		5
6	—	Trace	—	.31	—	.36	—	—	Trace	.02	.03	.25		6
7	—	—	—	.28	—	Trace	—	—	—	.31	.05	.08		7
8	—	—	—	.35	—	—	—	—	.05	.17	.11	.08		8
9	—	—	—	.29	—	.04	—	—	.11	.43	.40	Trace		9
10	.02	—	.26	.23	—	.04	—	—	Trace	Trace	Trace	.01		10
11	.30	—	Trace	.01	—	.22	—	—	.16	.02	.56	.01		11
12	.07	.13	—	—	—	.25	—	.12	.02	Trace	.02	—		12
13	.09	.06	—	.30	—	.05	—	—	—	.01	.14	—		13
14	.01	.18	—	.14	Trace	.11	—	—	.22	.01	.85	.27		14
15	—	.03	—	.58	.19	.36	—	—	.04	Trace	.22	.22		15
16	—	.05	.13	.13	Trace	.05	.01	—	.88	.02	.85	Trace		16
17	—	Trace	Trace	.05	.96	.29	—	.20	.14	Trace	.09	Trace		17
18	—	Trace	—	.43	.04	.02	.10	.13	.27	.03	.02	.14		18
19	—	.02	—	.11	.23	.08	.17	—	.05	.12	.28	.01		19
20	—	.20	Trace	.27	.27	.01	.04	—	Trace	—	.20	—		20
21	—	.46	Trace	.55	—	.01	.06	—	.06	.06	.01	—		21
22	—	.02	.15	.10	—	—	Trace	—	.06	.01	—	—		22
23	—	.01	.16	.22	.11	—	—	.36	.28	.32	—	.26		23
24	.07	.62	.01	.03	.03	—	—	.30	.05	.04	—	.24		24
25	.35	.83	—	.08	.04	.09	—	—	—	—	Trace	.19		25
26	.01	.68	—	Trace	Trace	.02	—	.13	.16	.02	.04	.60		26
27	—	.04	—	—	—	—	.02	.05	.06	.15	.04	.55		27
28	.02	.09	.01	—	Trace	—	.03	.12	.08	.11	.02	.02		28
29	Trace	X	Trace	—	.02	—	—	Trace	.10	.01	.20	.59		29
30	.05	X	Trace	—	.02	.11	—	.83	.08	.01	.43	.38		30
31	Trace	X	—	X	Trace	X	—	.02	X	.51	X	.20		31
TOTAL	1.08	4.18	1.45	4.64	2.05	2.69	.43	2.26	3.42	3.88	5.12	5.15	36.65	Year's Total
*Days with or in. or more.	14	20	11	22	12	22	7	10	24	25	25	23	215	
*Days with .04 in. or more.	7	15	7	19	9	17	4	9	23	15	19	19	163	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

E.B. Savory

T.O.

Section

A

for the entry of Daily Observations.

Station No. 1783

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Holmans Silverton

in the County of Devon

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground on ft on in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	.18	.01	.06	—	.16	1.07	.02	—	—	.02	.13		1
2	.01	Trace	—	.06	—	.28	.19	.01	.28	—	.06	.01		2
3	.06	Trace	.05	1.37	—	.12	.16	.03	.65	—	.16	.03		3
4	.01	Trace	.17	Trace	—	.13	Trace	Trace	.31	—	.08	.18		4
5	.35	.05	.02	.02	—	—	.16	.02	.17	—	Trace	.21		5
6	.05	Trace	.04	—	—	.05	.17	.02	.18	—	.17	.01		6
7	.17	—	.15	—	—	Trace	.16	—	.01	—	.39	.04		7
8	.20	—	.32	—	—	—	.30	—	.01	—	.63	.02		8
9	.35	.26	.38	—	—	.02	.31	—	.07	—	.27	Trace		9
10	.04	.23	Trace	—	—	.01	.05	—	Trace	—	.32	—		10
11	.30	.01	—	.01	—	.14	.06	.03	.17	—	.68	.05		11
12	.02	—	—	.02	—	.01	.51	Trace	.45	.02	.12	Trace		12
13	.08	—	.01	—	—	—	.28	Trace	.02	.07	.11	.53		13
14	Trace	.03	—	—	—	.02	.88	Trace	.22	.08	Trace	.35		14
15	—	.01	—	—	.03	Trace	.07	—	.28	—	.10	.09		15
16	—	.10	—	.08	.27	.01	.12	—	.06	—	.12	.09		16
17	.21	.97	—	—	Trace	—	.26	—	Trace	.08	.02	.14		17
18	.03	.31	.08	—	.03	.55	.22	Trace	—	.03	—	.07		18
19	.56	.03	.07	.16	—	.30	.19	.04	—	.01	—	Trace		19
20	.07	.30	.15	.04	—	.01	.01	Trace	.46	—	—	.02		20
21	—	.25	.12	.97	—	.06	Trace	—	—	—	—	.01		21
22	.12	.20	.36	.01	—	—	.20	—	—	—	—	Trace		22
23	.05	.07	.12	.20	.01	—	Trace	—	—	.03	Trace	—		23
24	.17	.01	.05	Trace	.17	—	.29	—	.04	.19	.01	.01		24
25	.31	.01	.30	.08	—	.02	.19	—	.08	.26	Trace	—		25
26	.20	.08	.22	—	—	Trace	.01	—	.03	.05	—	—		26
27	.15	.01	.01	—	—	—	.28	—	.03	.33	—	—		27
28	.61	—	.58	.01	—	.01	.28	—	.01	.01	.01	.23		28
29	.12	.04	Trace	—	—	.04	—	—	—	.10	.08	.22		29
30	.20	X	.01	—	Trace	.31	.04	—	—	.21	Trace	.01		30
31	.21	X	.42	X	.01	X	.10	—	X	.01	X	.26		31
TOTAL	4.67	3.15	3.64	3.09	0.52	2.25	6.56	0.17	3.53	1.48	3.35	2.71	Year's Total.	35.12
* Days with .01 in. or more.	27	20	22	14	6	19	27	7	20	15	18	22		217
* Days with .04 in. or more.	22	13	17	9	2	11	25	1	14	9	14	14		151

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

J.B. Savory

[P.T.O.]